

Auditbase

User Guide



Auditdata

Copyright notice

No part of this User Guide or program may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written consent of Auditdata A/S.

Copyright © 2024, Auditdata A/S

Written in Denmark by Auditdata A/S, Denmark.

All information, illustrations, and specifications in this manual are based on the latest product information available at the time of publication.

Auditdata A/S reserves the right to make changes at any time without notice.

Technical support

Please contact your supplier.

Auditdata

Auditdata A/S, Wildersgade, Denmark. Phone +45 70 20 31 24. support@auditdata.com

Legal address in the UK

UK Responsible person: Auditdata Ltd. Centurion House London Road Staines-upon-Thames Middlesex TW18 4AX, Phone +44 (0) 333 4444 212. Fax: +44 (0) 1784 410 313.
support@auditdata.com

1 INTRODUCTION	12
2 CLIENTS AND CLIENT INFORMATION	14
2.1 General information	15
2.2 Tabs	21
2.2.1 Contacts	21
2.2.2 Details	22
2.2.3 Lists/Photo	24
2.2.4 Devices	25
2.2.5 Onward referrals and reporting	26
2.2.6 Implant	27
2.2.7 Visit charge	29
2.2.8 Paediatric	29
2.2.9 Record history	30
2.2.10 Refreshing tab content	31
2.3 Card reader input – restricted to Danish users	32
2.4 General search for a client	33
2.5 Quick searching for a client	35
2.6 Advanced Search criteria	36
2.6.1 Searching for clients by audiogram	36
2.6.2 Searching for clients by device	37
2.7 Recently accessed clients	38
2.8 Adding a new client to the database	39
2.9 Adding a doctor to the client information	42
2.10 Client Access Restriction	43
2.11 Merge Clients	45
3 REFERRALS	48
3.1 Referral overview	49
3.2 Referral filters	51
3.3 Client's referral	55
3.3.1 Quick referral creation	63
3.4 Referral answer	66
3.5 Clinical actions	67
3.6 Linking Bookings and Waiting lists to Referrals	69
3.7 Referral statistics	70
3.7.1 Referral ordinary statistics	70
3.7.2 Referral advanced statistics	70
4 WAITING LISTS	72
4.1 Adding a client to a waiting list	73
4.2 Viewing and filtering Waiting lists	76
4.3 Searching for a client on a waiting list	78
4.4 Selecting clients' entries from waiting list	79
4.5 Deleting client's entry from waiting list	80
4.6 Editing or moving a client's waiting list entry	81

4.7 Exporting waiting lists to Comma Separated Values (CSV)	83
5 CLIENT LISTS/TRIALS	84
5.1 Creating new Client lists/Trials	85
5.2 Editing Client lists/Trials	86
5.3 Adding clients to Client lists/Trials	87
6 BOOKING	89
6.1 Booking list	90
6.2 Resource plan	92
6.2.1 Resource set up	95
6.2.2 Clinic filters set up	96
6.2.3 Using Clinic filters	98
6.3 Time plan general	100
6.4 Time plan, All resources	104
6.5 Time plan, One resource	106
6.6 Booking information	108
6.6.1 Client observation or procedure	109
6.6.2 Visit charge	110
6.6.3 Attached actions	110
6.7 Calendar and refresh	112
6.8 Booking a client directly	113
6.9 Printing an appointment letter	118
6.10 Making a reservation	119
6.11 Searching for a reservation	120
6.12 Making a group appointment	121
6.13 Booking clients using 'Search for new booking'	122
6.14 Booking an appointment from waiting list	124
6.15 Search and Book from the waiting list	125
6.16 Export to MS Outlook	127
6.17 Moving an appointment	129
6.18 Changing the Appointment Status and Outcome Code	130
6.19 Changing who the client attended with	131
6.20 Locating and viewing a previous appointment	132
6.21 Cancelling an appointment	134
6.21.1 Changing the appointment status	134
6.21.2 Highlight, Edit & Move appointment	137
6.21.3 History of appointment changes	138
6.22 Viewing a resource's schedule	139
6.23 Booking statistics	140
6.23.1 Appointment ordinary statistics	140
6.23.2 Appointment advanced statistics	141
6.24 Printing/Emailing a letter	143
6.25 Designing a letter	147
6.25.1 New booking defined template	148
6.25.2 New MS Word template	150

6.25.3 Default recipients	152
6.26 Making timetable	154
6.27 Scheduling timetable	156
6.28 Copying timetable	158
6.29 Bulk move from Resource to Resource	160
6.30 Efficiency Analysis	162
6.30.1 Unbooked time	162
6.30.2 Unscheduled Appointments	164
6.30.3 Missed Appointments	164
6.30.4 Many Earmoulds	166
6.30.5 Missed Review Appointments	166
7 REFERRING AGENTS	168
7.1 Edit or add a referring agent	170
8 MEASUREMENTS	172
8.1 ABR and OAE screening and diagnostics	174
8.2 Entering a pure tone audiogram	176
8.2.1 Saving Audiograms	178
8.2.2 Signing audiograms	179
8.2.3 Deleting audiograms	179
8.3 How to toggle between split, single, large or custom audiogram formats	180
8.4 Other view options	181
8.4.1 Fitting ranges	182
8.5 How to view previous audiograms	184
8.6 Viewing more than one audiogram at a time in the same graph	186
8.7 Adding notes and comments to an audiogram	188
8.8 Tympanometric tab	189
8.9 Tabbed pages for other types of measurements	193
8.10 Printing an audiogram	198
8.11 How to enter into Noah	199
8.12 Using Noah	200
8.12.1 Deleting Noah actions	201
8.12.2 Fast Data View	202
8.12.3 Noah alerts Dashboard	203
8.13 Changing clients with Noah running	207
9 ONWARD REFERRALS AND REPORTING	208
9.1 Automatic addition to onward referral lists	209
9.2 Reviewing onward referrals	211
9.2.1 Status	213
9.3 Managing onward referral lists	215
10 CLIENT PATHWAY OVERVIEW	216
10.1 Changing the size of the viewing pane	218
10.2 Icons	219

10.2.1 Stages	219
10.2.2 Actions	219
10.2.3 Appointments	219
10.3 Actions linking to appointments	220
10.4 Pathway views	222
10.4.1 System default views	223
10.4.2 Configure Views	225
10.4.3 Missing Actions Reports	226
10.4.4 No referral	231
11 EARMOULD	232
11.1 Entering Earmould details	236
11.2 Entering information to show the earmould has been sent to the manufacturer ...	238
11.3 Entering information that the mould has been returned from the manufacturer ...	239
11.3.1 Booking back multiple Earmoulds	239
11.4 Viewing a client's previous earmould impressions	241
11.5 Attaching audiograms to printouts	242
11.6 Earmould barcodes	243
12 PAEDIATRIC MODULE	244
12.1 Entering data in the Paediatric module	245
12.1.1 Contact Information	245
12.1.2 Referral information	246
12.1.3 Audiogram	247
12.1.4 Risk Analysis	249
12.1.5 Consultations	250
12.1.6 PCHI (Permanent Childhood Hearing Impairment)	251
12.1.7 Clinical information	252
12.1.8 Deleting Paediatric information	253
12.2 Paediatric review report	254
12.3 Printing	255
13 STOCK	256
13.1 New status	259
13.2 Issuing a quantity controlled hearing instrument from stock	262
13.3 Issuing a serial number controlled hearing instrument from stock	263
13.4 Issuing devices from Stock after fitting in Noah	265
13.5 Edit item	269
13.6 Reduce quantity	271
13.7 Add external item	272
13.8 Moving single articles of stock	274
13.9 Moving single articles of stock using a Barcode reader	275
13.10 Barcode scanning functionality	276
13.11 Bulk transfers of stock	278
13.12 F10 Fast battery issue	280
13.13 Search for a serial number	281

13.14 Search for serial number in Noah	282
13.15 Search by batch/lot number	284
13.16 Item and article information	288
13.17 Register for Stock	289
13.18 Stock verification using a barcode reader	292
13.19 Requisition	295
13.20 Purchase orders	297
13.20.1 Create/edit/print a purchase order	297
13.20.2 Register deliveries	300
13.20.3 Delivery status overview	302
13.21 Purchase statistics	303
13.22 Stock statistics	304
13.22.1 Statistics for serial numbers	305
13.22.2 Statistics for quantity-controlled articles	305
13.22.3 Statistics for services	306
13.22.4 Issue advanced statistics	306
13.23 Lent out Articles	308
13.24 Financial stock report	309
13.25 Bar code print	310
13.26 Articles	311
13.26.1 Associated articles	312
13.27 Edit groups of articles	313
13.28 Manage articles in groups	314
13.29 Creating a new or modifying a service	315
13.30 Suppliers	316
13.31 Manufacturers	317
13.32 Article types	319
13.33 Order levels	320
13.34 History	321
13.35 Fast accessories issue	322
13.35.1 Creating lists of accessories	322
13.35.2 Opening 'Fast accessories issue'	326
13.35.3 Filtering potential articles	326
13.35.4 Selecting the accessories to issue	327
13.35.5 Stock level control	328
13.35.6 Completing the issue	329
13.35.7 Issuing accessories from Noah	329
14 JOURNAL	330
14.1 Journal overview, appearance and layouts	331
14.2 Keywords	333
14.3 Use of hot-keys	334
14.4 Entering journal text	336
14.5 Editing a journal entry	337
14.6 Use of spell checking	338
14.6.1 Customising the spell check dictionary	339

14.7 Signing a journal entry	340
14.8 Finding unsigned journal entries	341
14.9 Deleting a journal entry	342
14.10 Printing and previewing the journal	343
14.11 Issue & review checklist	344
14.12 Individual Management Plan (IMP)	345
14.12.1 To create an IMP	346
14.12.2 To add Outcomes to an IMP	348
14.12.3 Adding IMP to offline databases	351
14.13 Searching the Journal text	352
15 TREATMENT SUMMARY	353
15.1 Treatment summary overview	354
15.2 Creating a summary	357
15.3 Editing a summary	358
15.4 Signing a summary	359
15.5 Deleting a summary	360
15.6 Printing or previewing a summary	361
15.7 Sending status of summary review	362
16 INVOICE	363
16.1 Symbols	364
16.2 Set up filters	365
16.3 Creating an invoice	367
16.4 Payment accounts	368
16.5 Customer groups	369
16.6 Creating a credit note	370
16.7 Editing postings	371
16.8 Deleting postings	373
16.9 Regenerating postings	374
16.10 Export invoices to CSV file	375
16.11 Cancelling an invoice	376
17 REPAIR	377
17.1 Repair task list filter	378
17.2 Repair order	380
17.3 Creating a new repair task	381
17.4 Finding a repair task	383
17.4.1 Find by article	383
17.4.2 Find by Repair task number	383
17.5 Repair task status	384
17.6 Handling a repair task	385
18 QUESTIONNAIRES	387
18.1 HI satisfaction questionnaire	388
18.1.1 Search	388

18.1.2 Edit	388
18.2 Medical History Questionnaire	390
18.3 Completing a Glasgow Hearing Aid Benefit Profile	391
18.4 Dizziness Handicap Inventory	393
18.5 Custom questionnaires	394
18.5.1 Questionnaire design	394
18.5.2 Questionnaires export to csv	401
18.6 Glasgow and COSI questionnaires in laptop mode	402
19 MEDICAL HISTORY	403
20 OTHER FEATURES	404
20.1 Client's entries	405
20.2 Day view	407
20.2.1 Appointments / Reservation view	407
20.2.2 Workflow view	409
20.3 Device list	411
20.4 Client observations and procedures	414
20.5 Hearing Therapist	417
20.6 Direct Referral HI (adult)	419
20.7 Tinnitus	420
20.8 Run an external application	421
20.9 Attention list	422
20.10 Location and Department handling	429
20.11 Visit charge management	431
21 DOCUMENTS AND ATTACHMENTS	433
21.1 How to handle Documents and attachments	434
21.1.1 Create and edit document templates	436
21.1.2 Turn templates into patient related documents	440
21.1.3 Turn document templates into letter templates and vice versa	443
21.1.4 Edit patient related documents	444
21.1.5 Issues working with Word	444
21.1.6 Edit the properties of a document	446
21.2 Importing and exporting documents	449
21.3 Password protected documents	451
22 TESTS	452
22.1 CELF school age test set up	454
22.2 Other speech test	455
23 AUDITORY IMPLANT MODULE	457
23.1 Referral settings	458
23.2 Opening the main Auditory Implant module page	459
23.3 Opening other Auditory Implant Module pages	460
23.4 Pre-op assessment forms	461
23.5 Switch on / Review sessions	466

23.6 Programming sessions	470
23.7 Rehabilitation sessions	472
23.8 Implant surgery	475
23.9 Implant surgery complications	479
23.10 Additions to other Auditbase screens	480
23.10.1 Client Information screen	480
24 SURGERY MODULE	482
24.1 OtoSurgery	483
24.1.1 Pre-/per Operative Assess	485
24.1.2 Post-Operative follow up 2-5 m	485
24.1.3 Post-Operative follow up >12m	486
24.2 Stapes Surgery	488
24.2.1 Pre-/per Operative Assess	489
24.2.2 Post-Operative follow up 2-5 m	490
24.2.3 Post-Operative follow up >12m	491
24.3 Surgery Drop out	493
24.4 Additions to AB Audiogram	494
24.5 Other Additions	497
24.5.1 Reports	497
24.5.2 Client pathway overview	497
25 LAPTOP SYNCHRONIZATION	498
25.1 Creating the offline database	499
25.2 Appointment symbols in the offline database	500
25.3 Logging in to the offline database	501
25.4 Synchronization	502
25.5 Merging new clients created when you were offline	504
26 PPP AND IMPORT/EXPORT	505
26.1 Definitions	506
26.2 Setting up	507
26.2.1 Import Configuration	507
26.2.2 Export Configuration	507
26.2.3 External site set up	508
26.2.4 Exchange set up	508
26.2.5 PPP specific set up	509
26.2.6 Session filter set up	509
26.3 Additions to modules	510
26.3.1 Client Information	510
26.3.2 Waiting List	510
26.4 PPP list	511
26.5 Exporting from the PPP list	512
26.6 Importing to the PPP list	514
26.7 Exporting an Import/Export data file	517
26.8 Importing an Import/Export data file	518

27 NOAH IMPORT/EXPORT	519
28 REPORTS	526
28.1 Report examples	528
28.2 Running a standard user report	533
28.3 Running a report from the Custom reports and Statistics tab	535
29 COMMUNICATION	543
29.1 Task list	544
29.2 Auditbase Viewer	547
29.3 General notes and daily notes	548
30 TECHNICAL INFORMATION	549
30.1 Installation and Set-Up	550
30.2 Symbols Used on the System and in Documentation	551
31 MANUFACTURER AND SYSTEM DATA	552

1 Introduction

Auditbase is an integrated information system for hearing clinics. The system seeks to integrate all the working operations of a hearing clinic and to collect in one database all data concerning clients, hearing instruments, administration, etc.

The Auditbase system has been designed as a Microsoft Windows based client-server complex program for application in PC based networks.

Auditbase consists of a number of modules, which reflect the various working operations at a hearing Audiology clinic.

An Auditbase system uses an SQL database in which all the data is saved. Using an SQL standard provides the use of a range of standard tools to query information from the database. For an outline of the database tables and their columns, please consult the technical help.

The SQL database and the Auditbase design provide the facility to link with other databases and systems as is the case with a number of Auditbase versions.

Auditbase is also integrated with the Noah Framework for office systems platform by means of the Noah4Auditbase subsystem. It means that you can run a variety of Noah fitting and measurement modules and store the resulting data in the Noah database. For more information about Noah, please visit the [HIMSA](#) website.

To facilitate the work with clients and their records in the database, Auditbase supports recognition of data read by magnetic card scanner attached to the computer. Reading a client's personal number by barcode scanner is also supported. In Stock, barcode scanners can be used to read and process device barcodes.

The Auditbase system modules have all been provided with on-line help. To activate this function, press **F1**, **Shift+F1**, or select **Help** in the menu.

To search for and retrieve a client in the system from anywhere in the system, press **F3**, fill in the search criteria and select from the list of clients matching the criteria.

Client quick search (that is, search by personal number) is accessible by pressing **Ctrl+F3**.

System Administrator is a person(s) with the rights to make changes in Administration.

Documentation

From the **Help** menu in Auditbase, you can access the most recent user guide and change guides concerning different areas in Auditbase that have changed significantly since Auditbase version 4.15.xx.

The aim of this User guide is to provide a comprehensive description of the Auditbase modules.

Please refer to "Instructions for use" for:

- General guidelines on how to use the system
- Safety instructions
- Installation and setup requirements
- How to log in and out of Auditbase
- Password change procedure
- User favourites and pane configuration options

2 Clients and Client information

Click the button below to access our training materials.

eLearning

Client registration and client information is managed from the **Client information** module.

A client must be registered in the client module before you can work with the client in the other modules.

2.1 General information

General client information is listed to the left. It contains a primary identification code, usually labelled Hospital no. or Case no. and a secondary identification code usually labelled as NHS no. The formats of the identifier codes i.e., what types of characters can be used at what position, the maximum length and any hyphenation or space characters that can be entered for new patients' are set by the System Administrator. The visible lengths of the fields can be set larger to view historical or imported patients. Other fields shown include **Title** (which is a drop-down list that can be edited by the System Administrator or you can type in individual values), name, **Address**, GP, **Date of birth**, **Age** (years and months for under-fives), phone numbers, **Email**, **Location** and **Department** that the client is most associated with and more. Unlike other date fields in the application, which all activate a calendar on right click, the **Date of birth** field brings up an edit dialog on right click. You must highlight the field first and then the date can be copied to paste elsewhere. The **Date of Birth** is expected to be entered by keyboard rather than calendar.

- **Last name (Surname)** is always a mandatory field to complete. In addition, **First name**, **Extra name** and **Birth date** can be made mandatory via the Administration tool.

Auditbase - [Client information]

File Edit View Functions Settings

Detailed Quick New Save System info Print Print label Import data Export data Export to Noah Log off Exit Auditbase

Search Client Print Import/Export Client data Exit

Client <T>T11001 MASTER FIRSTNAME1001 LASTNAME1001 User SysAdm All locations All departments ?

New Save Delete Search Label Edit ID PAS update

Hospital no. T11001 NHS no.

Title MASTER

Surname LASTNAME1001

First name FIRSTNAME1001

Extra name 1231

Address 99 XXXXXXXX XXXXXX1241110
XXXXXXXX XX0X 1111
XXXXXXXX11
XXXXXX11

Postcode PC:4642 City

Gender Male User *USER NAME8

Date of birth 03/27/2000 Age 22y Date of death

Alert T Transport PAS alert

Home phone 99999 9999991 Mobile phone

Work phone 11 ☐ Consent to SMS Only post*

Email

Customer 5K3 SWINDON PCT

Location All locations Department 2 Department2

Doctor GP *DR ROWLANDSON

Doctor ENT MISS SE CHALSTREY, CONSULTANT ENT SURGEON, GREAT WESTERN HOSP

Civil status 1144

Signif. other 213

Transport 312

Information XX XXX XXXX XXXXXXXX XX XXXXXX XX122121

Contacts Details Lists/Photo Devices Onward referrals and reporting Implant Visit charge Paediatric <

Additional professional contacts Add Remove

K	Type	Name	Address	Postcode	Phone	Email	Information	GP Code	City	Fax	Practice code	CCG code
☐	Gene	AD AM	123 STR,									

< >

K: Local keyworker

Relatives and other contacts Add Edit Delete

P	CC	Relationship	Name	Address	Postcode	Home phone	Mobile phone	Work phone	Email	Information
☒	☒	Father	1	1	1	1	1	1	1	1
☐	☐	Mother	123	123	1	1	2	3		3456


< >

P: Priority contact CC: Send copy of letters

Relative's information

1

You can set an alert for the patient that is distinct from a PAS alert; both are displayed. If an alert is set, the client's name changes colour to red in the tool bar and you can see which alerts are associated with the patient by hovering your mouse over the patient name in the tool bar.



SMS Appointment Reminder consent

Sending SMS appointment reminders to clients is a licensable extra within Auditbase.

For a client to receive an SMS reminder, the client's mobile phone number must be recorded in their **Client Information**.

If the **Consent to SMS** box shows on the **Client information** page and the patient consents to SMS reminders, record their mobile phone number in the **Mobile phone** field and check **Consent to SMS**. If the patient does not consent to SMS reminders, do not check the box.

Home phone		Mobile phone	077 75566589
Work phone		☒ Consent to SMS	

If the **No consent to SMS** box shows on the **Client information** page and the patient does not consent to SMS reminders, check the **No consent to SMS** box. Leaving the **No consent to SMS** box unchecked implies consent has been given.

Home phone		Mobile phone	0777 5556589
Work phone		☒ No consent to SMS	

SMS will be sent to all patients with appointments configured for SMS. Should the SMS facility stop working for a period, it will check back upon re-start and send up to two reminders to those clients that were missed because of the close down but will not send more than one per patient on any day.

Viewing SMS notifications for a particular client

If SMS Appointment Reminder is licensed, then the date and time of any SMS appointment reminders sent will be shown in the two columns called **SMS1** and **SMS2** on the **Client's entries** dialog. This can be found in two ways. In **Navigation-> Booking -> Functions -> Client's entries** or in **Navigation-> Client's entries**.

Client's appointments and waiting lists

Client **MRS FIRSTNAME106 LASTNAME106** Close

Appointments list - 393 item(s) History of changes Attached actions Delete from history Show in appt.book

Date	Time	Loc.	Dept.	Appt.	Status	Resource	Reason	Declined offer	
28/12/2018	08:00			☒	*	Alan			MA
28/12/2018	08:00			☒	*	Charlie			MA
28/12/2018	08:00			☒	*	Res70			MA
10/12/2018	12:30			☒	*	Charlie	++GP direct referral		SA
10/12/2018	12:00			☒	*	Alan	++GP direct referral		PH
05/07/2018	10:00			1	*	Travy			1
04/07/2018	12:00			☒	*	Travy			SA
23/06/2018	11:00	2	2	☒	*	Stassy			PH

Waiting list entries - 13 item(s) Add Edit Show in waiting list

Wait time	Date	Waiting list	Information	
-275	03/10/2013	z SAVERNAKE-OLD DO NOT USE OR DELETE (Aud ass) +	1231231	
-324	01/10/2013	zTGW - PAED HEARING AID CLINIC 3	333333333	
-292	09/04/2014	TGW - FOLLOW UP 3	test info ææ	
-271	27/10/2014	TGW - CALORICS & POSITIONALS - PP 4!@#\$%^&*?/\"	abcdefghijklm	
-258	27/10/2014	TIDWORTH - review 3	abcdefghijklm	
-253	05/03/2015	TGW - DOMI new 1	123123123	
-228	21/04/2015	TGW - FOLLOW UP 3	1	

Email

Having entered the clients email address, select the clients preferred method of receiving letters and documents. Use the browser button next to the email address to select from the variations of post or email. If the site default option is used it will be starred with an asterisk.

Email	jany@com.com	Only post*	ETHNICITY
Customer	UNKNOWN PCT		
Location	All locations	Department	All departments
Doctor GP	DRAL ALLIK, 123 STR, SOME CITY, ABC 1234 CITY		
Doctor ENT	MRS ANNAN, 222 STR, HOME CITY		

Site default (Only post, ignore email address)

Only post, ignore email address

Post and email if email is available

Only email, post if email is not available

Be aware: Please ensure the e-mail address is correct; entering an incorrect e-mail can cause sending the client's data to a wrong addressee.

Delete client


A client can be deleted from the database in two ways; either a recoverable delete or a permanent delete. These are extended rights which have to be assigned to the Auditbase user for them to be able to perform this function. The recoverable delete right and the permanent delete right are now separate from each other.

To delete a client from the database that can be recovered, click the **Delete** button. The user is warned that carrying out this action cannot be undone.

- Pressing **Yes** to this security question of deleting disables future handling of that client.
- Pressing **No** ends deleting session without erasing client information.
- Recovering deleted clients can be done by the system administrator in the **System Administration** tool.

To delete a client that is permanent and cannot be recovered, select **Permanent delete** from the drop-down menu on the **Delete** button or select **Edit -> Delete client -> Permanent delete**.

A warning message appears, advising you that this is a permanent function and cannot be undone. You have the option to **Preserve Gender and Year of birth** only for research purposes.



- Select **Yes** to permanently delete the client or **No** to cancel the deletion. The client will then be permanently deleted from the database and cannot be recovered.

Client labels

You can create and print a client label for a client.

Press **Label** from **Client information**.

- The **Label** window opens with a predefined label text containing the client's name, address, postcode and city.
- You can edit this text.
- Click **Print** to print the label. Note that a label printer must be specified by the system administrator.


Edit ID

To edit the ID fields on an existing client in the database, click the **Edit ID** button. This will open a dialog where you can change the ID.

To change either of the IDs, click **Change to** and enter the new ID value or check for a temporary ID to be generated.

A 'Verification' status of 'Verified' can be set by Users, or set by PAS, on either the Primary or Secondary Identifier Code. These settings are enabled in the system administration.

To set the client's code as verified, open the **Edit ID** dialog from the Client Information screen and choose a verification status from the dropdown list. The Verification status will be set with the User, date, and time of the verification. The verification status can be removed by choosing the empty line in the dropdown list and clicking **Save**.



The Verification status will be shown on the **System Information** dialog for the Client, available from the File menu.

PAS update

If PAS link is set up, this function updates the demographic data for the selected client.



Please ensure that the client is the same as requested before saving.

PAS refresh: If the Hospital HL7 system supports updating identifiers, and an updated identifier is returned, and that identifier is already applied to another patient instance, then the user may receive a notification that a patient merge record is created in the Attention List.

System information

This window presents technical system information about a selected client. To open the window, select **File -> System information** from **Client information**.

The user who created the client in the database and the creation time is shown in **Record creation**.

The user who last edited the client and the time for the modification is shown in **Last record modification**.

ID (Internal system client identifier) and **GUID** (Global Unique Identifier) are shown in Record identification keys. **GUID** can be copied to the clipboard by clicking **Copy**.

Customers

- Select **Settings -> Customer** from the Client information module. This will open a window where the customer's name, address, invoice address, contact person, customer number (max. 9 characters), etc. can be defined.
- Before entering details click on **New**. The name of the Customer can be entered and the **Priority** can be set. Auditbase uses this priority to list the customers. If no priority is set, the customers are listed alphabetically.
- A **Customer code** can be set; this can be up to 10 symbols in length. Please note that a customer code can be mandatory if configured in the Administration tool.
- The **Address** and **Invoicing address** (if not the same) are entered in the appropriate boxes as well as the **Contact person** and their **Telephone no.**
- From the drop-down list, select the default payment account for the customer. If the customer is included in a customer group, select the group from drop-down list.
- Click **Save** to save customer information to the database.
- Editing the customer data is done by highlighting the fields with the saved information, altering this information and pressing **Save**.

Click **Delete** to delete a defined customer from the database. Note that the system does not allow deleting a customer which is referenced elsewhere in the system. If a customer is no longer in use as the requirements have changed then it is now possible to outdate the customer within System Administration.

2.2 Tabs

The tabs on the right, **Contact**, **Details**, **Devices** and **Visit charge**, contain further information related to the client including contact information for relatives and professionals, condition, client's ethnicity and possible need for an interpreter, privately granted aids, notes, and other site specific information. Depending on licensing you will also see a **PPP** and **Implant** tabs – please see chapters on PPP, [Client Information](#), and on Auditory Implant Module, [Auditory Implant Module](#) and [Client Information Screen](#).

To set a tab as the default tab, go to **View -> Default information tab** and select which tab you would like as the default tab. The selected tab will be the default tab when entering Auditbase and when changing client.

The layout of the *Client Information module* can be modified from the Administration tool (via Client module settings and/or User specific options) in a way that some or all of the following tabs can be hidden from view: *Contacts*, *Lists (Trials)/Photo*, *Devices*, *Implant*, *Paediatric*, *PPP* or *Record history*.

- *Details* is a mandatory tab and will appear in any layout.

2.2.1 Contacts

From the tab **Contacts** you can **Add**, **Edit** or **Delete** professional or personal contacts of the client. These can be used when making correspondence.

Contacts Details Lists/Photo Devices Implant Visit charge Paediatric PPP

Additional professional contacts Add Remove

K	Type	Name	Address	Postcode	Phone	Email	Information	GP Code	City	Fax	Practice code
☒	Gen DR AA	3 VALE A	PC:6376		olepus			3453544			K84074
☐	Other	AMAN MERCH	PC:3523								

K: Local keyworker

Relatives and other contacts Add Edit Delete

P	CC	Relationship	Name	Address	Postcode	Home phone	Mobile phone	Work phone	Email
☐		Father	MR AL	Universit					
☒		Mother	MRS B	Universit					

P: Priority contact. CC: Send copy of letters

Relative's information

When adding or editing a Relative and other contact, you can select that contacts preferred method of receiving letters or documents. Select from the various post and email options. Relatives can be updated by a PAS interface if this has been set up by the System Administrator. Relatives that have been created manually may be removed by a PAS interface if they are not included in a PAS interface message.

When adding a professional contact, such as a teacher or consultant, you either search on part of the name through all the referring agents in Auditbase or add a new referring agent. One of the professional contacts can be marked as the **local keyworker**, shown as a check under the **K** column. A professional contact can automatically be added as a recipient of a specific letter in the **Letter** dialog from the **Booking** module.

When adding a personal contact, such as parent or legal representative, you click **Add** to enter the details you have been given. A personal contact, unlike the professional contacts, will only be added for the selected client, so you cannot re-use these for other clients.

One of the personal contacts can be set as the **priority** contact, shown as a check under the **P** column. If you try to set a second contact as the priority contact, you will be prompted to either keep the existing priority contact or update the priority contact to the currently selected contact. You may also set any number of contacts as **copy to**, shown as a check in the **CC** column, so that they can be included on letters by default.

When designing a letter, you can list all contacts that have been marked as **CC** and all other contacts chosen as recipients by using the variable **List of recipients** under **Letter specific information**.

2.2.2 Details

Under the tab **Details**, you will find an array of extra information about the client such as which condition the client is in (physical, visual and attitude), the ethnic category the client belongs to and whether or not the client requires an interpreter, special aids and forms and other site specific information which is configurable by your System Administrator.

Irrelevant information can be hidden via the Administration tool. Thus, any of the following fields can be excluded from the tab layout:

- Referral outcome
- Ethnic category
- Special aids and forms
- Other invoice receiver
- Travelling distance

You can also set multiple alerts and parameters for the patient. The specific alerts and parameters are set up by your System Administrator. The user responsible for setting the alert is recorded in the details tab as well as the date that it was added on. This is as well as a record of the user who set the alert being added to the Security Log in the System Administration tool.

The System Administrator can also enable an Auto Journal Event (1490: Client Alert Removed) that will trigger a record to be created in the Journal specifying the User who removed the Client Alert and the time the Alert was removed.

If a client is marked as **Deceased**, users will be prevented from making appointments or referrals for the client or adding the client to any waiting lists. You can still make a **Treatment summary** for the client but you will be warned beforehand that the client is marked as deceased.

The time when a deceased alert is set, and by which resource, is registered in the system's security log, which is accessible for System Administrators.

A snapshot of a patient's most recent or **Current referral outcome** entered on their referral is shown in the **Details** tab. Since outcomes can be entered with retrospective dates, the most recent one is the one which most recently applies, rather than the one most recently entered.

The information shown is

- Outcome status code
- Outcome status name

- Date the outcome applies to the referral
- Clock action of the outcome

If you check the need for Interpreter, you can also choose which language the interpreter should speak. After choosing language, if you uncheck **Interpreter**, language is left on, which can be useful if you just want to make a note of which language the client speaks.

Whether or not a patient is suitable or consents to have Video Appointments can be recorded on the **Video appointments accepted** checkbox. This value can also be both seen and set on the **Make Booking** dialog.

The **Travelling distance (one way)** can be added. This is shown in **Client lists/Trials**.

2.2.3 Lists/Photo

The **Lists/Photo** tab will display all Client lists/Trials that the client is assigned to and is a place where a photo of the client can be uploaded. The active client can be added to or removed from a list and their status on the list can be changed.

The screenshot displays the 'Lists/Photo' tab of the Auditbase application. At the top, there are navigation tabs: 'Contacts', 'Details', 'Lists/Photo' (which is the active tab), 'Devices', 'Implant', 'Visit charge', 'Paediatric', and 'PPP'. Below these tabs, there are four buttons: 'Show in List', 'Add to List', 'Remove from List', and 'Change status'. The main area contains a table with the following columns: 'Start date', 'End date', 'Title', 'Client status', 'Status', and 'Respc'. The first row of the table shows '01/01/2016', '01/02/2017', 'Title 4', 'Not asked', 'Active', and 'USER N'. Below the table, there is a section labeled 'Client's picture' which includes a placeholder image of a person in a suit. To the right of the image are three buttons: 'Upload', 'Download', and 'Remove'. At the bottom right of this section is a 'Show large' button.

If a client has not been assigned to a list yet, all the buttons on this tab, except **Add to List**, will be inactive. If you wish to add this client to a current list, select **Add to List** and all active lists will be displayed in a window.

Add client to Client list
×

Select
Close

Choose Client list to add client

Start date	End date	Status	Title	Responsible	Type	Min. clients	Act. clients
01/01/2016	01/02/2017	Active	Title 4	USER NAME29.		444	8
09/01/2020		Planned	Test list	SYSTEM ADMINISTRATOR			0

Select a list by clicking on it and **Select**. The client will then be added to the list with the default **Client status**. This **Client status** can be changed by selecting the **Change status** button or click into the **Status** column directly in the table. You will be able to **Select new status for client** from the drop-down list prepared by your System Administrator.

If the client is already on a list, **Show in list** will take you to the **Client list** and display more details. A client can be removed from a list by highlighting the list and selecting **Remove** from list. A confirmation message will ask you to confirm that you want to remove the client from the list, **Yes** will confirm and **No** will return you to the client's information.

A photograph of the client can be added to the **Lists/Photo** tab. Select **Upload** and navigate to the photograph image file, there is no maximum size control so do not load more than a few hundred kilobytes otherwise the database will grow. Once the file has been selected, **Open** will add this to the tab. If you wish to save a copy of the photograph, **Download** will open a window where the image file can be saved. **Remove** will remove the photograph from this tab, after you have confirmed this is what you intended. A larger version of the photograph can be shown by selecting **Show large** which shows up to a maximum height of the minimum screen resolution. The window that opens can be closed using the **Close** button.

2.2.4 Devices

The tab **Devices** is a quick overview of the currently issued devices for the client. It shows **Earmoulds**, serial controlled current **Devices** and quantity controlled current devices, which are marked in System Administration as **Accessories**.

Earmoulds synopsis is shown below. This demonstrates the type of mould per ear and the vent size which has been selected for each mould. It also shows the date of the last stage of where the earmould is e.g. Sent to Manufacturer, Ready or Issued.

Accessory issue
Refresh (F5)

Earmoulds

L *	28/06/2018	- EM2112 ALL SOFT SHELL	Vent:
R *	28/06/2018	- EM2112 ALL SOFT SHELL	Vent:
Issued *- Currently worn			

Devices							New status
Modified date	Stock type to	Article	L/R	User	Serial number	Item information	
10/02/2017	SENT FOR R	NHS S		Oleks	546456B	test info	
18/10/2016	REPLACEME	NHS S	-	full n	925104		
26/11/2015	SENT FOR R	NHS S		SYST	PO890909		
26/06/2015	RECONDITIO	Test m	L	full n	2221		
14/05/2015	FITTED/EXCI	NHS S	R	full n	1121		
08/05/2015	FITTED/EXCI	NHS S	L	full n	123123	1	
08/05/2015	FITTED/EXCI	NHS S	L	full n	12121	1	
08/05/2015	FITTED/EXCI	NHS S	L	full n	1123	3	
01/05/2015	FITTED/EXCI	Test m	R	full n	2222		

Accessories				New status
Created date	Stock type to	Stock Group		
03/10/2013	FITTED/EXCHANGED (Issued)	BATTERIES (Quantity-Accessory)		N
24/05/2007	POSTAL BATTERIES (Issued batteries)	BATTERIES (Quantity-Accessory)		N

You can change the status of a device or an accessory, for example, to register it's returning to stock, by selecting it in the list and then clicking the **New status** button.

When designing a letter, you can insert variables with information about the four latest serial number controlled devices and the four latest accessories from the **Current issued devices** and **Current issued accessories** groups, respectively.

2.2.5 Onward referrals and reporting

From this tab on the *Client Information* page, you can view, create and edit the patient's 'Onward referrals and reporting' memberships.

Contacts	Details	Lists/Photo	Devices	Onward referrals and reporting	Implant	Visit charge	Paediatric

Show in list	Add to list	Edit in list	Remove from list

Title	Status date	Status	Comment to status	Responsible for I
LRDC All	11/29/2022	Added to list	Comments	SysAdm
Paediatric module onward referral	11/29/2022	Referred	Comments	SysAdm
UK NICE Implant guidance	11/29/2022	Added to list	Added by UK NICE Implant guid	SysAdm
LRDC Severe	11/29/2022	Added to list	Added by LRDC Severe,Audiog	SysAdm

From the *Add/Edit onward referral dialog*, you can choose the professional or organisation that you refer to, attach an appointment, change the status of this onward referral, as well as add comments and patient consent.

The audiogram that triggered the notification rule and subsequent addition to the onward referral list is displayed in text form.

2.2.6 Implant

The Implant tab is only available if you are licensed to use the Auditory Implant module. The tab will show you an overview of the client's implant status.

On this tab, you can create a 'quick' version of the Pre-Op, Surgery and Switch-on records with just the minimum of information directly from this tab.

- Click the down arrow on the **New** button to choose which type of record to create.
- Mandatory information depends on the type of record. However, date, an ear side and a referral are required for all types.

The screenshot shows the 'Implant' tab in the Auditbase software. It features two main sections: 'RIGHT' (outlined in red) and 'LEFT' (outlined in blue). Both sections contain fields for 'Implant type', 'Assessment', 'Surgery', 'Switch-on', and 'Upgrade due date', each with 'First' and 'Latest' input boxes. Below these are 'New' and 'Open' buttons. A 'Client preferences' section at the bottom includes a table for selecting implant types (Cable, Magnet) and a 'Select' button. To the right of the 'LEFT' section, there are additional fields for 'Imm', 'Status', 'Date', 'Surgical consent', 'Consortium (Customer Group)', 'Funding Status', and 'Implant keyworker'. A context menu is open over the 'New' button in the 'LEFT' section, showing options: 'Quick Pre-op assessment', 'Quick Implant surgery', and 'Quick Switch On'.

- **Ear side** is pre-selected depending on which **New** button you click (from left or right), but you can change the value to *unknown* or *bilateral*.

The screenshot shows the 'Create Pre-op assessment' dialog box. It contains the following fields: 'Client' (MR FIRSTNAME8768 LASTNAME8768), 'Date' (12/06/2021), 'User' (SYSTEM ADMINISTRATOR), and 'Referral'. The 'Ear side' dropdown menu is open, showing options: 'Left' (selected), 'Right', 'Bilateral', and 'Unknown'. 'Save' and 'Close' buttons are located at the top right.

- You must either choose to attach to an existing referral or create a new one.

If the referral does not exist or an existing one cannot be used, you can create a 'quick' referral by clicking the **New** button from the  button to the right of the Referral field. See details in [Quick referral creation](#).

In order to view full records to which the dates of **Assessment**, **Surgery** and **Switch-on** refer, use the **Open** button to select the relevant form.

2.2.7 Visit charge

This tab is primarily used in Sweden. It gives you the overview of a patient's eligibility for free of charge visits, including annual card number, date due (the date the annual card expires), preferred payment method (used if the client is not eligible for free of charge visits) and the client's free of charge status (enabled or disabled). Additionally, it shows the client's self-check-in status (allowed or prohibited) where applicable.

2.2.8 Paediatric

The paediatric tab allows new information to be entered and will collate information from the **Paediatric** module and the History in DR Medical Assessment.

If a client has an **ABR and OAE screening and diagnostics** entry where **Test type** is screening referral, the most recent outcome will be shown in the box labelled **Hearing screening referral**.

Contacts Details Lists/Photo Devices Implant Visit charge Paediatric PPP ◀ ▶

Hearing screening referral Clear Response - No Follow-up Required

RIGHT
 Diagnosis SNHL
 Current HI type BTE

LEFT
 Diagnosis SNHL
 Current HI type ITE

Medical history

Date 27/10/2015 Edit New Open

Hearing loss

Right Severe Left Mild

Confirmed syndromes

Name
Progressive unknown
Meningitis

Risk factors

Name
Absence of Tibia

Risk factors and syndromes are taken from the Paediatric module. Medical history lists are empty

SCBU/NHU/NICU Well baby

Confirmation of PCHI: Date 01/10/2013 📅 Age 24 Year(s) 6 Month(s) 13 Day(s)

Weight at birth (kg) 89.00 Gestation (weeks) 2

Diagnosis and **Current HI type** can be entered from the drop-down lists for left and right; this information is not displayed anywhere else in Auditbase. The options cannot be adjusted in System Administration.

DR-Med – Information from the most recent DR-Med questionnaire can be shown. Previously created questionnaires will be shown in the drop-down box labelled **Date**. **New** or **Edit** can be used to create or edit just the information in this box in a pop-up dialog. It will save to a DR-Med record. **Open DR-Med** will open the full DR Med History.

SCBU/NHU/NICU, Confirmation of PCHI Date and Age, Weight at Birth and Gestation can be entered here and will be repeated on the Paediatric module and vice versa.

2.2.9 Record history

The **Record history** tab shows:

- when a client's record was created or modified
- if/when the deceased alert was issued
- NHS number verification status and the time it was set
- last updates to the record by a PAS/HL7 interface

At the bottom of the screen, there is the Client origin information (e.g., *whether a Client originated from a merge or conversion, and when*).

- *NOTE: This data is not backdated.*

Contacts	Details	Lists/Photo	Devices	Implant	Visit charge	Paediatric	PPP	Record history
Record creation								
User		USER NAME8						
Timestamp		12/23/1999 0:00:00						
Last record modification								
User		USER NAME29						
Timestamp		4/3/2008 13:53:24						
Deceased alert modification								
User								
Timestamp								
NHS no. verification								
Status		01, Number present and verified						
Timestamp		06/20/2022 11:56:58						
User		SYSTEM ADMINISTRATOR						
Latest PAS update								
Client's origin								

2.2.10 Refreshing tab content

When changes are made outside of the Client Information module that affect the Client Information content, the Client Information screen does not refresh automatically. To update the screen, it is necessary to refresh it manually by clicking the **Refresh** button  located on the toolbar.

2.3 Card reader input – restricted to Danish users

From **Client information**, you can perform a client search by scanning the barcode or reading the magnetic strip on the client's card. You can also search for other information scanned from the card. The system administrator defines how the system recognizes input from the barcode and the card reader.

The **Card reader input** window is used for capturing and recognizing data read by the magnetic card reader attached to the computer. The window is activated when the user scans the magnetic card.

The recognition of reader input is performed according to settings made by the system administrator. If the recognition is successful, the system performs a search for the client by personal number read from the card.

If the client does not exist in the database, the system initiates a creation of a new client and fills the window with the data read from the card.

If the client already exists in the database, which was initiated from **Client information**, the system shows details for the client and compares the information read from the card with the data already present in the database. If there are differences, the system opens the **Correct differences in client information** window.

The inconsistencies are shown in a table with 4 columns:

Column 1 shows the name of the data with inconsistency. The following data are read from the card and compared with the database: Client first name, Last name, Address, Postal code, Customer number, and GP code.

- Column 2 shows the value stored in the database.
- Column 3 shows the value read from the card.
- Column 4 contains checkmarks. When you select a check box, you select to use the value read from the card. Use **Select all** to select all data.


To correct the data, click **Correct**. Note that this only changes the content in Client information. You need to save the data to the database.

2.4 General search for a client

- Press **F3** or **File -> Client Detailed search**.
- Enter **Basic search criteria**.
- If you list the surname and first name, you get a list of all clients registered to the Auditbase System matching the criteria. Auditbase will also search for part of a name; i.e. entering 'sm' in surname will list all clients whose surname starts with 'sm'.

- Click **Search** or press **Return**.
- Click on the appropriate client and click **Select** or double-click on the appropriate client.
- Where the search should be abandoned, and a new search started there is an option to **Clear** the Search fields. This allows for the Auditbase user to clear all of the fields which have been populated.
- Once the list of clients has been produced, this list can be saved to a CSV file which can be read in Excel. Select **Export to CSV** and a window opens where the CSV file can be saved.

- It is an extended user right to be able to export these clients. If you do not have the rights, a window will appear informing you of this. You will need to contact your System Administrator to assign you the extended right.




When you have selected the appropriate client, the system returns to the main screen of the opened module, for instance **Booking**. The selected client's name will be displayed at the top of the screen.

It is important to check the client's name regularly to make sure you are working with the correct client.

Multiple clients can be selected using the check boxes in the left-hand column. This multiple selection may be printed or added **To Client list** or **To waiting list**. During the creation of a group booking a selection of clients with the same settings in **Advanced criteria** can be made using this feature.

2.5 Quick searching for a client

- Press **Ctrl+F3** or **File -> Quick**.
- Enter the client's personal number or a hospital no. assigned to the client.
 - *When searching on Dutch Employee ID, there is no need to enter leading zeros for ID to search. Only the main ID part should be entered. The system will add leading zeros according to the ID entering mask configured in the Administration tool.*
- You can use the wild card '%' in this field.
- Click **Search** or press **Return**
- If the client exists, the system selects it automatically
- If the client is not found, or multiple clients share an incomplete personal number, the **Client advanced search** screen is activated



Client quick search

Search Cancel

Search criteria

Hospital no.

If none or more than one client match the search criteria, the result will be shown in the normal search window.

It is important to check the client's name regularly to make sure you are working with the correct client.

Contact your system administrator to configure which type of hospital code is searched for in this feature.

2.6 Advanced Search criteria

- Press **F3** or **File** -> **Client Detailed search**.
- The **Client advanced search** window will open.
- Click **Show advanced criteria** to show and enter more details such as **Alerts** and **Parameters**, **Email**, **Department**, **Date of Birth**, **Date of Death** and **Customer** if needed.
- You can use the search criteria **Phone** to search for any phone number, such as work, home or mobile phone number.
- You can also search for clients with a specific **Alert**, either a patient alert or a **PAS alert**.
- If you want to exclude deleted clients, check the box **Exclude deleted clients**.
- You can also search on a **Parameter** to find clients with either of two specific parameters.
- You can use the '%' wild card in the search fields that are not dropdown lists.
- When searching on **Dutch Employee ID**, there is no need to enter leading zeros for ID to search. Only the main ID part should be entered. The system will add leading zeros according to the ID entering mask configured in the Administration tool.

[illegible]

2.6.1 Searching for clients by audiogram

Clients can be searched for by hearing threshold using the client's latest Audiogram curve.

- Select **Search by hearing loss** and the **Ear**, **Curve** and date range options will become available.
- The date range will default **from** one year ago **to** the current date.
- There are three options for **Ear**; **Bilateral**, **Unilateral** and **Distinct ears**.
- Enter the **Min** and **Max** thresholds for the relevant frequency. Selecting **Distinct ears** will activate both threshold fields which are not side specific.
- Different types of audiogram can be chosen using the **Curve** selection. Only the latest curve of the selected type will be searched.
- **Search** will show the results and these can be selected by checking the box to the left of the name or **Select all** and can then be added **To Client list**, **To Waiting list** or can be printed by selecting **Print**.

Audiogram (latest curve)

☒ Search by hearing loss

Ear: **Bilateral** Curve: **Air**

	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
Min											
Max											

from: 09/01/2019 to: 09/01/2020

	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
Min											
Max											

2.6.2 Searching for clients by device

Clients can also be searched for by **Device**:

- Check the box **Search by device(s)** and selections can be made from **Stock group**, **Manufacturer** and **Article type**. These options are taken from your Stock module. Each Article in Stock is defined as one of several **Article types**.
- **Search** will show the results and these can be selected by checking the box to the left of the name or **Select all** and can then be added **To Client list/Trial**, **To Waiting list** or can be printed by selecting **Print**.

Device

☒ Search by device(s)

Stock group:

Manufacturer:

Article type:

2.7 Recently accessed clients

Each user of the system has a list of the 9 most recent clients. To access the list, click on  on the toolbar to the right of the patient name on the **Booking** screen or press **Shift+F3**.

1:	DR. TESTFNAME1 TESTSNAME1
2:	MASTER FASTS MASTS
3:	DR. TESTFNAME212 TESTSNAME212
4:	MISS FIRSTNAME34894 LASTNAME34894
5:	MISS FIRSTNAME36849 LASTNAME36849
6:	MST FIRSTNAME25177 LASTNAME25177
7:	MR FIRSTNAME45867 LASTNAME45867
8:	MRS FIRSTNAME8167 LASTNAME8167
9:	MRS FIRSTNAME45408 LASTNAME45408

2.8 Adding a new client to the database

- Search for the client first to ensure the client is not already in the database.
- **Navigation-> Client information**, press **Ctrl+Shift+C**, or click .
- Click **New**.
- Enter the client details.
- Click **Save**.

The fields **Surname** and **Case number** or **NHS number** are mandatory. You can enter as much or as little other information as you require.


Gender options are expanded beyond just Male or Female and can be defined by your System Administrator from a default Department of Health list.

If two users are working on the same client, a **Refresh** button is available to update the client's details immediately.

Postcode validation may be applied in Administration which restricts formats of postcodes allowed to be entered.

Contact your system administrator to find out which fields are mandatory.

Contact your system administrator to configure the default first field when creating a new client.



The screenshot shows the 'Auditbase - [Client information]' window. The 'Client' dropdown is set to '<T>T11001 MASTER FIRSTNAME1001 LASTNAME1001'. The 'User' is 'SYSTEM ADMINISTRATOR'. The 'New' button is highlighted in the 'Navigation' pane. The main form contains the following fields:

- Hospital no.: T11001
- NHS no.: (empty)
- Title: MASTER
- Surname: LASTNAME1001
- First name: FIRSTNAME1001
- Extra name: 1231
- Address: 99 XXXXXXXX XXXXX1241110
XXXXXXXXXX 1111
XXXXXXXXXX11
XXXXXX11
- Postcode: PC4642
- City: (empty)
- Gender: Male
- User: * USER NAME8
- Date of birth: 27/03/2000
- Age: 19y
- Date of death: (empty)
- Alert: T, Transport
- PAS alert: (empty)
- Home phone: 99999 9999991
- Mobile phone: (empty)
- Work phone: 11
- Email: (empty)
- Consent to SMS: (empty)
- Post and email*: (empty)
- Customer: 5K3
- SWINDON PCT
- Location: All locations
- Department: 2 Department2
- Doctor GP: * DR ROWLANDSON
- Doctor ENT: MISS SE CHALSTREY, CONSULTANT ENT SURGEON, GREAT V
- Civil status: 1144
- Signif. other: 213
- Transport: 312
- Information: XX XXXX XXXX XXXXXXXX XX XXXXXXXX122121

On the right, there are sections for 'Additional professional contacts' and 'Relatives and other contacts'. The 'Relatives and other contacts' table is as follows:

P	CC	Relationship	Name	Address	Postcode	Home phone	Mobile phone	Work phone
☒	☒	Father	1	1	1	1	1	1
☐	☐	Mother	123	123	1	1	2	3

Alternatively, you can register a new client by scanning barcode or pressing **F4** and scanning the client's magnetic card.

If no hospital number or personal identification number is entered, Auditbase will assign a temporary ID or give a warning that mandatory data is missing. The system remembers what the last code used was and adds one. If it finds a problem with codes that have been used manually it will search for the lowest free code and use that one. You can change the temporary ID number any time by clicking **Edit ID**.

You can also select a client by filling in client ID. The information for the client will be displayed. You can only enter data in this field when no client is currently selected or you have pressed the **New** button. When filling in client ID, the information will be displayed in the window.

If PAS link has been set up, you use **PAS update** to look up a client in the Patient Administration System and transfer the data.

- To print a label, click **Label**.
- To view technical details such as creation date, modification time, internal ID, GUID for the client select the **File -> System information** menu item.
- To print demographic and other data presented on the screen, select **File->Print**.

When saving a new patient, Auditbase will offer to verify it automatically.

date	Stock type to	Stock

- Choose a verification status in the dropdown list and then **Save**. The Verification status will be set with the User and date and time of the verification.
- A patient identifier can also be verified after the patient has been saved by pressing the **Edit ID** button.

Dialog box titled "Edit ID" with a close button (X).

Buttons: **Save**, **Cancel**

Fields:

- Hospital no. (tab)
- NHS no. (tab)
- Current value: 7777777777
- ☒ Change to: 555555555
- ☐ Generate temporary ID
- Verification section:
 - Status: 01, Number present and verified (dropdown)
 - User: SYSTEM ADMINISTRATOR
 - Date: 09/01/2020 14:19:03

- Choose from 8 different verification statuses in the drop-down box.
- The verification status is removed by choosing the empty line in the drop-down box.
- Click **Save**.

If your system administrator has enabled that only verified NHS numbers will be printed, then the NHS number will not appear on any printouts, reports or letters unless it has the right verification status.

- The verification status and details can also be viewed on the **System information** dialog for any client, opened from the **File** menu on the **Client information** screen.

2.9 Adding a doctor to the client information

- Open **Client information**.
- Click the Browse button  next to the Doctor GP/ENT field.



Doctor GP		
Doctor ENT		
Civil status		
Signif. other		


Create new

Search all

Select from list


Clear field

- When the flag **Enable GP/ENT code in main screen** is set in the Admin tool (**Client related > Client definitions > Client module**), it is possible to specify a doctor by filling in the GP code.



Doctor GP	221324234	
Doctor ENT		

Having entered the GP code, click into the grey part of the field or click  to add the doctor.




Doctor GP	221324234	DR AL ALLIK, 123 STR, SOME CITY, ABC 1234 CITY	
Doctor ENT			

- **Search all** or **select from the list**.
- Double-click the doctor to add to the client information.
- If the doctor does not appear on the list already, add the doctor by choosing **Create new** and filling in the form.
- To delete a doctor from the Client information, click the button next to the Doctor GP field and select **Clear field**.


2.10 Client Access Restriction

Restrict which users have access to specific clients' information in Auditbase. You will need extended user rights to be able to restrict users' access to a client or to be able to override any restrictions in place.

- Select **Client Information** for the client you wish to restrict access to.
- Select the **Functions** ribbon to display the **Access restriction** icon.



A pop up will display, allowing restrictions to be put in place.



Select the users you wish to restrict and use the arrow to move them to the restricted column. All users will be displayed and can be filtered on location for fast selection. You can check the **Select All** checkbox if you wish to restrict access to all users in the list.

Save this and all users moved to the restricted access column will no longer be able to view Auditbase records for the selected client.

The restricted user will be able to see the client listed on the waiting list, referral overview and on the booking screen. If restricted users attempt to select the client, an information box will appear advising of the restriction in place.

If the user has the further extended right they can break the restriction which will be logged as a security event. Users can be denied access to view details of patients who are not associated with their Locations or Departments.


If the user has the further extended right they can break the restriction which will be logged as a security event.

2.11 Merge Clients

To merge two records for a client, use **Functions -> Merge clients**. Your System Administrator must provide you with the extended user permissions. Merges are logged in the Security Log.

After **Merge clients** has been selected, the currently selected client will become a Major client for merge. If the selected client should be the **Minor** one, then use the **Select** buttons to reselect as **Minor** and to select a different **Major**. If no client was pre-selected, use the **Select** button to search for a client.

The details of the record you want to keep are shown in the top boxes; the lower boxes are the record which will be removed upon completion of the merge. It is important that you get these the correct way around. The client can be chosen using the **Select** button. This will bring up the standard **Client search** window and a client can be selected in the usual way. Once both records have been selected, the **Merge** button becomes active. A warning message is displayed to ensure that you have selected the proper records, the correct way around.



If this is correct, select **Yes** and the records will be merged.

*If a **Minor** patient has been selected by another Auditbase user and is in active use, then an error message will appear. This will not prevent the merge from taking place if **Yes** is selected however this will affect any data which is being managed by the other user.*

The merge process may take some time. The cursor changes into an hourglass while the merge is ongoing. Once the cursor changes back to an arrow, you can continue working in Auditbase.

A further message will display the **Case number** that will be lost when the client is merged. It is recommended to record this number if you later need to apply it to the merged Major client.

Besides demographic data, the merged client will also contain the following data where it exists for either of the clients:


- Audiogram (Including Noah sessions)
- Journal data
- Ear mould
- Tinnitus
- Stock
- Booking data
- Observations and procedures
- Hearing therapist report

- Documents
- Referral
- Implant
- Repair list
- Surgery
- Tests
- Clinical actions
- Waiting list
- Invoice
- Task list
- Adult assessment questionnaire

If both clients have any of the below data, the user will be notified that the merge is not possible until the record on one of the clients is removed:

- Open PPP sessions
- Bone Anchored Hearing Aid questionnaire
- Direct referral HA (Adult) data
- Open waiting list entries with the same type
- Paediatric data – If a client has Paediatric data, the following warning will be displayed "Both the Major and the merge client have a Paediatric Module record, only the record belonging to the Major will be retained after merging. Please ensure you have copied all important data from the Paediatric Module record of the client to be merged into the Paediatric Module record of the Major client before merging". When this is done you can proceed with the merge.
- COSI data for the same date
- Direct Referral - medical data for the same date
- Hearing Attitudes in Rehabilitation data for the same date
- Satisfaction with Amplification in Daily Life data for the same date
- Auditory Lifestyle and Demand Questionnaire data for the same date
- Abbreviated Profile of Hearing Aid Benefit (Initial or Follow up) data for the same date
- Attitude, Motivation, Expectation Questionnaire (Re-assessment) data for the same date
- Attitude, Motivation, Expectation Questionnaire (New) data for the same date
- Q3 questionnaire data for the same date
- Questionnaire for IHR Family Hearing Aid Benefit data for the same date
- Hearing Aid and Programme Selection questionnaire data for the same date
- International Outcome Inventory for Hearing Aids questionnaire data for the same date
- Hearing Direct Routine Follow-up questionnaire data for the same date
- Both clients have records in the same waiting list

Once the merge is done, the **Information** window appears.



The record that was merged is then removed.

When a user has removed the data from one of the clients via the Auditbase application, the merge will be possible, and the data left will be available for the client.

3 Referrals

Click the button below to access our training materials.

eLearning

The Referral module is opened from **Navigation -> Referral** or **Shift+Ctrl+F**. If the module is opened with no client pre-selected, then it opens on the **Referral overview** tab. If a client is selected, the module opens on the Client's referral tab and displays the Client's latest existing referral. If a different tab is selected and then a different module, Auditbase will open this selected tab when the Referral module is re-opened.

3.1 Referral overview


Columns

The columns available contain most of the fields on the Client's referral tab, such as:

- Current stage
- Active length
- Assessment
- Status – (Outcome status)
- Clock action
- RTT end date
- RTT end status
- Previous and Next appointments– shows appointment status as well as date.
- Latest appt date and Next appt date – shows only the date, for easier chronological sorting.
- Latest appointment outcome
- Medical Priority
- Waiting List – (If referral is attached to one (Must be activated in System administration))

Referral overview		Client's referral		Referral progress		Referral answer		Clinical actions							
Filter: AUDIO REVIEW - counting		Set as user default		Setup filters		Book		Search and book		Print list		Export to CSV		Refresh	
Pathway ID	RTT start	Client name			Hospital no.	NHS no.	Active length	Assessment				Treatment			
	11/03/2010	MR FIRSTNAME23026 LASTNAME23026			T123026		582 w, 4 d	12/14/2010, Has been breached, No appt				02/02/2011, Has been breac			
	11/09/2010	MR FIRSTNAME1941 LASTNAME1941			T11941		581 w, 5 d	12/20/2010, Has been breached, No appt				02/08/2011, Has been breac			
	11/23/2010	MRS FIRSTNAME19079 LASTNAME19079			T119079		579 w, 5 d	01/03/2011, Has been breached, status not 'completion'				02/22/2011, Has been breac			
	11/29/2010	MRS FIRSTNAME3281 LASTNAME3281			T13281		578 w, 6 d	01/09/2011, Has been breached, status not 'completion'				02/28/2011, Has been breac			
	11/15/2010	MR FIRSTNAME21335 LASTNAME21335			T121335		580 w, 6 d	12/26/2010, Has been breached, status not 'completion'				02/14/2011, Has been breac			
	12/31/2010	MR FIRSTNAME6746 LASTNAME6746			T16746		574 w, 2 d	02/10/2011, Has been breached, status not 'completion'				04/01/2011, Has been breac			
	01/05/2011	MR FIRSTNAME39376 LASTNAME39376			T139376		569 w, 6 d	03/13/2011				05/02/2011			
	01/06/2011	MR FIRSTNAME6105 LASTNAME6105			T16105		573 w, 3 d	02/16/2011, Has been breached, status not 'completion'				04/07/2011, Has been breac			
	01/06/2011	MRS FIRSTNAME29548 LASTNAME29548			T129548		573 w, 3 d	02/16/2011, Has been breached, status not 'completion'				04/07/2011, Has been breac			
	01/07/2011	MRS FIRSTNAME2741 LASTNAME2741			T12741		573 w, 2 d	02/17/2011, Has been breached, status not 'completion'				04/08/2011, Has been breac			
	01/07/2011	MRS FIRSTNAME6232 LASTNAME6232			T16232		573 w, 2 d	02/17/2011, Has been breached, status not 'completion'				04/08/2011, Has been breac			

The order these columns are shown can be adjusted by clicking under the column heading and dragging the column to the desired position. This can be saved for future viewing by right clicking anywhere on the grid and choosing **Save user view**. An information window then informs you that you need to have the same number of stages to use this view for another filter.



If a user has a **Location** or **Multiple locations** selected, the results will be further filtered by the client's **Location** and they will not see all records. When **Location** is selected globally, the

corresponding message will appear on the status bar, informing that the "List is filtered by clients' location".

The screenshot shows the Auditbase - [Referral] application window. The navigation pane on the left includes sections for Favourites and Modules. The main area displays a table of referral data. The filter is set to 'AUDIO REVIEW - counting'. The status bar at the bottom shows a warning icon and the message 'The list is filtered by clients' location' with a red arrow pointing to it.

Pathway ID	RTT start	Client name	Hospital no.	NHS no.	Active length	Assessment	
	11/03/2010	MR FIRSTNAME23026 LASTNAME23026	T123026		582 w, 4 d	12/14/2010, Has been breached. No appt	02/02/2010
	11/09/2010	MR FIRSTNAME1941 LASTNAME1941	T11941		581 w, 5 d	12/20/2010, Has been breached. No appt	02/08/2010
	11/23/2010	MRS FIRSTNAME19079 LASTNAME19079	T119079		579 w, 5 d	01/03/2011, Has been breached, status not 'completion'	02/22/2010
	11/29/2010	MRS FIRSTNAME3281 LASTNAME3281	T13281		578 w, 6 d	01/09/2011, Has been breached, status not 'completion'	02/28/2010
	11/15/2010	MR FIRSTNAME21335 LASTNAME21335	T121335		580 w, 6 d	12/26/2010, Has been breached, status not 'completion'	02/14/2010
	12/31/2010	MR FIRSTNAME6746 LASTNAME6746	T16746		574 w, 2 d	02/10/2011, Has been breached, status not 'completion'	04/01/2010
	01/05/2011	MR FIRSTNAME39376 LASTNAME39376	T139376		569 w, 6 d	03/13/2011	05/02/2010
	01/06/2011	MR FIRSTNAME6105 LASTNAME6105	T16105		573 w, 3 d	02/16/2011, Has been breached, status not 'completion'	04/07/2010

If the user wants to see all clients, they should change to **All Locations**.

3.2 Referral filters

A number of different filters can be set up so that the referrals can be viewed in many ways. Click on **Setup filters** to define filters.

Filters for referrals overview

Up Down Concise mode New Save Delete Close

newOneTest
COUNTING CLOCKS
AUDIO REVIEW - counting
AUDIO REVIEW - stopped
DIRECT REFERRALS - counting
DIRECT REFERRALS - stopped
PAEDS counting
TINNITUS
DNA & inappropriate referrals's
Nullified referrals
Incorrect outcomes

Filter name:
COUNTING CLOCKS

Copy and replace criteria from the filter:
Copy

Filter criteria
☒ RTT start date from 06/02/2008 to 06/02/2008
☐ RTT end date
 Treatment type: x DO NOT USE-HEARING AID FITTING Reason
☒ All stages ☐ All statuses ☒ All clock actions ☐ Regardless of breach warning

Current stage

Stage Name	
Assessment	☒
Treatment	☒
Follow up	☒
Completed	☒

Status

Status	
SUSP. Suspended	☐
10a. Awaiting first ACTIVITY	☐
11a. End Active monitoring - tr	☐
11b. End Active monitoring - di	☐
20a. Decision to treat!@#\$%^	☐
20b. Cancelled - RTT rebook	☐
20c. DNA treatment - rebook	☐
20d. Further assessment requ	☐
30a. Treatment commenced	☒
31a. Active monitoring - patien	☐
32a. Active monitoring - clini	☐
32b. Neonate 8 mth review re	☐
33a. DNA 1st assessment	☐
33b. Inappropriate referral	☐
34a. Treatment not required	☐

Clock action

Clock action	
Counting	☒
Suspended	☒
Stopped	☒
Nullified	☒
Referral closed	☒

Filtering by breach warning

☒ Display referrals without breach warning
☒ Display referrals with breach warning

Filter on warning type and the stage it applies to:

Before target date
☒ Liable to breach
☒ Will breach

After target date
☐ Has been breached, no appt
☐ Has been breached
☐ Has been breached, status not 'completion'

Breach warning activated for stage(s):

Stage Name	
Assessment	☒
Treatment	☒
Follow up	☐
Completed	☐

This window can be seen by all users but the filters can only be edited and saved by users with the extended user right for this.

To use an existing filter as a template, choose it from **Copy and replace criteria from the filter** and click **Copy**.

To set up a new filter, click **New**.

The window can be viewed in **Concise mode** or **Advanced mode**.

There is an option to filter on **RTT end date** instead of **RTT start date**.

Existing filters will retain the original settings of **RTT start date**.

Newly created filters will default to using the **RTT end date** criteria but either start date or end date can be selected.

If RTT end date is selected then only referrals that have an RTT end date within the date parameters selected will populate. Multiple results will be shown if all end dates are within the date period selected.

Concise mode

The screenshot shows the 'Filters for referrals overview' window. It has a title bar with a close button (X). Below the title bar are buttons for 'Up', 'Down', 'Advanced mode', 'New', 'Save', 'Delete', and 'Close'. The main area is divided into two panes. The left pane is a list of filter categories: 'newOneTest', 'COUNTING CLOCKS', 'AUDIO REVIEW - counting', 'AUDIO REVIEW - stopped', 'DIRECT REFERRALS - counting' (highlighted in blue), 'DIRECT REFERRALS - stopped', 'PAEDS counting', 'TINNITUS', 'DNA & inappropriate referrals's', 'Nullified referrals', and 'Incorrect outcomes'. The right pane is titled 'Filter name:' and contains a text input field with the value 'DIRECT REFERRALS - counting'. Below this is a section titled 'Copy and replace criteria from the filter:' with a dropdown menu and a 'Copy' button. At the bottom, there is a 'Filter criteria' section with radio buttons for 'RTT start date' (selected) and 'RTT end date'. The 'RTT start date' is set to '01/04/2009' with a 'to' field. Below this is a 'Treatment type:' dropdown set to '++DIRECT REFERRAL / Audio assessment' and a 'Reason' dropdown. At the very bottom are four checkboxes: 'All stages' (checked), 'All statuses' (unchecked), 'All clock actions' (unchecked), and 'Regardless of breach warning' (unchecked).

Parameters are made simpler in concise mode by checking the boxes for stages, statuses, clock actions and breach warning boxes to show all or no options.

Advanced mode

A more detailed filter can be created using the **Advanced mode** button and selecting specific stages, outcomes, clock actions or breach warnings.

Filters for referrals overview

Up Down Concise mode New Save Delete Close

newOneTest
COUNTING CLOCKS
AUDIO REVIEW - counting
AUDIO REVIEW - stopped
DIRECT REFERRALS - counting
DIRECT REFERRALS - stopped
PAEDS counting
TINNITUS
DNA & inappropriate referrals's
Nullified referrals
Incorrect outcomes

Filter name:
DIRECT REFERRALS - counting

Copy and replace criteria from the filter:
Copy

Filter criteria
☒ RTT start date from 01/04/2009 to
☐ RTT end date
Treatment type: ++DIRECT REFERRAL / Audio assessment Reason
☐ All stages ☐ All statuses ☐ All clock actions ☐ Regardless of breach warning

Current stage
Stage Name
☒ Assessment
☒ Treatment
☐ Follow up
☐ Completed

Status
Status
☐ SUSP, Suspended
☒ 10a, Awaiting first ACTIVITY
☐ 11a, End Active monitoring - tr
☐ 11b, End Active monitoring - di
☐ 20a, Decision to treat@#5%
☐ 20b, Cancelled - RTT rebook
☐ 20c, DNA treatment - rebook
☐ 20d, Further assessment req
☐ 30a, Treatment commenced
☐ 31a, Active monitoring - patien
☐ 32a, Active monitoring - clinic
☐ 32b, Neonate 8 mth review re
☐ 33a, DNA 1st assessment
☐ 33b, Inappropriate referral
☐ 34a, Treatment not required
☐ 34b, Deferred to consultant (F

Clock action
☒ Counting
☐ Suspended
☐ Stopped
☐ Nullified
☐ Referral closed

Filtering by breach warning
☒ Display referrals without breach warning
☐ Display referrals with breach warning
Filter on warning type and the stage it applies to:
Before target date
☐ Liable to breach
☒ Will breach
After target date
☒ Has been breached, no appt
☒ Has been breached
☒ Has been breached, status not 'completion'
Breach warning activated for stage(s):
Stage Name
☒ Assessment
☒ Treatment
☐ Follow up
☐ Completed

Note: Both Clock action and Referral outcome status need to be completed to show the correct data set of patients.

You can also choose to view **All** referrals from the Referral overview tab, which is likely to take a long time to populate as it will include all referrals ever created. For this reason, **All** cannot be selected as the default filter with the **Set as user default** button. Any other filter can be set as your user default.

Once a filter or the **Refresh** button has been selected, a progress bar will be displayed. This bar shows the total number of records that meet the criteria; it also shows the number of records that have been processed or completed and the number that have been found in the search so far.

Referral overview							
Client's referral							
Referral answer							
Clinical actions							
Filter: PAEDS counting Set as user default Setup filters Book Search and book Print list Export to CSV Refresh							
Pathway ID	RTT start	Client name	Hospital no.	NHS no.	Active length	Assessment	
	02/11/2010	MST FIRSTNAME33372 LASTNAME33372	T133372		479 w, 2 d	13/12/2010, Has been breached. No appt	01/02/20
	08/11/2010	MST FIRSTNAME46057 LASTNAME46057	T146057		478 w, 3 d	19/12/2010, Has been breached. No appt	07/02/20
	12/11/2010	MISS FIRSTNAME46130 LASTNAME46130	T146130		477 w, 6 d	23/12/2010, Has been breached. No appt	11/02/20
	15/11/2010	MST FIRSTNAME46153 LASTNAME46153	T146153		477 w, 3 d	26/12/2010, Has been breached. No appt	14/02/20
	06/12/2010	MISS FIRSTNAME45916 LASTNAME45916	T145916		474 w, 3 d	16/01/2011, Has been breached. No appt	07/03/20
	14/12/2010	MISS FIRSTNAME46544 LASTNAME46544	T146544		473 w, 2 d	24/01/2011, Has been breached. No appt	15/03/20
	15/12/2010	MST FIRSTNAME46553 LASTNAME46553	T146553		473 w, 1 d	25/01/2011, Has been breached. No appt	16/03/20
	16/12/2010	MST FIRSTNAME43958 LASTNAME43958	T143958		473 w, 0 d	26/01/2011, Has been breached, status not 'completion'	17/03/20
	20/12/2010	MST FIRSTNAME29636 LASTNAME29636	T129636		472 w, 3 d	30/01/2011, Has been breached, status not 'completion'	21/03/20
	20/12/2010	MST FIRSTNAME36584 LASTNAME36584	T136584		472 w, 3 d	30/01/2011, Has been breached, status not 'completion'	21/03/20

Click on **Book** or **Search and book** to book a client's appointment directly from the overview screen.

When booking an appointment directly from the referral overview, you will receive a breach warning, if so configured by your system administrator, if the date is set to exceed the target for the current stage. Click **OK** to continue and book the appointment regardless or **Cancel** to go back and change the date.

You can export the Referral overview to CSV by clicking **Export to CSV**.

To print the filtered list, click on **Print list**.

The **Print list** function is best used if you want an overview of one patient, whereas the **Export to CSV** function is best used if you want an overview of several patients or specific information such as stages or outcome statuses.

To see changes to the list, click on **Refresh**.

3.3 Client's referral

When the client's details have been saved, an initial referral must be created.

Use the **Referral** dialog to record the referral from a GP or ENT clinic to an audiologist or a referral from an audiologist to hearing therapy.

Statistics on referrals is available in the **Booking** module.

Client's referral tab can have a single or a split view.

If configured in administration, **Referral progress information** can be displayed on a separate tab.

SPLIT VIEW

Referral overview | Client's referral | Referral progress | Referral answer | Clinical actions

Referrals: 104762, 04/23/2010, PAEDIATRIC hearing aid journey (PHAC) | Client name: MST FIRSTNAME417 LASTNAME417

Book | Search and book | Add to list | Add observation | Print referral | Print receipt | Print answer | Save | Delete

Waiting list entries | Attach | Detach | Edit | Show in waiting list

Wait time	Date	Waiting list	Information
-549	11/30/2010	TGW - PHAC Temporary loss	Reassessmentreview 6 months

Appointments | Attach | Detach | Edit | Show in Booking

Date	Time	Symbol	Status	Resource	Reason
11/30/2010	11:30	PA	D	Res70	.AUDIOLOGY referral
04/27/2010	09:15	PA	S	Res70	.ENT referral

Observations and procedures | Detach | Edit

Obs no.	Date	Add	S	Text	Comment

Current status

Outcome: 32a, Active monitoring - clinician start | Clock | Stopped

since: 04/27/2010 12:08:55 | Add new | History

Comment: Auto assigned by: 27/04/2010, 32a, PHAC REASSESSMENT 3

New outcome status: 32a, Active monitoring - clinician start

Referral stages

Name	Target date and warnings	Current	Active length:
Assesmer	06/03/2010	☐	0 w, 4 d
Treatment	07/23/2010	☒	RTT end date: 04/27/2010
Follow up		☐	RTT end date set by outcome status

32a, Active monitoring - clinician start

Referral overview | Client's referral | Referral progress | Referral answer | Clinical actions

Referrals: 104762, 04/23/2010, PAEDIATRIC hearing aid journey (PHAC) Client name MST FIRSTNAME417 LASTNAME417

Book Search and book Add to list Add observation Print referral Print receipt Print answer New Save Delete

Treatment type PAEDIATRIC hearing aid journey (PHAC) Information Edit

RTT start date 04/23/2010 Age at start 10y Reassessment review 6 months

Referral date 04/23/2010 Other date 04/23/2010

Wait time

Customer BERKSHIRE WEST PCT (RG) Client contact date

Referred by DR N CURRIE, THE SURGERY, BOCKHAMPTON ROAD, LAMB... Interview

Referring agent ref.

Reason AUDIOLOGY referral

Medical priority High

Referral handling

☐ Put on waiting list ☐ Booked directly

PathwayID Edit Registered by USER NAME50

SINGLE VIEW

Referral overview | Client's referral | Referral answer | Clinical actions

Referrals: 104762, 04/23/2010, PAEDIATRIC hearing aid journey (PHAC) Client name MST FIRSTNAME417 LASTNAME417

Book Search and book Add to list Add observation Print referral Print receipt Print answer New Save Delete

Selected referral

PathwayID Edit

RTT start date 04/23/2010 Age at start 10y Wait time

Referral date 04/23/2010 Other date 04/23/2010

Treatment type PAEDIATRIC hearing aid journey (PHAC)

Reason AUDIOLOGY referral

Customer BERKSHIRE WEST PCT (RG)

Referred by DR N CURRIE, THE SURGERY, BOCKHAMPTON RC...

Referring agent ref.

Medical priority High

Referral handling

Information ☐ Put on waiting list ☐ Booked directly Edit

Reassessment review 6 months

Interview Client contact date

Registered by USER NAME50

Current status

Outcome 32a, Active monitoring - clinician start Clock Stopped

since 04/27/2010 12:08:55 Add new History

Comment Auto assigned by: 27/04/2010, 32a, PHAC REASSESSMENT 3

New outcome status 32a, Active monitoring - clinician start

Waiting list entries Attach Detach Edit Show in waiting list

Wait time	Date	Waiting list	Information
-549	11/30/2010	TGW - PHAC Temporary loss	Reassessment review 6 months

Appointments Attach Detach Edit Show in Booking

Date	Time	Symbol	Status	Resource	
11/30/2010	11:30		D	Res70	AUDIOLOGY re
04/27/2010	09:15		S	Res70	.ENT referral

Observations and procedures Detach Edit

Obs no.	Date	Add	S	Text	Comment

Referral stages

Name	Target date and warnings	Current	Active length:
Assessment	06/03/2010	☐	0 w, 4 d
Treatment	07/23/2010	☒	RTT end date: 04/27/2010
Follow up		☐	RTT end date set by outcome status

32a, Active monitoring - clinician start

Primary information

- The red area in the below screen shot is the main window of the client's referral where you will find the primary information like **RTT start date**, **Referral date**, referral **Reason**,

etc.

- The **RTT date** is the date that will be used for calculating the Active length. This date will transfer to a Waiting list if the Waiting list is booked from the referral.
- The **Referral date** is the date when the referral letter was written or sent to your department. Auditbase automatically enters the current date, which can be edited. This date is not involved in calculations
- **Treatment type** is the pathway which the patient is following. The Treatment Type is shown in the list of Referrals a patient has had.
- **Reason** is definable and set up by the system administrator – it can be mandatory or disabled.
- **Other date** is usually used where referrals have another important date such as date of referral to ENT – this date is not used in calculations.
- **Medical priority** is used to indicate an overall medical priority for the patient besides the clinics internal waiting list priorities.
- **Referral handling** can be used to support extended pathways in corporation with other hospital departments. Use it to indicate how the referral has been handled, i.e. if it was accepted, denied, referred onwards etc.
- **Information** that is relevant for an appointment can be added which will be transferred to Waiting List Information. This free text can be up to 254 characters in length.

Active length period


- In the blue ringed areas, you will find the active length period information i.e. **RTT start date, Active length** and **RTT end date**.
- The **Active length** period is directly related to the **Clock** value of the outcome **Status** of a referral and only increases when the outcome **Status** has a clock action of **Counting**.
- If it is **Suspended**, the **Active length** will not increase.
- If it is then set to Counting again, it will start counting from when it was suspended.
- Only 5 Suspension periods are supported by the Active length and Current Outcome feature in one referral.
- If the clock is set to **Stopped** and then to **Counting** again, it will start counting again from zero.
- Dynamic data is used to see which sub-journey (first, second, third, fourth or fifth) is current.
- If the clock is set to Nullified, nothing will show in the **Active length** field.

Current outcome status and last appointment

- The purple areas relate to the **Current outcome status** of the client's latest appointment.
- Outcomes appearing on the Booking information drop down list represent an **Appointment** outcome. Those selected from the New outcome status list on the referral screen represent a **Referral** status. Outcomes selected from the New outcome status on a Waiting list represent a **Waiting list** status. Outcomes can transfer from appointments to waiting lists and referrals and from waiting lists to referrals if the entries are linked and

if the Outcome is configured as being applicable to these functions. I.e. if an Appointment Outcome is configured as a Referral outcome but not as a Waiting list outcome, it can transfer from the appointment to the referral but not to the waiting list. Most outcomes could be required as an Appointment, Referral and Waiting list outcome status but some, e.g. referral received and referral closed, may only be required as a Referral status.

- The **Appointment field** shows the client's last appointment including the status of the appointment.
- **Appt outcome** is the appointment outcome of the above appointment.
- In the **Status** field the current outcome **Status** assigned to the client is displayed followed by the **Clock** action and the time and date when the Status was last changed, as well as any **Comments**.
- The **New outcome status** can be changed manually or it can be set from the next appointment, if that has been set up by your System Administrator.
- To change the **New outcome status** manually, either choose a new outcome status in the dropdown list next to **New outcome status**.
- Or use the **Add new** button where a date in the past or future can be set, if the associated extended user right in System Administration, **Referral: Edit Status History**, has been enabled. Setting a date in the future is particularly useful for future patient unavailability.



The same Outcome status can be set twice or more in succession, either by using the **Add new** button or by auto-assigning from the Booking module.

Outcome statuses can be paired so that setting one outcome will immediately initiate another. This is particularly useful where a stopped status precedes a close status. For example, if a client declines treatment, you may want to stop and close their referral. This can be done by pairing these two outcome statuses. Your System Administrator will set this up and the first outcome can be selected by auto-assigning from the **Booking** module or using **Add new** as described above. These changes will be shown in **History**.

Multiple clock stops and starts can be viewed in one referral. The Target date and Active length is shown for the 'current instance', i.e. from a new clock start after a stop there is a new active length and Target date for up to five restarts, and indicates when it is not the first instance.

All outcome status changes can be found under the **History** button.

Outcome status history and journey summary
Close

New outcome status Edit outcome status Delete outcome status

Date	Outcome status	Clock	Comment
01/01/2022 18:38:11	100a, Referral closed	Closed	
01/01/2022 18:24:03	10a, Awaiting firstACTIVITY	Counting	
01/01/2022 17:58:48	100a, Referral closed	Closed	Standard efterfølger til '11b, End Active monitoring - discharge
01/01/2022 17:58:47	11b, End Active monitoring - discharge	Stopped	
01/01/2022 17:52:34	100a, Referral closed	Closed	Standard efterfølger til '11b, End Active monitoring - discharge
01/01/2022 17:52:33	11b, End Active monitoring - discharge	Stopped	
12/29/2021 14:56:23	11b, End Active monitoring - discharge	Stopped	
12/24/2021 18:37:54	10a, Awaiting firstACTIVITY	Counting	

Clock summary
Active length summary as of today

Date	Clock	Duration	Journey	Start	End	In suspension	Active length
01/01/2022	Closed	0 w, 1 d	3	01/01/2022	01/01/2022	0 w, 0 d	0 w, 0 d
01/01/2022	Counting	0 w, 0 d	2	01/01/2022	01/01/2022	0 w, 0 d	0 w, 0 d
01/01/2022	Closed	0 w, 0 d	1	12/24/2021	12/29/2021	0 w, 0 d	0 w, 5 d
01/01/2022	Stopped	0 w, 0 d					
01/01/2022	Counting	0 w, 0 d					
01/01/2022	Closed	0 w, 0 d					
12/29/2021	Stopped	0 w, 3 d					
12/24/2021	Counting	0 w, 5 d					

When the client does rearrange, the appointment for the future outcome status can be found under the **History** button and can be deleted or modified and new ones can be added retrospectively.

The history dialogue shows the referral outcome status history, which can be manually modified if the appropriate extended user right is enabled. In addition, the history dialogue shows the Clock summary and Active length summary, which cannot be manually modified. If an outcome is applied that has a no change clock action, the status is shown, but there is no change to the current clock action and there are no changes to the clock summaries.

Referral stages

Auditbase generates the referral stage from the current outcome status.

The current stage is checked in the **Current** column of the **Referral stages** table.

If the stage is incorrect and needs to be changed, it must be done by changing the outcome status to one that puts the client in the correct stage of the referral.

If the **Referral stage** is still incorrect, then inform your system administrator who can check the set up in the system administration tool.

Target dates will be shown depending on the settings entered by your System Administrator.

If clock suspensions are permitted, an outcome status that has a suspended clock action will suspend the clock. Any target dates will increase by a day for each day that the clock is in suspension. Suspension periods do not count towards the Active length total. Active length does not increase while the clock is suspended.

Depending on how your System Administrator has set up Auditbase, the **Book and Search** and **Book** buttons will default to different settings for each of these referral stages.


It is possible for Auditbase to be set up so that when either of these buttons is selected, the next appropriate appointment is found, with symbols etc. pre-selected.

If **Search and book** has been set up but the required appointment symbol is not listed, you need to check that you are searching for the correct appointment type and that it is appropriate to link it at this stage.


If all is correct, but the symbol is still not displaying, then **Close** the **Search and book** window and you will then be taken back to the **Referral** module.

Select **Book** and book the appointment directly, attaching the appointment to the referral as previously described – your system administrator should then be informed.

If a Referral has a Closed outcome the **Book** and **Search and Book** buttons will generate a message preventing their use. An appointment can be attached to the referral with an extended user right.



Furthermore, Waiting List entries cannot be attached to a closed referral, if a Referral has a closed outcome then the user will get an error message stating that they are unable to attach the waiting list entry.



Waiting list entries

Click **Add to list** to open a Client to waiting list window.

Client to waiting list

Letter Concise mode Save Cancel

Client **Mr. John Smith**

PathwayID Edit

Active wait Projected wait

List **TGW - CORDA FITTINGS +2**

Initial wait weeks ZEST **No**

Registered Time on waiting list

Other relevant date Edit

Information

Reason **ENT referral**

☐ Letter printed ☐ Print letter after saving

Current outcome status

since Change

New outcome status

Linked referral's current outcome

20d, Further assessment required since Counting

Current stage breach date

Medical priority

Appointments

Date	Time	Symbol	Status	Resource

Outcome status history

Date	Outcome status	Clock

Any waiting list entries saved in this way will appear on the **Waiting list entries** table at the top right of the main referral screen.

Waiting list entries					Attach	Detach	Edit	Show in waiting list
Wait time	Date	Waiting list	Information					
8	12/29/2021	TGW - FOLLOW UP 3						
-1	12/24/2021	TGW - Audio Review +1	GP LETTER					
25	12/24/2021	TGW - PHAC Temporary loss						
-1	12/24/2021	TGW - CORDAFITTINGS +2						

The waiting list entry is saved with current time as the registration time whether the entry is made in the Waiting List module or the Referral module so that clients are sorted in the correct arrival time order on the waiting list if used for walk-in clinics.

Therefore, when a Waiting List entry is made from an existing Referral then on the Waiting List entry, the Date will default to when the Referral was made, but the time will default to when the Waiting List entry was made.

If you create a waiting list entry directly in the **Waiting list** module, it will not be linked to a referral unless you have auto-linking enabled by your system administrator.

You can link it using the **Attach** button, which will open a window with a table showing existing waiting list entries that could be linked to the referral.

Attach WL entry to referral

Select Cancel

Treatment type: All

Date	Pathway ID	Waiting list	Status	Referral	Treatment type
12/25/2021		TGW - DOMI follow up 3			ENT Hearing aid referral
12/24/2021		TGW - PHAC Temporary loss		109548, 12/24/2021	ENT Hearing aid referral
12/24/2021		NHSP - 8 month follow up			ENT Hearing aid referral
12/24/2021		TGW - CORDAFITTINGS +2		109548, 12/24/2021	ENT Hearing aid referral
12/24/2021		TGW - Audio Review +1		109548, 12/24/2021	ENT Hearing aid referral
12/24/2021		TGW - SPEECH AUDIO 1			ENT Hearing aid referral

If a mistake has been made and the waiting list entry should not be attached to this referral, the **Detach** button on the main referral screen can be used to select and detach a waiting list entry.

Click the **Edit** button to edit the selected waiting list entry and the **Show in waiting list** button to open the waiting list that the selected entry is part of.

Note:

If the 'Keep client's entries on waiting list after booking an appointment' box has been checked in the system administration tool, a client waiting list entry will remain until they are deleted manually from the waiting list.

If an appointment has been booked for this client and then they are deleted from the waiting list, any appointments associated with that waiting list entry remain attached to the referral. This is explained in an information message when deleting from the waiting list.

To prevent confusion at a later date, the appointment which remains attached to the referral can be detached manually, if required using the Detach button on the Appointments section.

Appointments

The Appointments table at the right shows all the appointments linked to this referral. This includes:

- Any appointments created from a waiting list entry that is linked to this referral.
- Any appointments created directly from this screen from the **Book** or **Search and book** buttons.
- Any appointments created in the booking screen when the window opens to link the appointment to a referral.
- Any appointments added to the referral by the **Attach** button from this screen. This includes cancelled appointments from the **Cancellation History**.

Appointments					
		Attach	Detach	Edit	Show in Booking
Date	Time	Symbol	Status	Resource	Reason
01/01/2022	12:00	Ⓜ	*	Charlie	ENT referral
12/28/2021	10:00	Ⓜ	*	Charlie	ENT referral
12/28/2021	10:00	Ⓜ	*	Travy	ENT referral
12/25/2021	09:45	Ⓜ	*	Stassy	ENT referral

If a mistake has been made and the appointment should not be attached to this referral, select the appointment and click on **Detach**.

Right-click on an appointment to open the **Booking information** window.

Click the **Show in booking** button to open the selected appointment in the Booking module and the **Edit** button to edit the selected appointment in the **Edit appointment** window for that appointment.

Observations and procedures

The **Observations and procedures** table at the right shows all the observations and procedures linked to this referral including:

- Any observation or procedure created on the **Appointment information** window of any appointment linked to this referral.
- Any existing observation or procedure linked directly to this referral from the **Add observation** button on this screen.

Observations and procedures						Detach	Edit
Obs no.	Date	Add	S	Text	Comment		
126	12/24/2021			Otoscleros			

Select an observation or procedure and click on **Edit** to edit it.

If a mistake has been made and the observation or procedure should not be attached to this referral, select it in the table and click on **Detach**.

Print Receipt

You may wish to send an acknowledgement of referral to the referrer or client. Click the Print Receipt button and the letters dialog will open displaying those templates that have been authorized for use as a receipt. Select the letter you wish to use from the table and open, preview or print/email it.

Referral receipt templates are created in the letters module (Booking → Functions → Settings → Letters) and should be marked as Available for Referral receipt.

3.3.1 Quick referral creation

If the referral does not exist or an existing one cannot be used, you can create a new 'quick' referral.

This option is available for:

- Booking (when Referral linking to an appointment is mandatory for that appointment type)
- Waiting list linking to referral
- Surgery
- Implant screens
- Client module (Implant tab)

To create a quick referral:

- In the Booking and Waiting list modules, click **New Referral**

Select referral for attaching to appointment

New Referral Select Cancel

Treatment type: New referral

Referral date: 02/27/2017

Client: MR FIRSTNAME8768 LASTNAME8768

RTT start date: 12/07/2021

Treatment type: [dropdown]

Reason: [dropdown]

Customer: [dropdown]

Referred by: [dropdown]

PathwayID: [text field]

- In the Surgery and Client modules as well as Implant screens, click  and then **New** to the right of the Referral field.

Referral

New Attach Detach

- Select the relevant options for **Reason**, **Customer** and **Referred by** fields.

New referral

Client: MR FIRSTNAME8768 LASTNAME8768

RTT start date: 12/06/2021

Treatment type: ENT Hearing aid referral

Reason: ENT referral

Customer: WILTSHIRE PCT

Referred by: NELSON (SC), NEW COURT SURGERY, BOROUGH FIELDS, WOOTTON BAS

PathwayID: [text field]

- Save.

For convenience and ease of use, the system administrator can configure default values for **Reason**, **Customer** and **Referred by** dependent on the **Treatment Type**.

Note that Reason may not be shown if disabled in Administration.

3.4 Referral answer

After saving a referral, you can enter and print an answer.

- Enter the **Date**.
- Type the answer text.
- Click Print answer.

When the answer has been saved, it may be disabled for editing, if this is defined by the system administrator.

The screenshot shows the 'Referral answer' tab selected in the top navigation bar. The interface includes a header with tabs: 'Referral overview', 'Client's referral', 'Referral progress', 'Referral answer' (active), and 'Clinical actions'. Below the tabs, there is a 'Referrals:' section with a dropdown menu showing '109548, 12/24/2021, ENT Hearing aid referral'. To the right of this is the 'Client name' field, which contains 'Mr. John Smith'. Below these fields is a row of buttons: 'Book', 'Search and book', 'Add to list', 'Add observation', 'Print referral', 'Print receipt', 'Print answer', 'Save', and 'Delete'. The 'Print answer' button is highlighted. Below the buttons, there is a 'Date' field containing '12/25/2021' and a 'User' dropdown menu showing 'SYSTEM ADMINISTRATOR'. The main area of the form is a large, empty text box for entering the answer.

3.5 Clinical actions

This tab lists the clinical actions which have occurred within one of the appointments that are linked to the referral.

The type of actions to be caught are configured in the System Administration tool.

Referral overview Client's referral Referral progress Referral answer Clinical actions						
Referral 109548, 12/24/2021, ENT Hearing aid referral				Client name Mr. John Smith		
				Refresh	Detach	View audiogram Open
Action date	Appt.date	Stage	Appt. symbol	Action type	Description	
12/24/2021	12/25/2021	Assessment	ENT new patien	Stock: Lend out article	NHS HEARING AID (Serial No.), NHS SUPPLIES, BE101G, RFG312	
12/24/2021	12/25/2021	Assessment	ENT new patien	NOAH action		
12/24/2021	12/25/2021	Assessment	ENT new patien	Audiogram	12/24/2021, no. 1, Aided	
12/24/2021	12/25/2021	Assessment	ENT new patien	OtoSurgery Pre-op		
12/25/2021	12/25/2021	Assessment	ENT new patien	BKB test		
12/24/2021	12/25/2021	Assessment	ENT new patien	Document	Headed letter template	

Clinical actions may have a description, either entered manually or generated automatically by the system.

For example, a Glasgow questionnaire has an automatically generated description which contains the abbreviated questionnaire type and the values of global scores; the earmould impression description is in the form of "L: Name, Material; R: Name, Material", where L/R stands for the left/right mould, Name – the name of the mould, and Material – the material of the mould.

The **Refresh** button will re-populate the list of clinical actions.

Any clinical actions that are not required can be removed from the list using the **Detach** button.

Any saved audiograms can be viewed by selecting the **View audiogram** button.

Any action can be viewed by selecting it and clicking on the **Open** button – this will open the required module/page in Auditbase so that details can be read.

For example, for a clinical action related to stock, the **Device list** dialogue box will open where you can review devices, accessories, earmoulds and repair tasks, as well as attach an appointment to the stock transaction.

The screenshot shows the 'Device list' window with the 'History' tab selected. A modal dialog titled 'Attach appointment to stock transaction' is open, displaying a table with columns: Date, Symbol, Description, Resource, and Status. The table contains one entry: 12/25/2021, [icon], ENT new pa, Stassy, and *.

Modified date	Stock type to	Article	L/R	User	Serial number	Notes	Version	Reason to issue
12/24/2021	LOAN (Lent out to client)	NHS SUPPLIES, BE101G	L	SYSTEM ADMINISTRATOR	RFG31257			

Date	Symbol	Description	Resource	Status
12/25/2021	[icon]	ENT new pa	Stassy	*

If you try to delete an appointment which has **Clinical actions** attached to it, you will get a message and will not be allowed to delete the appointment.

To delete the appointment, you must first detach the **Clinical actions**:

- Select the action and then **Detach**.
- You will be asked if you want to add this action to another appointment or not.
- Select the appropriate option and continue until all actions have been detached.
- You can now return to the **Booking** module and delete the appointment.

*NOTE: If a clinical action is created that requires an appointment to be attached to it—this is defined in the system administration tool — the most relevant appointment will be added. If only one appointment occurs for the patient that day, and the appointment start time is earlier than the current time, then the action will be attached to that appointment. If it is not clear which is the most relevant, for instance if there is more than one appointment on the same day or none that day, an information box will appear asking you to **Attach** the most appropriate appointment.*

3.6 Linking Bookings and Waiting lists to Referrals

When making certain appointments directly in the booking screen or when making a waiting list entry directly in the waiting list module, Auditbase can pop-up a window requesting you to link this to an existing referral or make a new one.

This can be configured in the System Administration tool, as well as whether this window can be cancelled.

Referral date	Pathway ID	Treatment type	Active length	Status
18/06/2015		++AUDIO REVIEW reassessment	238 w, 0 d	20d, Further assessment required
10/04/2015		++AUDIO REVIEW reassessment	247 w, 6 d	10a, Awaiting firstACTIVITY
24/03/2015		++AUDIO REVIEW reassessment	250 w, 2 d	20a, Decision to treat!@#\$%^&*?/\"
12/10/2001		++DIRECT REFERRAL /Audio assessment	951 w, 6 d	10a, Awaiting firstACTIVITY

All referrals are shown in date order – Auditbase will, by default, select the most recent referral.

- If necessary, you can create a 'quick' referral by clicking the **New Referral** button. See details in [Quick referral creation](#).

If it is allowed to be cancelled, then an Automatic Journal Event may be generated and opened to accept some text explaining why the appointment or waiting list was not linked to a referral.

If your System Administrator has set that you may not cancel, you must link the appointment or waiting list entry to a referral or make a new referral.

3.7 Referral statistics

The referral statistics are accessed from the Booking module under **Functions -> Referral statistics**.

Referral statistics ordinary						
RTT start date from		01/01/2019	to	09/01/2020	Show	Close
Treatment type	Customer	+ New	+ Waiting list	+ Booked	- Booked & WL	= Total
++DIRECT REFERRAL / Audio	BERKSHIRE WEST PCT (RG)	0	0	1	0	1
++DIRECT REFERRAL / Audio	GLOUCESTERSHIRE PCT (GL)	0	1	2	1	2
++DIRECT REFERRAL / Audio	BRISTOL PCT	0	0	1	0	1
++DIRECT REFERRAL / Audio	Auto-created customer with cod	0	0	1	0	1
++AUDIO REVIEW reassessm	SWINDON PCT	1	2	2	1	4
++AUDIO REVIEW reassessm	GLOUCESTERSHIRE PCT (GL)	1	0	0	0	1
++AUDIO REVIEW reassessm	BATH & NE SOMERSET	0	1	1	1	1
++AUDIO REVIEW reassessm	FORCES-UK	0	1	1	1	1
++AUDIO REVIEW reassessm	SURREY PCT	0	1	1	1	1
++AUDIO REVIEW reassessm	Auto-created customer with cod	0	1	1	1	1
++TINNITUS	FORCES-UK	1	0	0	0	1
x DO NOT USE-OAE	Auto-created customer with cod	0	0	1	0	1
x DO NOT USE-BATTERIES	BUCKINGHAM PCT	1	0	0	0	1
++NEONATAL ASSESSMENT	OXFORDSHIRE PCT (OX)	0	1	1	1	1
++FITTING - from previous refe	WILTSHIRE PCT	0	0	1	0	1
++FITTING - from previous refe	ABCD	0	0	1	0	1
++FITTING - from previous refe	Auto-created customer with cod	1	0	0	0	1

3.7.1 Referral ordinary statistics

An overview of referrals at a given time is listed by selecting **Functions -> Referral statistics -> Ordinary statistics** from Booking.

Period from/to can be entered and information such as treatment type, customer, indication of number of new referrals, how many are put on waiting list/booked directly together with the total number, are listed when hitting **Show**.

Symbols of + and - are added over the columns to indicate how the total number is calculated. The total number of referrals is calculated based on **New** referrals plus referrals put on a **Waiting list** plus referrals **Booked** directly from an appointment minus referrals both from a waiting list and a booked appointment.

3.7.2 Referral advanced statistics

Access Referral statistics advanced via **Functions->Referral statistics->Advanced statistics** from Booking.

Here you can calculate referral advanced statistics using the specified criteria.

The statistics contain the following data:

- New referrals: the number of referrals not booked and not included in a waiting list.
- In waiting list: the number of referrals put on waiting list.
- Waiting list entries without referral: the number of current entries on waiting list without reference to a referral, plus the number of appointments with reference to a waiting list entry, but with NO reference to a referral.
- Booked directly: this is the number of referrals booked directly without creation of a waiting list entry.
- The numerical results in the statistics are sorted and grouped first by referral reason, then by customer. This means that the statistics contain totals by reasons and subtotal by customers within each reason.
- The Calculation criteria section is used to specify parameters of the calculation. The following parameters can be specified:
 - Date range: referrals, waiting list entries and appointments within a specified date range will be included in the statistics. Empty date in the range means unlimited interval.
 - Age interval: referrals, waiting list entries and appointments for clients within the specified interval will be included in the statistics. Empty value in the range means unlimited interval.
 - **Show detailed rows:** When checked, the statistics will include detailed rows, with names and personal numbers of the clients each sub-total comprises.

When all criteria have been specified, press **Calculate**. The result is shown in the Result table below. Detailed rows are shown in black and sub-total rows are shown in blue.

Press **Print** to print the results.

It is also possible to export results into a comma-separated values (CSV) file by pressing **Export to file** button. Press the button, then select target file in the opened file selection dialog to get results exported into the selected file.

4 Waiting lists

Click the button below to access our training materials.

eLearning

Waiting lists are user-defined. To access the **Waiting List**, got to **Navigation -> Waiting List** or use **Shift+Ctrl+W**. The Waiting list can also be accessed via **Booking** and **Referral**.

4.1 Adding a client to a waiting list

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search or add a new client to the database using **Client information** and **New**.
- Select **Navigation** -> **Waiting List** or **Shift+Ctrl+W** and click **Add to list**.
- Alternatively, from the **Referral** module select **Add to list**.
- Enter **Pathway ID** – can be made mandated by your system administrator.
- Select the appropriate waiting list from the drop-down list.
- Enter **Initial wait** (shown as **Wait** time on the list.) The Initial wait is always entered as a number of weeks. This field can be filled with a predefined waiting time for this waiting list, if so configured by your system administrator.
- **Registered date** is automatically entered but can be adjusted manually.
- **Other relevant date** defaults to the current date, if so set up by your system administrator. It can also be set to either mandatory or optional.
- Add any further **Information**.
- Specify a **Reason** if required.
- There is an option to **Print letter after saving** if required.
- A **New outcome status** will default, if so designed by your system administrator.
- Any **Appointments** and the **Outcome status history** attached to this waiting list entry can be viewed on the right-hand side of the waiting list window. This can be hidden by selecting **Concise mode**.
- Click **Save**.

The screenshot shows the 'Client to waiting list' window. At the top, there are buttons for 'Letter', 'Concise mode', 'Save', and 'Cancel'. The client name is 'MR JOHN SMITH'. The 'PathwayID' field is empty with an 'Edit' button. The 'Active wait' and 'Projected wait' fields are empty. The 'List' dropdown is set to 'TGW - AUDIO ASSESSMENT +1'. The 'Initial wait' is '52 weeks'. The 'Earmould' dropdown is set to 'No'. The 'Registered' date is '09/01/2020' and the 'Time on waiting list' is '15:22'. The 'Other relevant date' field is empty with an 'Edit' button. The 'Information' field is empty. The 'Reason' dropdown is empty. There are checkboxes for 'Letter printed' and 'Print letter after saving'. The 'Current outcome status' section has two empty fields with a 'since' label and a 'Change' button. The 'New outcome status' dropdown is empty. The 'Linked referral's current outcome' section has two empty fields with a 'since' label. The 'Current stage breach date' field is empty. The 'Medical priority' field is empty. On the right, there are two tables: 'Appointments' and 'Outcome status history'. The 'Appointments' table has columns: Date, Time, Symbol, Status, and Resource. The 'Outcome status history' table has columns: Date, Outcome status, and Clock. Both tables are currently empty.

The name of the No/Yes **Optional attribute** (**Earmould** in above screenshot) may be changed by your system administrator.

Besides changing the value from the **Client to waiting list** window, you can also double-click on the value field in the list on the main waiting list screen.

Title	First name	Last name	Earmould	Transport	Letter	Pathway ID
MRS	FIRSTNAME2	LASTNAME2278	No			
MR	FIRSTNAME4	LASTNAME46887	No			
MISS	FIRSTNAME1	LASTNAME15057	No			
MR	FIRSTNAME2	LASTNAME294021	No	1		

Good to know

How status works

An outcome status can be set on either an appointment or on a waiting list entry. When the outcome status for an appointment is set, this affects the outcome status of any waiting list entries linked to the appointment and vice versa.

If configured by your system administrator, the outcome status can be updated by the appointment status, so when the appointment status changes, so does the outcome status.

Outcomes appearing on the Booking information drop down list represent an Appointment outcome. Those selected from the New outcome status list on the referral screen represent a Referral stats. Outcomes selected from the New outcome status on a Waiting list represent a Waiting list status. Outcomes can transfer from appointment to waiting list and referrals and from waiting lists to referrals if the entries are linked and if the Outcome is configured as being applicable to these functions, i.e. if an appointment Outcome is configured as a Referral outcome but not as a Waiting list outcome, it can transfer from the appointment to the referral but not to the waiting list. Most outcomes could be required as an Appointment, Referral and Waiting list outcome status but some, e.g. referral received and referral closed, may only be required as a Referral status.

Clock actions and closing

Once the outcome status is set, this effects the clock action. Set up in the system administration, different outcome statuses have different clock actions, so for instance an outcome status of “Discharged/Referred back to GP” would typically have the clock action Stopped associated with it.

If a waiting list entry has been set to Closed, it can be referred completely from the waiting list, if so set up by your system administrator.

Once a waiting list entry has been linked to an appointment, the single row in the list is automatically refreshed. You also have the option of using the **Refresh** button on the waiting list screen or press **F5**, to see any new changes made by your colleagues.

Auditbase - [Waiting list]

FileViewEditFunctions

Detailed

Quick

Print list

Import data

Export data

Export to Noah

Log off

Exit Auditbase

Search

Print

Import/Export Client data

Exit

ClientT18765 MR JOHN SMITH

UserSYSTEM ADMINISTRATOR

Multiple locations...

Multiple departments...

Client's entriesJournalReferralExportBookSearch and bookLetterTo Client listAdd to listEditDeletePrintNew outcome status

Waiting list

TGW - AUDIO ASSESSMENT +1

Registration period

Selection

Clear all

Refresh waiting list (F5)

Appointments

NextPrevious

Outcome status and Clock action

OutcomeAll

ClockCounting+Suspended

From Waiting list

From Referral

Apply defaults

Latest previous appointment

Next upcoming appointment

Reason

NHS no.

Customer no.

Customer name

Other date

Title

First name

Last name

Earmc

Not displayed

Not displayed

++External health prof 222222222

5K3

SWINDON PCT

MRS

FIRSTNAME; LASTNAME2278

No

Not displayed

Not displayed

++External health prof 124

5QH

GLOUCESTERSHIRE PCT (G

MR

FIRSTNAME; LASTNAME46887

No

Your system administrator can set up for the whole site or you can configure in Administration for when you log in whether or not the waiting list should refresh immediately after changing filter criteria. If not, the **Refresh** button will turn yellow to indicate that changes have been made and you should refresh the waiting list.

Auditbase - [Waiting list]

FileViewEditFunctions

Detailed

Quick

Print list

Import data

Export data

Export to Noah

Log off

Exit Auditbase

Search

Print

Import/Export Client data

Exit

ClientT18765 MR JOHN SMITH

UserSYSTEM ADMINISTRATOR

Multiple locations...

Multiple departments...

Client's entriesJournalReferralExportBookSearch and bookLetterTo Client listAdd to listEditDeletePrintNew outcome status

Waiting list

TGW - AUDIO ASSESSMENT +1

Registration period

Selection

Clear all

Changes made, press to refresh (F5)

Appointments

NextPrevious

Outcome status and Clock action

OutcomeAll

ClockCounting

From Waiting list

From Referral

Apply defaults

Date

Active wait

Wait time

Outcome status

Clock acti

Hospital no.

Name

Postcode

DOB

No.

Information

09/10/2007

639 w, 2 d

-587

20b, Cancelled -

Counting

T12278

MRS FIRSTNAME2278 LASTNAME2; PC-4541

12/05/1959

1

19/01/2011

468 w, 1 d

-416

20a, Decision to

Counting

MR FIRSTNAME46887 LASTNAME4; PC-208

01/10/1998

2

109075 G.P. letter- FF

4.2 Viewing and filtering Waiting lists

- Select **Navigation** -> **Waiting list**.
- Select the relevant waiting list from the drop-down list.
- You can view the individual waiting lists or select **All** to view all the waiting lists at the same time.
- When scrolling to the right, you will see a column called **Projected wait**, which shows what the wait will be when the booked appointment occurs. It only shows when the option to show Previous and Next appointments is enabled on the particular list. The appointment must be linked to the waiting list for the predicted wait to be displayed. Appointments with certain statuses chosen in System Administration are not included.
- Limit the **Registration period**, if required.
- If all entries do not fit into the table, use the **Right arrow** button to see further entries.
- You can also filter the waiting lists, if so set up by your system administrator.
- The filters have the following actions:
 - **Appointments – Next and Previous**. This filter will display those clients that have a next or previous appointment which can be **Found** or **Not found**.
 - **Outcome status**. Displays all clients with the selected **Outcome status**.
 - **Clock action**. Displays all clients with the selected **Clock action** or combination of actions.
 - **Current stage breach date**. Displays the target date for the current stage only. This does not display the target date of the stage when the client was added to the waiting list.
- If you select **From Waiting list**, data will be filtered on the outcome status and clock action from the waiting list entry; if you select **From Referral**, then data will be filtered on the outcome status and clock action from the linked referral.
- Limit the **Registration period**, if required.
- Your System Administrator can set breach warnings allowing entries to change colour dependent on how close to breach they are or if they have breached. The breach date can be calculated in days or weeks.

*NOTE: The **From Referral** option can be disabled from the Auditbase Administration tool by clearing the **Display medical priority, outcome and clock action from linked referral on the main WL screen** check box in the **Waiting list types** settings.*

- When scrolling to the right, you will see columns called **Referral outcome** and **Referral clock action**, which contain the current outcome status and clock action from the linked referral. The columns will be empty if the waiting list entry is not linked to a referral and will contain “<Not displayed>” if the **From Referral** option is disabled.
- These filters can be used singly or in combination with each other. The defaults set by your system administrator can be applied by clicking the **Apply defaults** button.
- If the current filter excludes the chosen entry under **Client's entries**, the filter will be changed to show the entry. The new filter you see is only filtered on the date of the selected client's entry.
- Active wait and Projected wait will be shown in weeks and days or just days depending on

the setting in Administration.

- **Print** if required.

Auditbase [Waiting list]

File View Edit Functions

Detailed Quick Print list Import data Export data Export to Noah Log off Exit Auditbase

Search Print Import/Export Client data Exit

Client T137586 MST FIRSTNAME37586 LASTNAME37586 User SYSTEM ADMINISTRATOR Multiple locations... Multiple departments... ?

Clients entries Journal Referral Export Book Search and book Letter To Client list Add to list Edit Delete Print New outcome status

Waiting list Registration period Selection
 TGW - AUDIO ASSESSMENT +1 Select all Clear all
 1 entry selected

Appointments Outcome status and Clock action
 Next Previous Outcome All Clock Counting From Waiting list Apply defaults
☒ From Referral

Date	Active wait	Wait time	Outcome status	Clock act	Hospital no.	Name	Postcode	DOB	No.
09/10/2007	639 w, 2 d	-587	20b, Cancelled-	Counting	T12278	MRS FIRSTNAME2278 LASTNAME2278	PC-4541	12/05/1959	1
09/01/2011	468 w, 1 d	-416	20a, Decision to	Counting		MR FIRSTNAME46887 LASTNAME46887	PC-208	01/10/1998	2 109075 G.P letter- FF
18/02/2015	255 w, 1 d	-203		Counting	T115057	MISS FIRSTNAME15057 LASTNAME15057	PC-6497	22/06/1998	3
18/02/2015	255 w, 1 d	-203		Counting	T129402	MR FIRSTNAME29402FIRSTNAME129402	KK9 8LL	30/05/1951	4
02/11/2015	218 w, 3 d	-166		Counting	T137586	MST FIRSTNAME37586 LASTNAME37586	PC-3919	03/07/2000	5 "1?A[;","1?A[;","1?A[;","1?A[;","1?A[;
20/11/2015	215 w, 6 d	-163		Counting	truhwet	MR OK OK	B8 3EE	06/09/1943	6
07/07/2017	130 w, 6 d	-78	20a, Decision to	Counting	T999911	Father áæø2 àæø1	111	03/04/1992	7
07/07/2017	130 w, 6 d	-78		Counting	T1105	MRS FIRSTNAME105 LASTNAME105	PC-3649	16/08/1910	8
15/06/2018	81 w, 6 d	-29	10a, Awaiting fir	Counting	T144659	MR FIRSTNAME44659 LASTNAME44659	PC-7386	06/07/1947	9
15/06/2018	81 w, 6 d	-29	20a, Decision to	Counting	T1120	MRS FIRSTNAME120 LASTNAME120	PC-6082	19/08/1929	10 SSSSSSSSSSXXXXXXXXXXXXCCCSSSS
07/07/2018	78 w, 5 d	-26		Counting	T454569	Ms Surgary		01/01/2018	11

Waiting list: TGW - AUDIO ASSESSMENT +1 Client phone: 99999 999999 Transport:
 Customer name: SWINDON PCT Customer no.: 5K3 Client location:Disabled in Admin

4.3 Searching for a client on a waiting list

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation-> Client's entries** or press **Shift+Ctrl+Q**.
- Highlight required waiting list entry in lower table.
- Click **Show in waiting list** or double-click.
- Click **Edit** to edit the entry.
- Click **Add** to create a new entry.

Client's appointments and waiting lists

Client

MST FIRSTNAME37586 LASTNAME37586

Close

Appointments list - 17 item(s)

History of changes

Attached actions

Delete from history

Show in appt.book

Date	Time	Loc.	Dept.	Appt.	Status	Resource	Reason	SMS1	SMS2	Declined offer	Symbol
20/06/2018	10:00	4	4	86	*	Res46	++External health professional referral (eg.HV's)				GWH Audio asses
19/06/2018	17:00			10	*	Travy					ENT new patient r
18/06/2018	16:00			11	*	Charlie	++External health professional referral (eg.HV's)				from1
18/06/2018	10:00			12	*	Travy	+CIRENCESTER Treatment Centre (ISTC)				PHAC new patient
10/06/2018	13:15			13	*	Stassy	.AUDIOLOGY referral				to1
23/11/2015	10:15			2	S	Res81	.ENT referral				2
09/11/2015	10:45			2	*	Travy	++External health professional referral (eg.HV's)				2
05/11/2015	12:00			2	A	Travy	++External health professional referral (eg.HV's)				2

Waiting list entries - 1 item(s)

Add

Edit

Show in waiting list

Wait time	Date	Waiting list	Information
-166	02/11	TGW - AUD	,"1?N1,"1?N1

Appointments where an offer has been declined will appear in a Burgundy colour on the screen, with the associated Appointment status.

4.4 Selecting clients' entries from waiting list

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Select **Navigation** -> **Waiting list**.
- To select one client, click on the client's row. Your System Administrator can configure whether or not a warning will appear when changing a client.
- To select multiple clients, click each one in the grey column to the far left. This will turn on the check mark.
- When a client is selected, he also becomes temporarily checked  until another is selected or the check is confirmed by clicking on it.
- Multiple selections can be used for Export, PPP, Delete, and Book functions.
- When multiple clients are checked, the client highlighted in black will be the one used by the Client's entries, Journal, Referral, Add and Edit buttons.

4.5 Deleting client's entry from waiting list

It is not possible to delete a waiting list which contains client entries.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation -> Waiting list.**
- Select the client's entry (or entries) by clicking on it; a check mark will appear at the start of the row.
- Click **Delete.**
- Click **Yes.**
- When multiple clients are checked, the whole group will be deleted.

The screenshot shows the 'Waiting list' window in the Auditbase software. The window has a menu bar with options: Client's entries, Journal, Referral, Export, Book, Search and book, Letter, To Client list, Add to list, Edit, Delete, Print, and New outcome status. Below the menu bar, there are fields for 'Waiting list' (containing 'TGW - AUDIO ASSESSMENT +1'), 'Registration period' (with 'to' and 'from' dropdowns), and 'Selection' (with 'Select all' and '3 entries selected' buttons). A 'Clear all' button is also present. Below these fields, there are 'Appointments' and 'Outcomes' sections. The 'Appointments' section has 'Next' and 'Previous' buttons. The 'Outcomes' section has a 'Waiting list' dialog box open, asking 'Are you sure you want to delete selected 3 client(s) from waiting list?' with 'Yes' and 'No' buttons. The main table displays a list of client entries with columns: Date, Active wait, Wait time, Outcome, Counting, T129402, MR FIRSTNAME294021FIRSTNAME, KK9 8LL, 30/05/1951, 4, and 5. The first three rows are highlighted with checkmarks in the 'Date' column, indicating they are selected for deletion.

Date	Active wait	Wait time	Outcome	Counting	T129402	MR FIRSTNAME294021FIRSTNAME	KK9 8LL	30/05/1951	4	5
09/10/2007	639 w, 2 d	-587	20b, C							
19/01/2011	468 w, 1 d	-416	20a, D							
✓ 18/02/2015	255 w, 1 d	-203								
✓ 18/02/2015	255 w, 1 d	-203								
✓ 02/11/2015	218 w, 3 d	-166								

4.6 Editing or moving a client's waiting list entry

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation** -> **Waiting list**.
- Highlight the client's entry.
- Click **Edit** or double click on the row (except in the **Optional att** column where a double-click toggles the value).

Edit waiting list entry

Letter Concise mode Save Cancel

Client **MRS FIRSTNAME120 LASTNAME120**

PathwayID Edit

Active wait 0 w, 0 d Projected wait

List TGW - AUDIO ASSESSMENT +1

Initial wait 52 weeks Earmould No

Registered 15/06/2018 Time on waiting list 14:30

Other relevant date 15/06/2018 Edit

Information sssssssss
xxxxxxxxx

Reason ++GP direct referral

☒ Letter printed ☐ Print letter after saving

Current outcome status

91a, Active monitoring - continued since 15/06/2018 14:47:07 Stopped

Change

New outcome status

Linked referral's current outcome

33a, DNA 1st assessment since 15/06/2018 14:55:27 Nullified

Auto assigned by: 15/06/2018, 33a, PHAC new patient mould~

Current stage breach date

Medical priority Normal

Appointments Attach Detach


Date	Time	Symbol	Status	Resource

Outcome status history Add Edit Delete

Date	Outcome status	Clock
15/06/2018 14:47:07	91a, Active monitoring - continued	Stopped
15/06/2018 14:39:07	100a, Referral closed	Closed
15/06/2018 14:39:06	36a, Patient died before RTT treatment	Stopped
15/06/2018 14:38:16	100a, Referral closed	Closed
15/06/2018 14:38:15	36a, Patient died before RTT treatment	Stopped
15/06/2018 14:32:36	31a, Active monitoring - patient start	Stopped

- The **Initial wait** (weeks) and **Registered** can be modified. If a client is entered on a waiting list with a waiting time of 0 weeks, Auditbase will calculate how long the client has been on the waiting list. It can be used to prioritize clients i.e. entering 4 weeks for urgent, 6 for soon and 8 for routine. Auditbase will then list the clients with the urgent clients at the top of the list.
- On an entry editing, the system offers possibility of either initial Waiting time editing or Waiting time rest editing. This depends on settings in the Administration tool.
- **Active wait** and **Projected wait** will be shown in weeks and days or just days depending on the setting in Administration
- Set **Optional attribute** status to **Yes** or **No**. Note that this status can also be changed in the main **Waiting list** by double-clicking on the **Optional attribute** column for a certain entry. Note also that the name of the Optional attribute is configurable by the system administrator for all lists or for a specific list, so it may have another name in your system.

- Free text can be entered in the **Information** box.
- **Reason** can be selected from a drop-down list.
- Depending on the settings in the system administration, a waiting list entry can be deleted automatically, if the **New outcome status** is set to Closed. In the system administration, you can also choose to show a warning before the entry is deleted, in which you can overrule the setting and not delete the entry.




- When you click **Save**, the dialog will close.


This procedure can be used to move a client from one waiting list to another.

4.7 Exporting waiting lists to Comma Separated Values (CSV)

- **Navigation** -> **Waiting list**.
- Select a **Waiting list** from the drop-down menu.
- **Functions** -> **Export CSV**
- A window will open called **Create CSV file**.



- Give the CSV file a **File name** and choose where to save the file.
- Select **Save** to store the file in the selected location. This file will have a .csv extension.
- The CSV file that is created will contain all the data for the selected waiting list, no matter what filters have been applied to that waiting list.
- To open the CSV file using Microsoft Excel, start Excel and use one of the Open dialogues.
- You will need to change **All Excel files** to **All Files** in order to find the .csv file.



- The file will now open in Excel and can be adjusted as required.

5 Client lists/Trials

Click the button below to access our training materials.

eLearning

Lists of clients can be created to be used for research or clinical trials, the name is configurable as **Client lists** or **Trials** by your System Administrator. To access **Client lists/Trials** select **Navigation-> Client lists/Trials** or press **Ctrl+Shift+L**.

The **Lists** tab will display all lists and these can be filtered by checking the relevant **Status** box to **Show planned**, **Show active**, **Show closed** and **Show only assigned to me**.

Highlighting a list and then selecting the **Members** tab will display all the clients that have been assigned to that list.

ListsMembers

NewEditCopyDeleteRefresh

Status

☒ Show planned☒ Show active☐ Show closed☐ Show only assigned to me

Start date	End date	Status	Title	Responsible	Type	Min. clients	Act. clients
01/01/2016	01/02/2017	Active	Title 4	USER NAME29.		444	9
09/01/2020	09/01/2021	Planned	Test list	SYSTEM ADMINISTRATOR			0

5.1 Creating new Client lists/Trials

- To create a new **Client lists/Trials**, select the **New** button. A **Create Client list** window opens and the **Title** for the new list can be added.
- A **Start date** and **End date** for the list can be added; a double click will insert the current date while a right click will open the calendar.
- A minimum number of clients for the list can be added to the **Min. clients** field. The actual number of clients field called **Act. Clients** will be inactive.
- Your System Administrator can set up the **Type** of list which can be selected from the drop-down menu.
- The person **Responsible** for this list can be selected from the drop-down menu of users.
- The Status of the list can be selected from the pre-defined drop-down menu. The options are **Planned**, **Active** and **Closed**.
- A **Comment** can be added to explain the list.
- Select **Save** or **Cancel** to return to lists without creating a new one.

The 'Create Client list' dialog box contains the following fields and controls:

- Title:** A text input field.
- Start date:** A date input field.
- End date:** A date input field.
- Min. clients:** A numeric input field.
- Act. clients:** A disabled numeric input field.
- Type:** A dropdown menu.
- Responsible:** A dropdown menu showing 'SYSTEM ADMINISTRATOR'.
- Status:** A dropdown menu showing 'Planned'.
- Comment:** A large text area for additional information.
- Buttons:** 'Save' and 'Cancel' buttons at the top right.

- The new list will now appear in Auditbase.

The 'Lists' tab interface includes the following elements:

- Navigation:** 'Lists' and 'Members' tabs.
- Actions:** 'New', 'Edit', 'Copy', 'Delete' buttons and a refresh icon.
- Status Filter:**
 - ☒ Show planned
 - ☐ Show active
 - ☐ Show closed
 - ☐ Show only assigned to me
- Table:**


Start date	End date	Status	Title	Responsible	Type	Min. clients	Act. clients
09/01/2020	09/01/2021	Planned	Profound loss	SYSTEM ADMINISTRATOR		20	0

5.2 Editing Client lists/Trials

- To edit a **Client list/Trials**, highlight the required list and select **Edit**. All options are then available to edit as required.

5.3 Adding clients to Client lists/Trials

- Clients can be added to a list using the F3 search function.
- Clients can also be added to a list by highlighting the list and selecting the **Members** tab.
- To add the active client to the list, select the **Add selected client** button.
- A confirmation window will appear, select **Yes** to add the client or **No** to go back to **Members**.



- The client will now appear on the list with the default status set by your System Administrator.

Hospital no.	Name	Distance	Status	Date added	User	Picture	Parameters	Gender	NHS no.
T18765	MR JOHN SMITH		Not asked	09/01/2020	SYSTEM ADMINISTRATOR	No		Male	88888888

- **Search and Add clients** will open the F3 search window and clients can be searched for using the advanced criteria and added to a list.
- If client(s) are in a list already with intersecting dates or are deceased, the system will warn and give the option to exclude these from the new list.
- If you need to remove a client from a list, highlight the client and select **Remove**.
- The **Status** of a client on a list can be changed by highlighting the client and selecting **Change status** or by clicking into the **Status** field directly on the table. A new status from the drop-down list can be selected. This drop-down list is defined by your System Administrator.

- The list can be refreshed by selecting the  button.
- A list can be filtered by selecting from the drop-down menus labelled **Status**, **Parameter #1** and **Parameter #2**.
- If a filter is applied, this is shown in the **List** information.

Clients in the Client list: 9, Filtered: 3, Min clients needed: 444

6 Booking

Click the button below to access our training materials.

eLearning

Go to **Navigation** -> **Booking** to open the booking module.

In this module, you can find and access all information that has been saved in the database for the client you are working with. The Booking module handles client appointments, including group appointments, and reservations.

Information can be represented by either the **Resource plan** or the **Time plan**. Appointments of various kinds may be registered here.

An appointment can be booked either by searching for the next available timeslot or by double clicking and thereby booking directly. The client must be selected before an appointment can be booked. However, group appointments can be made without selecting a client.

Appointments can be booked from a number of dialogs in Auditbase, for instance from **Referral** or **Waiting list**.

To edit an appointment or reservation, double-click it and modify as required.

Read more in the following chapters.

6.1 Booking list

Go to **Functions** -> **Booking list** to display a list of the day's appointments for the selected resource.

These appointments can be filtered as required by resource or time and sorted by time or hospital number.

The list specifies time, client or activity and resource, sorted in time order and then in resource order.

Booking list

Date

09/01/2020

☒ Show client/group appointments
 ☒ Show reservations
 ☐ AM only
 ☐ PM only

Print

Close

☒ Sort by time
 ☐ Sort by Hospital no.

Resource

- All Resources -

Time	NHS no.	Hospital no.	Appointment name	Resource	Appointr
08:00-08:15	88888888	T18765	MR JOHN SMITH	Charlie	1
08:00-08:15		T1110	MRS FIRSTNAME110 LASTNAME110	Res46	1
08:00-08:15		T888813	nlu	Stassy	2
08:15-08:30	88888888	T18765	MR JOHN SMITH	Res46	2
09:00-09:15	88888888	T18765	MR JOHN SMITH	Res46	1
13:00-14:30		T123026	MR FIRSTNAME23026 LASTNAME23026	Charlie	1

General note

Daily note

Click **Print** to print list. When printing the list the phone numbers of the patient, available from the client information module, will be demonstrated under the patient appointment.

Booking list

Selected date: 09/01/2020

☒ Client appointments ☒ Reservations ☐ AM only ☐ PM only

Belonging to: All

Time	Hospital no.	NHS no.	Name	Resource	Appointment	Information
08:00-08:15	T18765 Tel: 99999 999999	88888888	MR JOHN SMITH Work:	Charlie	1 Mob :	
08:00-08:15	T1110 Tel: 99999 999999		MRS FIRSTNAME110 LAST Work:	Res46	1 Mob : +1232323	
08:00-08:15	T888813 Tel:		nlu Work:	Stassy	2 Mob :	
08:15-08:30	T18765 Tel: 99999 999999	88888888	MR JOHN SMITH Work:	Res46	2 Mob :	
09:00-09:15	T18765 Tel: 99999 999999	88888888	MR JOHN SMITH Work:	Res46	1 Mob :	
13:00-14:30	T123026 Tel: 99999 999999		MR FIRSTNAME23026 LAS Work:	Charlie	1 Mob :	

6.2 Resource plan

- Select **View -> Resource plan** to view the Resource plan.
- The date is shown at the top of the screen.
- Times are located on the left of the screen in timeslots. The start and end time can be modified by the System Administrator to suit the requirements of the department.
- The System Administer can migrate Auditbase from the default 15-minute appointment units to using 5-minute appointment units permanently. Generally, the 5-minute unit setting has slower performance than the 15-minute unit setting because three times as much information is being transferred, processed and displayed. If migrated users have both **zoom** and **scale** options for changing the view, while using 15-minute units users have only the **zoom** option.
- The **scale** options are 5, 10, 15, 20, or 30-minute slots altering the units displayed on the left-hand time column. It is possible to change the scale view by using the  button or the following shortcuts which are displayed when the button is selected. **Ctrl+K** to **Scale up** and **Ctrl+L** to **Scale down**.


Zoom in	Ctrl+I
Zoom out	Ctrl+O
☒ 100%	
125%	
150%	
200%	
Scale up	Ctrl+K
Scale down	Ctrl+L
5 Minutes	
10 Minutes	
☒ 15 Minutes	
20 Minutes	
30 Minutes	

Using **zoom** the size of the booking area can be increased by the selected percentage. This size can be adjusted using the **Zoom in** and **Zoom out** options which have the keyboard shortcuts of **Ctrl+I** and **Ctrl+O** respectively. These same options are available from **Selected zoom** on the **View** ribbon at the top of the page. The **zoom** and **scale** selections are remembered if a user logs off from Auditbase.


Time	CHARLIE	...	Trev	...	BERTA	...	JUDITH	...	ALAN	...	JAKE	...
08:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
08:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
08:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
08:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
09:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
09:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
09:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
09:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
10:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
10:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
10:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
10:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
11:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
11:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
11:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
11:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
12:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
12:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
12:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
12:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
13:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
13:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
13:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
13:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
14:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
14:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
14:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
14:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
15:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
15:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
15:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
15:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
16:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
16:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
16:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
16:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
17:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
17:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
17:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
17:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA

Time	CHARLIE	...	Trev	...	BERTA	...	JUDITH	...	ALAN	...	JAKE	...
08:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
08:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
08:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
08:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
09:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
09:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
09:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
09:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
10:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
10:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
10:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
10:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
11:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
11:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
11:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
11:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
12:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
12:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
12:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
12:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
13:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
13:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
13:30	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
13:45	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
14:00	BA	W			KA	KA	WA	WA	WA	WA	BF	WA
14:15	BA	W			KA	KA	WA	WA	WA	WA	BF	WA

- When highlighting a slot in the table (the field is marked in dark blue), the whole of the corresponding timeslot will be highlighted to the left for a clear overview.
- Resource names are located from left to right near the top of the screen. Each resource column has a drop-down list of the resources in the system.
- Three dots at the end of the resource name allows you to choose the resources.



- Clicking on a resource will display them in the column.



- If another resource is selected from the list, the current resource will swap places with the selected resource. It is not possible to have the same resource on screen more than once.
- You can add or remove Resources from the view by going to the **Settings** ribbon and selecting **Resource setup**.
- Timeslots on a resource column can be empty or filled with either timetable or appointment symbols if there is an entry for a specific time.
- On the **Resource view** between the **Timetable** and **Appointment** symbols, two new symbols for Location and Department can be seen if they are enabled by the System Administrator.
- The full length of client appointments will appear as a light blue colour covering the duration of the appointment. Reservations are shown as mauve with group appointments showing as green. Multi-resource appointments are shown in peach colour.
- These colours can be suppressed by the system administrator for the whole site or by a user in their user specific options.
- Text in booked appointments will be in black except for Video Appointments which use blue text to distinguish them. When the selected appointment is a Video appointment the text will be in yellow rather than white.
- Placing the mouse cursor over an appointment, a tool tip will show the length of the appointment and the client's name.

- If an appointment's client name cannot be displayed in full, three dots will be shown indicating that an appointment is present.

Time	Travy
08:00	K, 2 - 1 PAED
08:15	
08:30	
08:45	
09:00	
09:15	
09:30	
09:45	
10:00	*****
10:15	C, MRS FIRSTNAME26786888888888888888 LASTNA...
10:30	C, MR FIRSTNAME13050 LASTNAME13050
10:45	C, MRS FIRSTNAME24246 LASTNAME24246
11:00	C, MR FIRSTNAME2787 LASTNAME2787
11:15	
11:30	C, MR FIRSTNAME25461 LASTNAME25461
11:45	C, MR FIRSTNAME10504 LASTNAME10504
12:00	C, MR FIRSTNAME20268 LASTNAME20268
12:15	C, MST FIRSTNAME27705 LASTNAME27705
12:30	
12:45	
13:00	

- Placing the mouse cursor over the highlighted appointment will display a tool tip of the appointment time/duration and the client's name.

6.2.1 Resource set up

- The user can set up a personal view of resources in the appointment book.
- To activate the setup, select **Functions -> Settings -> Resource setup** from the **Booking** module.

- Defined and active resources are shown in this window and can be checked to be listed in the columns of the appointment book.
- When checked as **Show**, a column will hold the resource's name.
- When checked as **List**, the resource's name will be visible from the drop-down menu in the columns.
- When checked as **Book**, the resource's name will appear in the resource list when booking appointments.
- Click on the **Up and Down** arrow buttons to define the resource's position in lists.
- Click **Save** to store a new or changed resource set-up in the database. The changes will take effect as soon as **Save** is selected.
- **Reset to default resource view** will load the defaults and the list can be adjusted to one of the users if necessary.

Resource setup

Save

Close

User

SYSTEM ADMINISTRATOR

Reset to default resource view

▲▼

Show	List	Book	Resource	Location(s)	Department(s)
☐	☐	☐	Travy	Location1	Department1
☒	☒	☒	Stassy	Location2	Department2
☒	☒	☒	Charlie		
☒	☒	☒	Res109		
☒	☒	☒	Res46		
☒	☒	☒	Res68		
☒	☒	☒	Res70		
☒	☒	☒	Res54		
☒	☒	☒	Res78		
☒	☒	☒	Res73		
☒	☒	☒	Res82		
☒	☒	☒	Res75		
☒	☒	☒	Res71		
☒	☒	☒	Res72		
☒	☒	☒	Res105		
☒	☒	☒	Res63		
☒	☒	☒	Res95		
☒	☒	☒	Res106		


Showing Resources will be overruled by Location, Department and Clinic filtering. Grey row color indicates resource is filtered out

6.2.2 Clinic filters set up


Resources on the Booking screen can be filtered by timetable symbol and/or location and/or department to show specific clinics or groups of resources working on the same clinic. These

filters do not override any restriction to resources based on location.


To set up filters, the extended user right **Booking: Setup clinic filters** is required. Your System Administrator can provide this extended right. Once the filter has been set up, it will be available to all users. Setup clinic filters is to the right of the filter drop down menu.



- Select **New** and enter a **Name** for the **Selected filter**.
- If **Location** or **Department** is required, select these from the drop-down menus.
- If **Multiple locations** or **Multiple departments** are required, a new window will open where the Locations/Departments can be selected.
- **Timetable symbols** can be selected by checking the box next to their name or you can **Select All**. Move the symbol selection to the right-hand box by using the arrow. Symbols can be de-selected from the filter by checking the box and moving the symbol back to the left using the arrow.



- A filter can be copied by selecting a current filter and choosing the **Copy** button.
- You will be asked if you wish to make a copy of the current filter.




- Select **Yes**.
- The name of the filter will then have – **Copy** after its name. You can modify and rename the filter then **Save** to create a new filter.
- If a filter is no longer required, highlight the filter then **Delete** to remove it.
- To exit the filter setup, select **Close**.
- These will now be available to all users.

6.2.3 Using Clinic filters

Clinic filters allow the use of filters that just show resources who have certain **timetable symbols**, **locations** or **departments** for that day. For example, a filter set up to show ENT clinics will only show resources that are timetabled with the various ENT symbols.

These filters do not override any restriction to resources based on location.


- Select the filter from the drop-down list of filters.
- The Booking screen will change to reflect the filter selection.




- Three dots at the end of the resource name allows you to choose the filtered resources.

Tray


- Clicking on a resource will display them in the column.



- If no resources are contained within the filter, Auditbase displays a blank resource plan.
- You must either choose a different date or filter to display resources.



- If you try and view a **Client's entries** when the appointment does not display due to a filter, you will receive an information message.



- You will need to select **Yes** to go to the appropriate date and then change the filter settings. No will take you back to **Client's entries**.

6.3 Time plan general

- Select **View** and click on either **Large booking view**, **Standard view**, or **Large grid view** to choose the preferred view

Auditbase - [Booking]

File Edit View Functions

Make new Search for new Edit Move Bulk move Copy Cancel Delete Make Schedule Copy

Booking Timetable

Client T126786 MRS FIRSTNAME267868888888888888 User SYSTEM ADMINISTRATOR Multiple locations... Multiple departments... ?

Wednesday 25/04/2007 Travv [No filter] General Daily 15 min

Time	Location	Department	Hospital no.	NHS no.	Name	L	V	S	Telephone	Information	Reason	Referenced b
08:00	All	All			2 - 3+SAV			K	99.9.99 XXX			
:15	All	All			JPD @ SAV BKD				99.9.99 XXX			
:30	All	All										
:45	All	All										
09:00	All	All										
:15	All	All										
:30	All	All										
:45	All	All										
10:00	All	All			*****							
:15	All	All	T1456		MISS FIRSTNAME456 LASTNAME456	X	C		99999 999999	XXX XXXX XXX & XXXXXXXX XXX		
:30	All	All	T125521		MRS FIRSTNAME25521 LASTNAME25521	X	C		99999 999999	9XXXX XXXX XX		
:45	All	All										
11:00	All	All	T126063		MISS FIRSTNAME26063 LASTNAME26063	X	C			XXXX XXXXXX XXXXX 99		
:15	All	All										
:30	All	All	T128594		MST FIRSTNAME28594 LASTNAME28594	X	C			XXXXXXXXXX 99-9-99		
:45	All	All	T128104		MISS FIRSTNAME28104 LASTNAME28104	X	C			9 XXXXXX XXXXXX XX (XXX)		
12:00	All	All										
:15	All	All	T127780		MST FIRSTNAME27780 LASTNAME27780	X	C					
:30	All	All	T128686		MS FIRSTNAME28686 LASTNAME28686	X	C		99999 999999	X.X. XXXXXX		
:45	All	All										
13:00	All	All	T125464		MISS FIRSTNAME25464 LASTNAME25464	X	C			9 XXXXXX XXXXXX - XXXXX		
:15	All	All										

Navigation

April 2007

Resource Travy

Stassy Charlie Res109 Res46 Res68 Res70 Res54 Res78 Res73 Res82 Res75 Res71 Res72 Res105 Res63 Res95 Res106 Res102 Res98 Res87 Res47 Res81 Res86

Today: 09/01/2020

- Booking or Timetable
- TimeTable
- Booking
- Show in separate rows

- The different views can also be chosen by using the toolbar buttons on the top right:



 Standard view (displaying both the booking view and the grid view). Keyboard shortcut Shift+F7 can be used for fast access.



 Large grid view (displaying a larger grid view with a smaller booking view). Keyboard shortcut F7 can be used for fast access.



Large booking view (displaying one large booking view). Keyboard shortcut Ctrl+F7 can be used for fast access.

To adjust the size of the bottom half of the screen, the user should hover over the split line and drag to resize the screen. The timeplan will remember the size that it has been edited to if the screen is restored down and returned to full size.

Contact your System Administrator to set which view Auditbase defaults to when opening the Time plan view.

- The different columns in Time plan can be moved, so you can decide in which order the columns should appear.
- Let your mouse hover over the bottom line of the column header and the mouse cursor changes symbol .
- Now click and drag the column to the relevant location.
- The time span will reflect the hours selected in **System Administration -> Workstation settings**.
- The System Administrator can migrate Auditbase from the default 15-minute appointment units to using 5-minute appointment units permanently. Generally, the 5-minute unit setting has slower performance than the 15-minute unit setting because three times as much information is being transferred, processed and displayed. If migrated users have both **zoom** and **scale** options for changing the view, while using 15-minute units users, have only the zoom option.
- The **scale** options are 5, 10, 15, 20, or 30-minute slots altering the units displayed on the left-hand time column. It is possible to change the scale view by using the button or the following shortcuts which are displayed when the button is selected. **Ctrl+K** to **Scale up** and **Ctrl+L** to **Scale down**.
- Text in booked appointments will be in black except for Video Appointments which use blue text to distinguish them. When the selected appointment is a Video appointment the text will be in yellow rather than white.

Zoom in	Ctrl+I
Zoom out	Ctrl+O
☒ 100%	
☐ 125%	
☐ 150%	
☐ 200%	
Scale up	Ctrl+K
Scale down	Ctrl+L
5 Minutes	
10 Minutes	
☒ 15 Minutes	
20 Minutes	
30 Minutes	

Using **zoom** the size of the lower Resource area can be increased by the selected percentage. This size can be adjusted using the **Zoom in** and **Zoom out** options which have the keyboard shortcuts of **Ctrl+I** and **Ctrl+O** respectively. These same options are available from **Selected zoom** on the **View** ribbon at the top of the page. The **zoom** and **scale** selections are remembered if a user logs off from Auditbase.

If a scale is set that prevents individual appointments from being displayed, the time band that is affected is shown as grey and **<Multiple content>** is displayed if there is more than one appointment and **<Partial content>** if just one. Moving the mouse cursor over the multiple content will display a tool tip showing the appointment times and the associated client. Changing the scale will show the full information for the appointment.

Time	Location	Department	Hospital no.	NHS no.	Name	L	V	S
08:00	All	All			<Multiple content>			
:20	All	All			-- II --			
:40	All	All						
09:00	All	All						
:20	All	All						
:40	All	All						
10:00	All	All			<Multiple content>			
:20	All	All			<Multiple content>			
:40	All	All			-- II --			
11:00	All	All	T126063		MISS FIRSTNAME26063 LASTNAME26063	X		C
:20	All	All	T128594		MST FIRSTNAME28594 LASTNAME28594	X		C
:40	All	All			<Multiple content>			

A scale that does not allow the start or end time of an appointment to be displayed will have the start and end times highlighted in grey. The tool tip will display the full appointment times. Changing the scale will display the full information for the appointment.

Time	Location	Department	Hospital no.	NHS no.	Name	L	V	S
:45	All	All						
12:00	All	All						
:15	All	All						
:30	All	All	T113559		MRS FIRSTNAME13559 LASTNAME13559	X		C
:45	All	All	T15790		MRS FIRSTNAME5790 LASTNAME5790	X		C
13:00	All	All	T11124		MR FIRSTNAME1124 LASTNAME1124	X		C
:15	All	All						
:30	1 Location1	1 Department1	T18765	88888888	MR JOHN SMITH			*
:45	1 Location1	1 Department1			-- II --			
14:00	1 Location1	1 Department1			-- II --			
:15	1 Location1	1 Department1			-- II --			
:30	1 Location1	1 Department1						

If a 15-minute appointment cannot be displayed fully in the resource area due to the selected scale, a half symbol is displayed showing that the full appointment cannot be shown. Moving the mouse cursor over the symbol will display a tool tip giving details of the appointment and the client.

- Choose which symbols you would like to view in the Time plan by checking the box next to either **TimeTable** or **Booking**. Both sets of symbols can be seen by checking both boxes.

☒ Booking or Timetable

☐ TimeTable
 ☐ Booking


☐ Show in separate rows

- Resources are shown to the right of the calendar. Symbols for these resources can be seen in separate rows by selecting **Show in separate rows**. This will show four rows of symbols with **Timetable** at the top, then **Location**, then **Department**, with **Booking** symbol at the bottom. This order is described by a tool tip that can be seen by placing the mouse cursor over the **Show in separate rows** label.

Resource	08	09	10	11	12	13	14	15	16	17
Res46	[Symbols]									
Res68	[Symbols]									
Res70	[Symbols]									
Res54	[Symbols]									


Contact your System Administrator to set which symbols to view as a default in the Time plan.

- To save the user configurations you have made, click on the menu **View -> Save window setup** and your specific settings for the Time plan view as well as the symbols view will be saved.




6.4 Time plan, All resources

- Select **View -> Time plan**.
- Select **View -> All resources**. For fast access, use **Ctrl+8** or double-click on a **date**.
- You can switch between the **One resource** and **All resources** views in three ways:
 - using the View ribbon menu item
 - using F8 or Ctrl+F8
 - clicking on either a date or a Resource
- The day is shown at the top of the screen. Resource names are listed to the right in the lower section of the screen.
- Time intervals for a selected resource are shown in the upper section of the screen. The start and end time can be modified by the System Administrator according to the demands of a department. The content of the table represents the appointments for the resource
- The grid in the lower section represents timeslots with either timetable or appointment symbols where a timetable or appointment has been created for a resource.



- Choose which symbols you would like to view in the Time plan by checking the box next to either TimeTable or Booking. Both sets of symbols can be seen by checking both boxes.



- Resources are shown to the right of the calendar. Symbols for these resources can be seen in separate rows by selecting **Show in separate rows**. This will show four rows of symbols with **Timetable** at the top, then **Location**, then **Department**, with **Booking** symbol at the bottom.
- >

Resource	08	09	10	11	12	13	14	15	16	17	
Res46	[Calendar symbols for Res46]										
Res68	[Calendar symbols for Res68]										
Res70	[Calendar symbols for Res70]										
Res54	[Calendar symbols for Res54]										

Unlike the Resource view where you can alter the number of Resources shown and the width of each column changes, the height of each Resource in Time plan is fixed. The system shows a maximum number according to the screen resolution and the view option selected. With Time plan there are two view options showing either 20 or 35 Resources when using the recommended screen resolution. Your System Administrator can reduce this number, or you can adjust the screen resolution to make Auditbase smaller, but you cannot increase it. If you use a larger screen resolution, the number of Resources will not increase, the diary at the top will expand.

The System Administrator has three options:

- To have faster visible performance when changing dates and slower when scrolling through resources.
- To have a faster refresh when scrolling resources and slower when changing dates.
- To have a faster refresh when scrolling resources and faster when changing dates.

6.5 Time plan, One resource

- Select **View -> Time plan**.
- Select **View -> One resource**. For fast access, use **Ctrl+8** or double-click on a **date**.
- You can switch between the **One resource** and **All resources** views in three ways:
 - using the View ribbon menu item
 - using F8 or Ctrl+F8
 - clicking on either a date or a Resource
- The resource name is shown in the toolbar at the top of the window. The dates are listed to the right.
- Time intervals for a selected resource and date are located in the upper section of the screen. The start and end time can be modified by the System Administrator depending on the demands of a department. The content of the table represents the appointments for the resource.

Auditbase - [Booking]

File Edit View Functions

Resource plan Time plan View all day Calendar Symbol list General note Daily note Selected zoom Large booking Large grid Booking only All resources One resource Save window setup

Plan View Zoom Timeplan view Resources Settings

Client T18765 MR JOHN SMITH User SYSTEM ADMINISTRATOR Multiple locations... Multiple departments...

Thursday 05/04/2007 Res46 [No filter] General Daily 15 min

Time	Location	Department	Hospital no.	NHS no.	Name	L	V	S	Telephone	Information
:45	All	All								
12:00	All	All								
:15	All	All								
:30	All	All	T124557		DR FIRSTNAME24557 LASTNAME24557	X		S		
:45	All	All			-- II --					
13:00	All	All			-- II --					
:15	All	All								
:30	All	All								
:45	All	All	T128824		MS FIRSTNAME28824 LASTNAME28824	X		S	99999 999999	X.X. XXXXXX - XXXX XXXXXXXXXX XXXX XXX XXXX
14:00	All	All			-- II --					
:15	All	All			-- II --					
:30	All	All			-- II --					
:45	All	All	T128463		MRS FIRSTNAME28463 LASTNAME28463	X		S	999999999999	XX.XXXXXXXX
15:00	All	All			-- II --					
:15	All	All			-- II --					
:30	All	All			-- II --					
:45	All	All	T128455		MR FIRSTNAME28455 LASTNAME28455	X		D	99999 999999	XX.XXXXXXXX
16:00	All	All			-- II --					
:15	All	All			-- II --					
:30	All	All			-- II --					
:45	All	All	T128458		MR FIRSTNAME28458 LASTNAME28458	X		S	99999 999999	XX.XXXXXXXX
17:00	All	All			-- II --					
:15	All	All			-- II --					
:30	All	All	T128885		MRS FIRSTNAME28885 LASTNAME28885	X		S	99999 999999	
:45	All	All			-EMMALREC APPLICATION					XXXX.XXXXXXXX!!!

Navigation

April 2007

Mon Tue Wed Thu Fri Sat Sun

13 26 27 28 29 30 31 1

14 2 3 4 5 6 7 8

15 9 10 11 12 13 14 15

16 16 17 18 19 20 21 22

17 23 24 25 26 27 28 29

18 30 1 2 3 4 5 6

Today: 09/01/2020

Booking or Timetable

TimeTable

Booking

Show in separate rows

Resource 08 09 10 11 12 13 14 15 16 17

05/04/2007

06/04/2007

07/04/2007

08/04/2007

09/04/2007

- The grid in the lower section represents timeslots with either timetable or appointment symbols where a timetable or appointment is created for a resource.
- All symbols for the single resource can be seen in separate rows by selecting **Show in separate rows**. This will show four rows of symbols with **Timetable** at the top, then **Location**, then **Department**, with **Booking** symbol at the bottom.

Resource	08	09	10	11	12	13	14	15	16	17
09/04/2007	[Icons: 16 blue squares]									
10/04/2007	08:00-18:00 ANNUAL LEAVE 16:00-18:00 ANNUAL LEAVE 16:00-18:00 ANNUAL LEAVE 16:00-18:00 ANNUAL LEAVE									
11/04/2007	[Icons: 16 purple squares]									
12/04/2007	[Icons: 16 green squares]									
13/04/2007	[Icons: 16 red squares]									

6.6 Booking information

Information about every appointment or reservation is accessed by right-clicking the respective appointment or reservation.

Booking information

Client: MR FIRSTNAME17850 LASTNAME17850

Time: 03/09/2020 9:30 - 9:45

Attached actions

Close

Appointment ☒ ENT NEW PATIENT MOULD~

Location All (no location)

Letter:

Timetable

Department All (no department)

Verbal:

Made by: SYSTEM ADMINISTRATOR on 03/09/2020

Attd. with

Video appt.:

Resource(s): TRAVY

Status

[no status]

*. Appt arranged

Q. Cancelled

A. Arrived

B. Being seen

Stages condition:

Stage 1

Stage 2

Stage 3

Stage 4

■

■

■

■

Status change

Delete

*. Appt arranged 03/09/2020 14:18 [lm]

A. Arrived 03/09/2020 14:19 SYSTEM ADMINISTRATOR

Referred by

Reason

Outcome status

Current outcome

Appointment not linked to referral

Linked Waiting list

Details

Hospital no.: T117850; NHS no.:

MR FIRSTNAME17850 LASTNAME17850

99 XXXXX XXXX

XXXXXXX

XXXXXXXXXX

Information

History of changes

Add / Edit / Delete

Edit

Delete

Obs no.	SNOMED code	ICD10 code	Date	Add.	S	Text	Comment

Client observation or procedure

Visit charge

The window holds information about the following topics, some of which are covered in further detail in separate sections below:

- Date and time
- Client name at the top and details, such as personal number and address at bottom left
- The resource who made the booking
- The user and date of appointment creation
- Timetable, Location (if enabled), Department (if enabled) and appointment symbol
- Letter printed or verbally notified; marked with X
- Video Appointment: marked with X
- **Attd. with** can show the relative that attended the appointment with the client – click the Browse button to select from a pre-defined list of relatives or add a new relative
- **Referenced by** such as referencing institution

- Appointment status – see below
- Appointment Outcome – see separate section
- History of Appointment Changes
- Further **Information** about the appointment, e.g. special preparations to be made by the audiologist in advance. The information can be modified in the window if required.
- Client observation or procedure
- Visit charge

In the dialogue box, a status can be associated with the appointment/reservation. The possible statuses to be assigned to the appointment/reservation are defined by the system administrator.

The appropriate status can be chosen from the **Status** list, a default status may be configured in System Administration for when the appointment is booked. Status change history is seen in the **Status change** section, showing the duration in waiting or ‘being seen’ status for instance. When the status has been selected the window closes and the appointment status will be updated on the booking screen.

Note: If so configured by your system administrator, when setting a status for an appointment, Auditbase may prompt you to also set an Appointment outcome, if the appointment is linked to a referral or waiting list. The user may or may not overrule this mandatory action depending on settings in system administration.

If the appointment contains several stages, they are seen alongside their conditions in the **Stages condition** area. The condition of each stage can be changed by right-clicking the corresponding cell. After modifying a stage condition, the dialogue box is closed.

Outcome status can be selected in the drop-down list. The code is used to describe the outcome of the appointment. The possible values are defined by system administrator.

Linked waiting list can be viewed from the dialog. This is a read only field.

Double-clicking any appointment symbol on the lower grid will open the **Edit booking** window where any feature of the appointment can be adjusted. If changes are made, the **Print letter** window will open on saving.

6.6.1 Client observation or procedure

If the appointment has an observation or procedure attached, it will appear in the lower table on the **Client observation or procedure** section/tab in the bottom of the dialog. From here you can also **Add/Edit/Delete** the observation or procedure. When adding an observation/procedure, select the required one from the list and click the **Add to client** button. Should further observations/procedures be required, repeat the process. Upon completion click **Save**. To delete or edit an observation/procedure, select it in the lower table.

Note: When deleting an observation or procedure from Booking information, it is removed completely from the client record and not just from the appointment.

6.6.2 Visit charge

Visit charge features are primarily used in Sweden. If this is enabled (in System administration) the lower part of the dialog is split in two tabs - **Client observation or procedure** and **Visit charge**.

On the **Visit charge** tab, the following is shown or controlled:

- **Booking code**, identifying the appointment, used e.g. in connection with self-check-in
- **Anonymous number**, used to call patients in the waiting room without compromising the patient's privacy or violating privacy regulations
- **Client identity verification**, used to register if and how the patient's identity has been verified
- **Waiting room**, showing what waiting room will be used for the visit. It can be pre-filled based on rules configured in System administration
- **Appointment fee**, can also be pre-filled based on rules configured in System administration
- **Prohibit Self-check-in**, showing if self-check-in is allowed for the patient. Can be pre-filled based on symbol or locked if the patient has protected identity.
- **Print visit receipts**, allows the user to select and print one or more of the following documents
 - Anonymous number
 - Roadmap or route directions from present location to selected waiting room, and
 - Payment receipt

Booking code	2472	Client identity verified	Not verified
Anonymous number			
Waiting room			
Appointment fee	DIAGNOSTIC	£ 35.00	
☐ Prohibit self check-in		Print visit receipts	
Client observation or procedure		Visit charge	

6.6.3 Attached actions

To view any clinical actions, documents or IMPs attached to an appointment, click the **Attached actions** button in the upper right corner of the **Booking information** dialogue box. A list of attached clinical and other actions will open in a separate dialogue box.

[illegible]

To detach an action from the appointment, select the check box beside the action, and then click the **Detach** button; to select all actions attached to the appointment, click **Select all**. In the warning message **Do you want to detach the selected data from the appointment?** click **Yes** to complete the operation.


To return to the **Booking information** dialogue box, click **Close**.

NOTE: You will not be able to detach a posting from the appointment.

6.7 Calendar and refresh

The calendar can be used to select the working date.


- In the Resource plan, the calendar can be closed or opened using the  button on the menu bar or by pressing **Alt+C**. In the Time plan, the calendar is always shown.
- Today's date is highlighted in blue and displayed at the top of the screen.
- To change the date, move the month and years along using the arrows and click on the relevant date. This will refresh the booking screen.
- For quick access to a specific month, click on the name of the month displayed in the calendar and a drop-down box will appear.



- For quick access to a specific year, click on the year displayed in the calendar and two arrows will appear, making it easier to toggle between years.
- The text at the bottom always displays the current date. If you click on this text, the calendar will refresh to today's date.

Contact your System Administrator to set the booking screen to auto refresh at a configurable duration.

- To refresh the symbols and statuses on screen immediately, click on the **Refresh booking** button.



6.8 Booking a client directly

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Select the date, if required.
- Or double-click on a time slot under the time and resource you require.

*If a client is selected, the **Client appointment** tab is automatically active. To make a reservation, switch to the **Reservation** tab.*

Make booking

Advanced booking Offer declined Save Close

Client appointment Reservation Group appointment

Hospital no: **T128343**
 Name: **MR FIRSTNAME28343 LASTNAME28343**
 Phone: **Mobile: abcd**
☐ Video appointments accepted

Recurrence:
☒ No recurrence
☐ Daily
☐ Weekly
☐ Monthly
☐ Annually

Information:
 Reason: Referenced by:
 Location: All (no location) Department: All (no department)

Single resource:
 Symbol: Resource: All locations: ☐
 1: 1 Maksym Knysh
 2: 2 Travy
 11: from 1 Stassy
 1: to 1 Charlie
☒ ENT new patient mould~ Res46
☒ PHAC new patient mould~ Res68
☒ SAV ENT audio Res70
☒ SAV ENT new patient mould~ Res54
 tttttt1 Res78
 CLEAR Res73
☒ GWH 1 st Res82
☒ GWH 2nd fit~ Res75
☒ GWH Audio assess~ Res71
☒ GWH Audio review~ Res72
☒ GWH Direct referral~ Res105

Date: 24/07/2020 Time: 10:45 End:
 Duration: hours min.
☐ Video appointment

Appointment stages:

	Name	Descr
☐	Stage 1	Sample stage 1
☐	Stage 2	Sample stage 2
☐	Stage 3	Sample stage 3
☐	Stage 4	Sample stage 4

- When making a booking directly, the new appointment will pick up the Location and Department from the Booking module. The Location or Department cannot be changed in the Make booking window as the information is gathered from the timetable.
- From the drop-down lists, select appointment **Reason** and referencing institution if required. Note that if the dialog is opened from **Referral** or **Waiting list**, reason is pre-selected.
- When a patient has been offered an appointment but has declined, before the appointment is made, then there is the option to select “Offer Declined”. In selecting this option the appointment will be recorded in client entries as “Offer Declined”.

Note: Your system administrator can configure the system to make Reason a mandatory selection.

Reasons can be outdated by your system administrator, in which case they do not appear in the list of reasons.

- Select the appropriate appointment **Symbol**. Out-dated symbols and resources are not shown in the lists. Additionally, if a location is selected in the toolbar, the system filters out symbols and resources associated with any other location.
- Select the **Resource** or resources.
- If more than one resource is selected and one or more are unavailable, you will receive a **Make Booking** information window stating which resource(s) have already been booked. Selecting **Yes** will save the appointment for the free resources. Selecting **No** will return you to the **Make Booking** window where you can change your choice of resources.
- You can modify the date. If you set the date to a date in the past, the same day when an appointment is already made or if an appointment is made in the future, the system displays a warning when you save. However, the system administrator can switch these warnings off.
- Adjust the appointment duration if necessary. The default duration for an appointment is set by the System Administrator. Options for the minute part of the duration are set by the System Administrator and can be from 5 to 55 minutes.
- The start **Time** and **End** time can be entered manually in 5 minute units.
- Check the checkbox if the appointment is to be a **Video appointment**. If the **Video appointments accepted** is not checked, which can be set for the client either here or on the Client Information screen, and an email address or mobile phone number are not recorded for the client, then a warning may appear if configured by your System Administrator.
- Select the **Appointment stages**, if required. The default stages setup is pre-selected. When the client arrives, you can keep track of the appointment by viewing the conditions for these stages in the **Day view** window, **Workflow** view. Note that if a location is selected in the toolbar, the system filters out stages associated with any other location.

By default, the system selects the resource, the date and start time from the slot you double-clicked to initiate the dialog. You can also select the duration of the appointment in hours and minutes, and the system calculates end time automatically. If the duration for the selected symbol is specified by the system administrator, this duration will be pre-selected.

- If a recurrence is needed you can also choose **Daily**, **Weekly**, **Monthly** or **Yearly** recurrence.
- Selecting a recurrence flips open an additional column where you can edit the recurrence settings.
- The total number of appointments to be generated or an end date of the appointment sequence must be specified.
- The Booking default method is **Book all possible**, which means booking un-booked slots only. This is the recommended setting, but it can be changed according to your requirements.

☒ Day
 of every month(s)

☐ The

 of every month(s)

Selected days

End of recurrence

☒ End after occurrences
☐ End by date

Book method

☐ Book all possible
☒ Book if all resources can attend
☐ All must be available for any to be booked

- Clicking on **Advanced booking** will flip open an extra table in which you can add or remove resources from the appointment.
- To add resources, select the resources in the resource list above and click **Apply**.
- To remove resources, select the resources in the advanced table and click **Remove**.


Resources Apply Remove			
Resource	Time	Duration	Symbol
<More resources>			
Travy	12:45-13:00	0h 15m	PHAC new patient mould~
Stassy	12:45-13:00	0h 15m	PHAC new patient mould~

- Click **Save**.
- When making, copying or editing an appointment, if the selected slot is not the client's default Location or Department, you will be warned.

Make booking

Location Location3 is not this client's preferred location. Are you sure you want to save?

- If the appointment is made that is split over two different Locations, you will not be able to save the appointment. You cannot book an appointment in a timeslot with a different Location or with Resources in different Locations as the same appointment cannot take place in more than one location. If you attempt to do this, an error message will be displayed.



- There is no restriction on making an appointment across two different Departments.
- A default appointment status may be applied, configured by your System Administrator, when the appointment is booked.
- The **Print letter** window appears – fill in the relevant fields and click **Print** or click **Verbal appointment**. The time and date fields can be edited if configured by your System Administrator.

Print letter

Verbal appointment Client list Print labels Open in Word Preview Send ... Close

User: USER NAME89 Location for letter: 3 Location3 Dept. for letter: 3 Department3
 Client: MR JOHN SMITH 1 letter selected Date of visit: 09/01/2020 Time: 13:15

Letter name	Type
11-03-19_test_template	MS Word
19/02/2015 all variables	MS Word
23/06/2016 all variables	MS Word
29/10/2015 all variables	MS Word
DNA - PAEDIATRIC	Booking defined
DNA - PAEDIATRIC	Booking defined
EST_TEST	MS Word
New	MS Word
Test template 22/06/2018	MS Word
Test template 28/02/2019	MS Word
TEST_04/06/2018	MS Word
User letter test	Admin defined

Letter-specific additional information, editable for single letter selection only

Additional information for all selected letters

Highlighted letter

Name: 11-03-19_test_template
 Type: MS Word

Saving to Documents

☐ Save letter after printing or emailing ☐ Save letter read-only
☐ Save letter content Document type:
☒ Save as text ☐ Save in RTF format ☐ Save as Word document
 Appointment: Date sent:
☐ On emailing to multiple recipients


Letter recipients

Type	Name
Client	MR JOHN SMITH
General Practice	DR JP RING

Address:
 Send single email


Recurrent booking

For a recurrent booking, if the selected slot is not the client's default Location or Department, you will get a warning to that effect and will be asked if you are sure you want to save the appointment.



If there are further conflicts, you will be shown the appointments that conflict and will have a choice to either **Save only appointments matching the client's preference** or to **Save all appointments** anyway.


If the Location or Department of some instances of a recurrent appointment is different from the initial instance, then you will be prompted to create them all or just the ones matching the initial instance.



6.9 Printing an appointment letter

Letters can be printed directly or when making an appointment. To print a letter directly, select a filled appointment slot and click the Letter button from the Booking screen. This can also be accessed from **File -> Print letter**.

Select the letter (or letters) to be printed and click **Send**. If the default destination is printer, selected letters will be sent to the printer.



Before printing, a letter may be previewed on the screen. To do this, click the **Preview** button in the Letter dialogue.

6.10 Making a reservation

- To create a **Reservation**, select the **Reservation** tab. Note that the system selects this tab automatically if no client has been selected.
- Enter a title for the reservation and phone number, if required.
- Enter information, select appointment symbol, reason, booking resource, appointment symbol, date and time range in the same way as for client appointment.
- Press **Save** to save the reservation.
- Reservations are shown in purple on the **Booking** screen.
- Stages are not supported for reservations.
- To search for a reservation, select a resource and type part of the name of the reservation.
- When hitting **Search** all reservations matching resource and name of reservation are listed and can be selected and shown by hitting **Show in appt. book** or by highlighting and double clicking.

6.11 Searching for a reservation

You can search for a Reservation, for example, a meeting. Search in the **Functions** menu, **Reservations**.

6.12 Making a group appointment

To create a Group appointment, select the **Group appointment** tab.

- Enter the client group name.
- To specify the clients to be included in the group, click **Edit group**.
- The selected client, if any, will be present in the list.
- To add more clients to the list, press **Add**. The system opens the **Client search** dialog, where clients can be searched and selected for the list. When you select a client, the system will prompt you to enter an appointment reason and information.
- To remove a client from the list, press **Remove**.
- To change the appointment reason and information for a highlighted client, press **Edit**. Note that by highlighting a client in the list, you force the system to change the global selected client.
- To print the list, press **Print**.
- Back in the **Group appointment** tab, enter information, select appointment symbol, reason, booking resource, appointment symbol, date and time range in the same way as for client appointment.
- Press **Save** to save the appointment. After saving, the system displays the **Print letter** dialog, where you can print appointment letters for all (or selected) clients.
- Group appointments are shown in green on the Booking screen.

Stages are not supported for group appointments.

6.13 Booking clients using 'Search for new booking'

When free time for a resource cannot easily be found, the system can search for available time from the **Search for new booking** item.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Click **Edit** -> **Search for new booking**. This will open the **Search for booking** dialog.

Search for booking

☒ Client appointment ☐ Reservation ☐ Group appointment

Name: **MR FIRSTNAME17850 LASTNAME17850** Information:
 Hospital no: **T117850** Reason:
 Phone: **Home: 99999 999999** Referenced by:
☐ Video appointments accepted

Waiting room: Appointment fee:
☐ Prohibit self check-in

☒ Resource ☐ Group

Timetable symbol

- ANY SYMBOL
- NO SYMBOL
- 1 1
- 2 2
- NTS
- ENT CLINIC
- SAV - C&B - Dref / AGR
- test
- COMMUNITY PAEDIATRIC
- PAED Assisting
- PAED Hearing Aid Clinic
- PAED Transition
- SAVERNAKE PAEDS
- TIDWORTH

Booking symbol

- 1 1
- 2 2
- from 1
- to 1
- ENT new patient mould~
- PHAC new patient mould~
- SAV ENT audio
- SAV ENT new patient mould
- tttttt1
- CLEAR
- GWH 1 st
- GWH 2nd fit~
- GWH Audio assess~
- GWH Audio review~
- GWH Direct referral~
- GWH Earmould
- GWH Earmould fit
- GWH Exchange
- GWH Follow up
- GWH Follow up ad-hoc

Duration: 0 hours 15 min. **Search**

☐ Video appointment

Date range: From 03/09/2020 To 03/10/2020

Navigation:

Resource search method:
☐ All resources are available
☒ Any resource is available

Apply **Remove**

Resource	After	Before	Duration (hours)	Duration (min.)	Timetable	Location	Departme	Found loc	Found dep	Date	Day
<New criteria>											

- Select the **Reason** for the appointment.
- The **Video appointments accepted** setting for the client can be seen and set from this screen.
- Select the **Resource** (or resources) you want to book for the client from the **Resource** list. Alternatively, select from a resource **Group** to search for the first available appointment for a resource from the group.
- A **Resource search method** should be selected. Choosing **All resources are available** will search for all selected resources and only display slots where all the resources are available. Choosing **Any resource is available** will display an available appointment where any of the selected resources are available.

- Select the appropriate **Timetable symbol or symbols**, more than one symbol can be selected. Select **ANY SYMBOL** if a specific timetable symbol is not required or **NO SYMBOL** if the time is not covered by the timetable to be searched.
- Select a **Booking symbol** for the appointment to be created.
- Adjust the appointment **Duration** if necessary. The default duration for an appointment is set by the System Administrator. Minute options for **Duration** are set by the System Administrator.
- Change the **Date range** as required. Dates can be entered manually, or the calendar at the right of the **From** and **To** fields can be used.
- Enter number of 15-minute **Units** to be booked.
- A **Location** and /or a **Department** can be selected from the drop-down menus when searching for a new appointment. If a specific **Location** or **Department** is not required, **All locations** or **All departments** can be used. The patient's default Location and Department will be automatically selected when a new search is started, but this can be overwritten by selecting from the drop-down menus. The Location and Department is shown in the search results.
- Click **Search**.
- The system fills the table with the selected criteria and performs the search.
- Clicking **Apply** fills the table without performing a search. Use **Apply** when you want to review and/or change criteria before searching.
- In the table, you can do the following, if required:
 - Verify or modify the time **After** and time **Before** as required.
 - Verify or modify the **Duration** of the appointment.
- Click **Search**.
- Verify the found time slot. If the first slot displayed is not appropriate, click on the **Navigation** arrows to show the next available time. The rightmost and leftmost buttons show the first available timeslot for the next and previous dates respectively, whereas inner buttons "scroll" through timeslots in the current date.
- Verify or modify the found **From** and **To** time.
- Click **Save**.
- Click appointment **Letter** and either send the letter or click **Verbal appointment**.

If Visit charge features are enabled in System administration (Invoice definitions/Preferences) some additional functions will be available in the dialog:

- **Waiting room**, showing what waiting room to be used
- **Appointment fee**, can be pre-filled based on rules configured in System administration
- **Prohibit self-check-in**, shows if self-check-in is allowed for the patient. Can be pre-filled based on symbol or locked if the patient has protected identity.

6.14 Booking an appointment from waiting list

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation** -> **Waiting list**.
- Select the relevant waiting list from the drop-down list or click on **Clients entries** and select the required entry.
- Select the client's entry on the waiting list and click **Book**. The selection may be done by clicking the grey area at the beginning of the row.

Date	Active wait	Wait time	Outcome status	Clock act	Hospital no.	Name	Postcode	DOB	No.
09/10/2007	639 w, 2 d	-587	20b, Cancelled	Counting	T12278	MRS FIRSTNAME2278 LASTNAME24	PC:4541	12/05/1959	1
19/01/2011	468 w, 1 d	-416	20a, Decision to	Counting		MR FIRSTNAME46887 LASTNAME46	PC:208	01/10/1998	2 109075 G.P. letter- FF

- The cursor changes appearance in the booking screen to indicate that you are in the process of making a booking for the client.
- Use the **Calendar** to select the date for the appointment.
- Click under the resource column at the time of the appointment you want to book.
- Select the appropriate appointment **Symbol**.
- Adjust the appointment **Duration** if necessary. The default duration for an appointment is set by the System Administrator. Minute options for **Duration** are set by the System Administrator.
- Select **Appointment stages**, if required.
- Click **Save**.
- Click appointment **Letter** and either **Print** the letter or click **Verbal appointment**.
- The system will then return you to the **Waiting list** module so that another appointment can be booked.

6.15 Search and Book from the waiting list

It is possible to search for available appointment slots and book appointments directly from the Waiting list.

To do so:

1. Navigate to the **Waiting list module**
2. From the dropdown, select a relevant **Waiting list**
3. Choose a **Client** for whom the appointment will be booked

The screenshot displays the 'Waiting list' module in the Auditbase software. The navigation pane on the left shows 'Waiting list' selected. The main area features a dropdown menu for selecting a waiting list, currently showing 'TGW - PHAC Permanent loss'. Below this, there is a table of appointments with the following columns: Date, Active wait, Wait time, Outcome status, Clock action, Hospital no., and Name. The first row of the table is highlighted.

Date	Active wait	Wait time	Outcome status	Clock action	Hospital no.	Name
09/02/2010	525 w, 0 d	-473	Counting	T130763	MISS FIRSTNAME30763 LASTNAME30763	
16/03/2010	520 w, 0 d	-468	Counting	T190100	FIRST EXTRAMORE LAST	
23/03/2010	519 w, 0 d	-467	Counting	T129779	MST FIRSTNAME29779 LASTNAME29779	
06/04/2010	517 w, 0 d	-465	Counting	T112441	MISS FIRSTNAME12441 LASTNAME12441	
19/04/2010	515 w, 1 d	-463	Counting	T123116	MST FIRSTNAME23116 LASTNAME23116	
23/04/2010	514 w, 4 d	-462	Counting	T112842	MST FIRSTNAME12842 LASTNAME12842	
24/05/2010	510 w, 1 d	-458	Counting	T125237	MISS FIRSTNAME25237 LASTNAME25237	
04/06/2010	508 w, 4 d	-456	Counting	T11632	MST FIRSTNAME1632 LASTNAME1632	
11/06/2010	507 w, 4 d	-455	Counting	T141108	MISS FIRSTNAME41108 LASTNAME41108	
14/06/2010	507 w, 1 d	-455	Counting	T121523	MISS FIRSTNAME21523 LASTNAME21523	
18/06/2010	506 w, 4 d	-454	Counting	T11629	MST FIRSTNAME1629 LASTNAME1629	
18/06/2010	506 w, 4 d	-454	Counting	T17289	MISS FIRSTNAME7289 LASTNAME7289	
21/06/2010	506 w, 1 d	-454	Counting	T141406	MST FIRSTNAME41406 LASTNAME41406	
25/06/2010	505 w, 4 d	-453	Counting	T124407	MST FIRSTNAME24407 LASTNAME24407	
25/06/2010	505 w, 4 d	-469	Counting	T119655	MISS FIRSTNAME19655 LASTNAME19655	
02/07/2010	504 w, 4 d	-452	Counting	T110119	MST FIRSTNAME10119 LASTNAME10119	

In the “**Search for booking**” pop-up window:

1. Specify the **search criteria**
2. Click **Search**
3. Verify the appointment **time slot**
4. **Save** for the appointment to be recorded in the Office timetable

Search for booking

Client appointment

Reservation

Group appointment

4

Save

Close

Name

MISS FIRSTNAME30763 LASTNAME30763

Information

1y FU - Feb 1192542 - 12 month fu92452aid not working

Hospital no

T130763

Reason

++Patient self referral

Phone

Home: 99999 999999, Mobile: 99999 999999

Referred by

Resource

Group

Timetable symbol

Booking symbol

1

2

Travy

Stassy

Charlie

Res109

Res46

Res68

Res70

Res54

Res78

Res73

Res82

Res75

Res71

Res72

Res105

Res63

Res95

Res106

Res102

Res98

ANY SYMBOL

NO SYMBOL

1 1

2 2

NTS

ENT CLINIC

COMMUNITY PAEDIATRIC

PAED Assisting

PAED Hearing Aid Clinic

PAED Transition

SAVERNAKE PAEDS

TIDWORTH

Wiltshire PHAC

123

Location

1 Location1

Department

All departments

1 1

2 2

from1

to1

ENT new patient mould~

tttttt1

CLEAR

GWH 1 st

GWH 2nd fit~

GWH Audio assess~

GWH Audio review~

GWH Direct referral~

GWH Earmould

GWH Earmould fit

GWH Exchange

GWH Follow up

GWH Follow up ad-hoc

GWH Lost aid

GWH Lost aid impression

GWH Repair

Duration

0 hours 15 min.

Search

Date range

From 23/12/2019 To 23/01/2020

Navigation

23/12/2019

Resource search method

All resources are available

Any resource is available

Apply

Remove

Timetable symbol	Location	Department	Found location	Found department	Date	Day of week	Start time	From	To	Resource	Bool
ANY SYMBOL	1 Location1	All	1 Location1	1 Department1	23/12/2019	Monday	08:30-16:00	08:30	08:45	Travy	1 1

3

© Auditdata – 2024, ID: 20.0040/35

126

6.16 Export to MS Outlook

It is possible to export bookings for a single resource for a user specified period to Microsoft Outlook (version 97 or later). All existing appointments in Outlook will be deleted for this period.

NOTE: Export can be disabled by a site-level option in the Administration tool, Calendar and Booking settings.

The prerequisites for performing this action are:

- The logged on user must be defined as a resource
- The booking screen must be active

With the Auditbase System appointment book displayed on screen, select **File->Export to MS Outlook** and the system will now start communication with Microsoft Outlook.

A window will appear notifying the user if Outlook was successfully initialized or with an error message if not.

Copying appointments/reservations is done for a user specified period (default 30 days back in time-180 days ahead) with selection of which resource's appointments/reservations to be exported.

Click **OK** to open a dialog for the user to answer if all previous appointments in Outlook for the selected period should be erased/overwritten or if Auditbase System appointments/reservations should be added and maybe overlap existing appointments/reservations.

Once finished, a status of the export will be shown if successful or not.

The operation can be performed whether or not Outlook is open. The installed version must be 97 or later and it must be configured for the workstation.

The following will appear for exported appointments in the MS Outlook calendar:

- Subject: Client Appointment [patient ID from Auditbase appointment]
- Start- & end-time: [Time from Auditbase appointment]
- Reminder: Switched off
- Show time as: Busy

Note:

- PHONE:
not displaying
- INFORMATION:
[Information from Auditbase appointment]

The following will appear for exported reservations in the MS Outlook calendar:

- Subject: [Reservation name from Auditbase reservation]
- Start- & end-time: [Time from Auditbase reservation]
- Reminder: Switched off
- Show time as: Busy


Note:

- PHONE:
[Phone number from Auditbase reservation]
- INFORMATION:
[Information from Auditbase reservation]

6.17 Moving an appointment

- Select the appointment you wish to change from the main booking screen. The client's name will now be highlighted on the screen.
- Select **Edit -> Move** or **Edit -> Search and Move**.
- The cursor changes appearance in the booking screen and the start time of the appointment is highlighted to indicate that you are in the process of changing a booking for the client.
- The symbols for the existing length of the appointment are maintained until the new appointment has been made but the client name is not shown.
- Click on a new date in the **Calendar**. The **Search for New** option can also be selected if a suitable date is not known.
- If the **Search and Move** option has been chosen, the **Search for new booking** window opens and can be used in the usual way.
- Click on the appropriate time slot and resource on the date.
- Click on the appointment **Symbol**; adjust the appointment **Duration** if necessary. The default duration for an appointment is set by the System Administrator. Minute options for **Duration** are set by the System Administrator.
- Click **OK**.
- If a moved appointment breaches the target date for a referral, a breach warning will be displayed.
- Click appointment **Letter** and either **Send** the letter or click **Verbal appointment**.

You can also delete and copy appointments from the **Edit** menu.



Note: When saving or modifying an appointment, the current date and time will be recorded with the appointment, if so configured in the system administration.

6.18 Changing the Appointment Status and Outcome Code

- Highlight an appointment you want to change the status or outcome code for on the main booking screen and right-click it.
- Select **Outcome status** in the drop-down list. The **Current outcome** can be seen in the **Booking information** dialogue box. This is taken from the referral attached to the appointment. This is always today's current outcome, regardless of whether the appointment itself is in the future or past.
- Select the appropriate appointment **Status**. The **Status change** list will show the duration that the appointment has been in each status.
- The status letter is now seen in the main booking screen next to the appointment.

Booking information

Client: MR JOHN SMITH Time: 09/01/2020 12:45 - 13:00 Attached actions Close

Appointment: PHAC NEW PATIENT MOULD~ Location: All (no location) Letter: [blank]
 Timetable: [blank] Department: All (no department) Verbal: [blank]
 Made by: SYSTEM ADMINISTRATOR on 09/01/2020 Attd. with: [blank]
 Resource(s): TRAVY Status: [no status], *, Appt arranged, Q, Cancelled, **A, Arrived**, B, Being seen
 Referred by: [blank] Stages condition: [blank]
 Reason: [blank]
 Outcome status: **SUSP - Suspended**
 Current outcome: Appointment not linked to referral
 Linked Waiting list: [blank]
 Details: Hospital no.: T18765; NHS no.: 88888888, MR JOHN SMITH, 99 XXXXXX XXXXX, XXXXXX, XXXXXXXXXX
 Status change: [Delete]
 *, Appt arranged 09/01/2020 17:34 [18m]
 A, Arrived 09/01/2020 17:51 SYSTEM ADMINISTRATOR
 Information: [blank] History of changes: [blank]

Note: When saving or modifying an appointment, the current date and time will be recorded with the appointment, if so configured in the system administration.

An appointment status can be deleted if it has been set in error. Highlight the status and the **Delete** button becomes active. Select this and the status will be removed from the list.


Status change Delete

*, Appt arranged 09/01/2020 17:34 [18m]
A, Arrived 09/01/2020 17:51 SYSTEM ADMINISTRATOR

6.19 Changing who the client attended with

On the Booking Information screen, details of whom the client attended with can be added.

- Right click on an appointment.
- Select the  icon at the end of the **Attnd. with** row. You will be presented with three options:
 - **Create New** – Will enable you to add a relative or other contact. Fill in the relevant fields and click **Save**.
 - **Select from list** – If a client has relatives or other contacts attached to their client information, by selecting this option you will see a list which you can select from and attach to the appointment. Highlight the required contact and click **Select**. If the contact does not appear in the list, a new one can be added by selecting **Add**. Contacts can be edited by highlighting the contact and selecting **Edit**. A contact can be removed from the list using the **Delete** button.
 - **Clear field** – This will clear any entry in the **Attnd. with** field.



The screenshot displays the 'Booking information' window for client MR JOHN SMITH. The appointment is for 'PHAC NEW PATIENT MOULD~' on 09/01/2020 at 12:45. The 'Attnd. with' field is currently empty, and a dropdown menu is open, showing three options: 'Create new', 'Select from list', and 'Clear field'. The 'Status' section shows a list of status changes, including 'A, Arrived' and 'B, Being seen'. The 'Outcome status' is set to 'SUSP - Suspended'. The 'Details' section shows hospital and NHS numbers, and the 'Information' section is empty.

6.20 Locating and viewing a previous appointment

Use this function to locate or examine a previous appointment in the appointment book.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Select **Functions -> Client's entries** to open the client's appointments and waiting lists window.
- Highlight the appointment you need to view.
- The list of appointments includes Date, Time, appointment Symbol and Status, booked Resource and appointment Reason.
- Select **Show in appt. book**. The system will display the **Booking** screen for that date with the appointment highlighted. You can then edit the appointment if required.
- To view any clinical actions, documents or IMPs attached to the appointment, click the **Attached actions** button. A list of attached clinical and other actions will open in a separate dialogue box where you can detach them from the appointment if needed.
- To delete cancelled actions—they appear in grey—from the history, select them in the list and click the **Delete from history** button.
- When you right-click on an appointment, you can see the **Appointment Information** for an appointment, including information for an outdated resource.

Client's appointments and waiting lists

Client **MR JOHN SMITH**

Close

Appointments list - 42 item(s)

History of changes

Attached actions

Delete from history

Show in appt.book

Date	Time	Loc.	Dept.	Appt.	Status	Resource	Reason	SMS1	SMS2	Declined offer	Symbol
13/01/2020	11:15			1	*	Res46					from1
13/01/2020	09:00			2	*	Charlie					2
10/01/2020	09:00			1	*	Charlie					1
09/01/2020	16:30			5	A	Stassy					GWH 1 st
09/01/2020	13:45			6	*	Stassy					PHAC new patient
09/01/2020	13:15	3	3	1	*	Res54					1
09/01/2020	13:15	3	3	6	*	Res109	++GP direct referral				PHAC new patient
09/01/2020	12:45			6	A	Travy					PHAC new patient

Waiting list entries - 7 item(s)

Add

Edit



Show in waiting list

Wait time	Date	Waiting list	Information
-186	18/06	TGW - PHA	
8	06/03	TGW - AUD	
-14	06/03	TGW - CAL	
-21	16/06	TGW - Audi	
9	16/06	TGW - CAL	
13	09/01	TGW - DOM	
20	09/01	TGW - CAL	

- This window also displays the appointments and waiting list entries for the selected client.
- The list of waiting list entries includes **Wait time**, **Date**, **Waiting list type** and **Information**.
- A waiting list entry can only become active if selected from the Waiting list module. Click **Show in waiting list** to make the entry active in the main Waiting list, so that the entry

can be reviewed and edited. There an entry can be created or edited by clicking **Add** or **Edit**, respectively.

- If you select an appointment from the **Appointments list** and **Show in appt book** but either the Location/Department or Clinic filter does not show the selected appointment, you will see an information message letting you know which needs to be adjusted.



- You will need to select **Yes** to go to the appropriate date and then change the filter settings. **No** will take you back to **Client's entries**.

6.21 Cancelling an appointment

Client's appointments display any appointments in the appointment book. When a client cancels an appointment, you can cancel it in the system and still keep a record of the appointment on the screen using this procedure:

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Select **Functions** -> **Client's entries**, to view details of forthcoming and previous appointments
- Highlight the appointment you wish to cancel.
- Click on **Show in appointment book**. This will display the diary screen for that date. You can now select the resource for the appointment.
- Highlight the client.
- Select **Edit** -> **Copy booking**.
- The cursor changes appearance in the booking screen to indicate that you are in the process of making a booking for the client.
- From the drop-down list of resources, select **Cancelled** or the name of the resource used to mark cancelled appointments.
- Click in the **Cancelled** column and click **OK**.
- The cancelled appointment is now listed in the **Cancelled** column as an appointment made with the resource **Cancelled**.
- Right-click on the client in the **Cancelled** column and change the appointment status to **Cancelled**.
- Highlight the original appointment again on screen and select **Edit** -> **Move booking** or **Delete booking** and return the client to the waiting list if required.

Appointment cancellation can also be supported by moving an appointment to a historical view in the **Client's Entries**. This can be configured in two ways; by setting appointment statuses that will activate the process or by configuring the appointment move action to activate the process.

An appointment status can be set to prompt a user to remove an appointment to a historical view so it is not viewed on the Booking screen. Cancelled appointments are viewed on **Client's entries** and **Referrals** and are shown in grey text and read-only to differentiate them from active appointments.

Appointments can be cancelled and still be seen in Client entries and Referrals (but not Waiting lists), so they no longer need to be copied into a "Cancelled" resource column to retain details of the cancelled appointment. There are two processes for cancelling an appointment.

6.21.1 Changing the appointment status

On changing the appointment status of a booked appointment to a cancelled status, a booking information message will indicate if the appointment has clinical actions attached to it and that the appointment has been cancelled and enquire if the user wishes to continue with the appointment move procedure.

Booking information

 You have assigned a status Q, Cancelled associated with cancellation to this appointment, this means the appointment will move from the Booking screen to a read-only record in Client's Entries. Do you want to continue?

Press Yes to create a read-only record in Client's Entries.
Press No to keep the appointment on the main Booking screen.
Press Cancel to cancel changing the status.

- Select **Cancel** to cancel assigning the status and keep the appointment at the original date and time slot
- Select **No** to retain the cancelled appointment in its original appointment date and time slot
- Select **Yes** to create a read only record in Client's entries.

In case of any attached clinical or other actions the following screen opens:

Detach clinical and other actions

This appointment is referenced by the following clinical data:

Action date	Action type	Description
09/01/2020	BKB test	
09/01/2020	AB Words test	
09/01/2020	SIR test	

This appointment is referenced by the following other data:

Date	Data type	Description

Press OK if you want to detach the clinical actions and individual management plans and delete the appointment

Once you have selected **OK**, a further information box appears to allow you to add to a waiting list.

 The appointment has been moved to the history. Do you want to rebook the appointment to another slot or put the client on Waiting list?

☒ Rebook the appointment
☐ Put the client on Waiting list

- **Rebook the appointment** – Takes you back to the booking screen so that the appointment can be re-booked. If the re-book option is selected, a letter sent to a patient may include the date and time of the cancelled appointment.
- **Put the client on Waiting list** – Opens the Add to waiting list dialogue box. If a client has been booked from a waiting list, Auditbase will remember the original settings.

It is possible to enable an Automatic journal entry, which can define/insert a combination of variables of the cancelled appointment into the Journal automatically.

Journal events

OK

Selected event

1407

Appointment moved to Canceled storage

Keyword

APPOINTMENTS

☐ Prompt for user input ☐ Allow to cancel event ☐ Save unsigned

Appointment PHAC NEW PATIENT MOULD~ with TRAVY on 09/01/2020 12:45 - 13:00 was moved to cancellation history having a status of Q/ Cancelled

B I U [List Icon] [List Icon] [List Icon] [Color Icon] [Color Icon] [Color Icon] A [List Icon] [List Icon]

Client's appointments and waiting lists

Client MR JOHN SMITH

Close

Appointments list - 42 item(s)

History of changes Attached actions Delete from history Show in appt.book

Date	Time	Loc.	Dept.	Appt.	Status	Resource	Reason	SMS1	SMS2	Declined offer	Symbol
10/01/2020	09:00			1	*	Charlie					1
09/01/2020	16:30			1	Q	Stassy					GWH 1 st
09/01/2020	13:45			1	*	Stassy					PHAC new patient
09/01/2020	13:15	3	3	1	*	Res54					1
09/01/2020	13:15	3	3	1	*	Res109	++GP direct referral				PHAC new patient
09/01/2020	12:45			1	Q	Travy					PHAC new patient
09/01/2020	12:45			1	Q	Stassy					PHAC new patient
09/01/2020	09:00			1	*	Res46					1

Waiting list entries - 7 item(s)

Add Edit Show in waiting list


Wait time	Date	Waiting list	Information
-186	18/06	TGW - PHA	
8	06/03	TGW - AUD	
-14	06/03	TGW - CAL	
-21	16/08	TGW - Audi	
9	16/08	TGW - CAL	
13	09/01	TGW - DOM	
20	09/01	TGW - CAL	

If the entry needs to be removed from this list for any reason, then the **Delete from history** button can be selected once an entry has been highlighted.

N.B. Cancelled appointments appear in grey on the patient's Client entries list. Right mouse-click on the relevant appointment to open the Booking information screen, which shows historical details of the cancelled appointment.

6.21.2 Highlight, Edit & Move appointment

Highlight an appointment and navigate to **Edit** and **Move booking**.

A dialog box titled "Booking" with a close button (X) in the top right corner. It contains a question mark icon and the text: "Are you moving appointment due to patient cancellation? If so, would you like to record the original appointment in the 'Client's Entries' history?". At the bottom, there are two buttons: "Yes" and "No".

Booking

Are you moving appointment due to patient cancellation? If so, would you like to record the original appointment in the 'Client's Entries' history?

Yes No


Select No

- Select appointment symbol and length, then click **OK**.
- Appointment will be moved to a new slot after the **Letter print** screen has been OK'd.
- No record of the cancelled appointment will be recorded in the client entry.

Select Yes

If there is only one appointment status associated with cancellation that status will be applied automatically. If more than one status is associated with cancellation, you will be offered a choice.

Highlight and select (or double click) the appointment cancellation status from the list of potential statuses, as defined by the system administrator.

A dialog box titled "Select cancellation status" with a close button (X) in the top right corner. It contains a "Select" button and a table with two columns: "Code" and "Description". The table has four rows: "Q" with "Cancelled", "K" with "Kate completed", "8" with "Status8", and an empty row.

Select cancellation status

Select

Code	Description
Q	Cancelled
K	Kate completed
8	Status8

- Select appointment symbol and length, then **OK**.

- The appointment will be moved to a new slot after the required action has been taken on the Letter print screen. A letter sent to a patient may include the date and time of the cancelled appointment.
- A record of the original appointment is saved in **client** entries.

N.B. Cancelled appointments appear in grey on the patient's Client entries list. Right mouse click on the relevant appointment to open the Booking information screen to show historical details of the cancelled appointment. These details cannot be changed.

6.21.3 History of appointment changes

This will need to be activated within System administration.

In the appointment dialog box, pressing the **History of changes** button will open a pop up box. The pop up box will contain a logged history of changes made to the selected appointment. The text log will include appointment creation date, time and user creating the appointment, appointment start date/time and its duration. It will also include the appointment symbol, information and outcome status if one has been selected. These will be listed by date and under username of the person logged in at the time of creation or change. The log can be cleared in Administration.

Appointment change history

Client: MR JOHN SMITH [Close]

2020-01-10 10:56:28 SYSTEM ADMINISTRATOR

Start date and time:

Old: 2020-01-10 13:15:00

New: 2020-01-10 14:00:00

Duration:

Old: 0 hours 15 minutes

New: 1 hours 15 minutes

Resource(s):

Old: Res109

New: Charlie

2020-01-10 10:52:31 SYSTEM ADMINISTRATOR

Start date and time:

Old: 2020-01-09 13:15:00

New: 2020-01-10 13:15:00

2020-01-09 17:39:22 SYSTEM ADMINISTRATOR

Appointment created

15 Attached actions [Close]

Letter:

Verbal:

...

Delete

History of changes

Edit Delete

6.22 Viewing a resource's schedule

- Select **File -> Print schedule**.
- Select the **Resource**.
- Enter the date range.
- Select **Print** or printing **Preview**.

Print schedule

Preview

Print

Close

Resource

Charlie

From

01/01/2020

To

19/01/2020

NUM SCRL

Schedule - Charlie

01 January 2020 - 19 January 2020

9. January 2020 - Thursday

Time	Hosp No	NHS No	Subject	Duration
8:00 - 8:30	T18765	88888888	MR JOHN SMITH (1) Home: 99999 999999	0:30
13:00 - 14:30	T123026		MR FIRSTNAME23026 LASTNAME23026 (1) Home: 99999 999999	1:30

10. January 2020 - Friday

Time	Hosp No	NHS No	Subject	Duration
9:00 - 10:30	T18765	88888888	MR JOHN SMITH (1) Home: 99999 999999	1:30
14:00 - 15:15	T18765	88888888	MR JOHN SMITH (PHAC new patient mould~) Home: 99999 999999	1:15

11. January 2020 - Saturday

Time	Hosp No	NHS No	Subject	Duration
8:00 - 8:15	T1110		MRS FIRSTNAME110 LASTNAME110 (PHAC new patient n Home: 99999 999999 Mob: +1232323	0:15
9:45 - 11:15	T1110		MRS FIRSTNAME110 LASTNAME110 (1) Home: 99999 999999 Mob: +1232323	1:30

12. January 2020 - Sunday

Time	Hosp No	NHS No	Subject	Duration
10:30 - 12:00	T1110		MRS FIRSTNAME110 LASTNAME110 (to1) Home: 99999 999999 Mob: +1232323	1:30

13. January 2020 - Monday

Time	Hosp No	NHS No	Subject	Duration
9:00 - 9:15	T18765	88888888	MR JOHN SMITH (2) Home: 99999 999999	0:15

Print date: 10 January 2020, AuditBase user: SYSADM

Page 1 of 1

6.23 Booking statistics

This is a simple count of the number of appointments for a selected **Resource** or **all Resources** over a specified date range.

Booking statistics

Print

Close

Resource From to

Show

Procedure	Time	Amount
1	23h 0m	22
2	1h 30m	3
ENT new patient mould~	1h 0m	1
GWH 1 st	2h 30m	2
GWH 2nd fit~~	1h 0m	2
GWH Earmould	15m	1
GWH Follow up	30m	1
PHAC new patient mould~	2h 45m	6
SAV ENT audio	45m	3
SAV ENT new patient mould~	15m	1
from1	30m	1
to1	1h 0m	1
tttttt1	15m	1

- Go to **Functions -> Booking statistics** in **Booking**.
- Enter the **Date** from and to and select a **Resource**.
- Select **Show** and a list will be displayed showing the **Resource**, **Procedure**, **Time** (in 15 minute blocks) and **Amount** or number of procedures.
- **Print** will send the list to the default printer.

6.23.1 Appointment ordinary statistics

- The Appointment ordinary statistics show time used for appointments per date and statuses.

- To open the Appointment ordinary statistics dialog, select **Functions -> Appointment statistics -> Ordinary statistics** from **Booking**.
- Enter a date interval to show statistics for a required period of time.
- Select Resource in the drop-down list if statistics on a single booking resource are required. Default is **All resources**.
- Select a symbol in the drop-down list if statistics on a single appointment symbol are required. Default is **All symbols**.
- Select statuses: initial in the **From** drop-down list, intermediate in the **Via** list (optional), final in the **To** list.
- Click **Refresh** to calculate the statistics.
- Click **Print** to print the calculated results.
- Click **Export** to file to export the result.

6.23.2 Appointment advanced statistics

The Appointment statistics advanced window is accessed via **Functions-> Appointment statistics -> Advanced statistics** from **Booking**.

Here you can calculate advanced appointment statistics using specified criteria.

- You can calculate the total number of client appointments grouped by different appointment attributes.
- Grouping by the following appointment attributes is possible: Resource, Reason, Symbol, and Status. Calculation of subtotals is also possible.
- Use the Grouping section to specify how to sort the statistics and which total and subtotals are required. The attribute selected in the first drop-down list gives the first sorting criteria of the statistics, the selected attributes in the second and subsequent drop-down lists are the next sorting criteria.
- The **Subtotal** check box near the first drop-down list means that the first-level subtotal will be calculated by the attribute selected in the first drop-down list. The check boxes near the second and subsequent drop-down lists mean subtotals in the first-level total calculated by the attributes selected in the corresponding drop-down list.
- For example, assume that **Reason** is selected in the first drop-down list, **Resource** in the second, **Symbol** in the third, **Status** in the fourth and the **Subtotal** boxes are checked for first and second drop-down lists. In this case, the statistics will be sorted first by reason, then by resource, symbol and status. Statistics will include totals by reason and subtotals by resource for each specific reason.
- Check the **Show detailed rows** check box if you want to include the client appointments the statistics is based on, in the statistics.

All other options in the Calculation criteria are filtering the criteria for the statistics calculation:

- Resource: you can specify which appointment resources should be included in the statistics. At least one resource must be selected. Select all selects all resources.
- Symbol: you can specify which appointment symbols should be included in the statistics. At least one symbol must be selected. Select all selects all symbols.

- **Reason:** you can specify which appointment reasons should be included in the statistics. At least one reason must be selected. To include appointments without reason, select [No reason specified]. Select all selects all reasons.
- **Status:** you can specify the status for the appointments to be included in the statistics. At least one status must be selected. To include appointments without status, select [No status specified]. Select all selects all statuses.
- **Date range:** use this to include only appointments in a specified date range. Empty date in the range means unlimited interval.
- **Time range:** appointments with start time within a specified time range will be included.
- **Age interval:** appointments for clients with age within a specified interval will be included in the statistics. Empty value in the range means unlimited interval.

When all criteria have been specified, press **Calculate** to calculate the statistics. The result is shown in the **Result table** below. Detailed rows are shown in black and (sub) total rows are shown in blue.

Press **Print** to print the results.

You can export the results to a comma-separated (CSV) file by pressing **Export to file** and selecting a target file in the opened dialog to get results exported into the selected file.

6.24 Printing/Emailing a letter

TLS1.2 security level is supported for emailing.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Highlight the appointment.
- Click **Letter**.
- Select a letter name or names if you want to print multiple letters, by checking the box in the left-hand column.
- In the case of a letter for a group appointment, addressees must be selected by entering check marks in the table activated by clicking on the **Client list** button. Note that the system automatically selects all clients in the group.

Print letter

Verbal appointment Client list Print labels Open in Word Preview Send ... Close

User USER NAME76 Location for letter 2 Location2 Dept. for letter 3 Department3

Client MR JOHN SMITH 1 letter selected Date of visit 10/01/2020 Time 14:00

Letter name	Type	Letter-specific additional information, editable for single letter selection only
11-03-19_test_template	MS Word	
19/02/2015 all variables	MS Word	
23/06/2016 all variables	MS Word	
29/10/2015 all variables	MS Word	
DNA - PAEDIATRIC	Booking defined	
DNA - PAEDIATRIC	Booking defined	
EST_TEST	MS Word	
☒ New	MS Word	
Test template 22/06/2018	MS Word	
Test template 28/02/2019	MS Word	
TEST_04/06/2018	MS Word	
User letter test	Admin defined	

Additional information for all selected letters

Highlighted letter

Name New

Type MS Word

Saving to Documents

☒ Save letter after printing or emailing ☐ Save letter read-only

☒ Save letter content Document type client letters

☐ Save as text ☐ Save in RTF format ☒ Save as Word document

Appointment 10/01/2020, PHAC new patient mould~

Date sent


Letter recipients

Type	Name
Client	MR JOHN SMITH
General Practice	DR JP RING

Address

On emailing to multiple recipients Send single email

- Select the **User** to sign the letter. If only one resource is booked for the current appointment and this resource has an association with a user, this user will be pre-selected in the list.
- Whether date and time are automatically set and cannot be changed depends on the setting in Administration chosen by your System Administrator.
- If you are printing/emailing a single letter, a part of the pre-configured letter text can be changed in the **Letter-specific additional information** field.

- The name of the employee or further information for all letters can be added in the **Additional information for all letters** textbox. The additional information will be printed at the bottom of the standard letter.
- If the letter is a Word template, you can edit the letter in Word by clicking **Open in Word**.
- Default settings on how to save and letter recipients for each letter template can be set up in the **Letters** dialogue, which you access from the **Booking module -> Functions -> Settings -> Letters**. More on this in the following chapter.
- Edit the saving settings under **Saving to Documents** if necessary.
- The saving settings allow you to save the letter to the **Documents and attachments module** after you have printed it.
- If you save the letter with content, saving in RTF (available for Booking defined templates) or Word format (available for Word templates) will take up more space on the server than if you save as text, which does not include images etc. Unless you really need to save images and formatting from documents, you should choose a plain text format. Text documents will lose all formatting but are still easy to read and edit.
- Check **Save letter read-only** if you do not want the letter to be editable after you have saved it. However, users can be granted the extended user right of “Documents: Remove read-only flag” by the system administrator.
- The **Document type** will only show the document types set up as patient letter document types.
- **Date sent** may be configured in the letter template to automatically be filled out as the current date. This date will be shown in the Documents module. You can change the date manually, if you are not sending the letter on today’s date.
- Name and address values can appear in upper case or mixed case according to a setting in Administration
- The **Appointment** which the letter is about will automatically be displayed.
- Edit **Letter recipients** by clicking **Add** if necessary.
- Select a recipient and click **Remove** if necessary.
- If emailing a letter, it will, by default, place itself in the body of the email as opposed to becoming an attachment to the email. This can be altered by using the browser button next to **Send** on the floating box .
- If emailing the letter to multiple recipients, select whether to send as a single email or as multiple emails in the **On mailing to multiple recipients** drop down. If sending as multiple emails, you can decide to change for each if you wish to send as body text or an attachment using the browse button above. If sending as body text you can amend the text for each individual recipient. In this case you also alter the subject of the email by clicking into the subject field on the table for each recipient.

Send single email

Customize print and/or email

OK Cancel

☒ ☐ Select all ☒ Update contacts with email address modifications

 	Type	Name	Email address
☒ ☐	Client	MR JOHN SMITH	sona@auditdata.com
☐ ☐			
☐ ☐			
☐ ☐			
☐ ☐			
☐ ☐			
☐ ☐			
☐ ☐			

☒ Send as attachment with following body text Subject

Text

Send separate emails

Customize print and/or email

OK Cancel

☐ ☐ Select all ☒ Update contacts with email address modifications

 	Type	Name	Email address
☒ ☐	Client	MR JOHN SMITH	sona@auditdata.com
☐ ☒	General Pract	DR JP RING	oleksandrp@auditdata.com
☐ ☐			
☐ ☐			
☐ ☐			
☐ ☐			
☐ ☐			
☐ ☐			

☒ Send as attachment with following body text Subject

Text

- Click **Preview** if you want to preview the letter before printing/emailing. If you are previewing a Word letter, Microsoft Word will open and a floating window will appear. The letter can be adjusted as required and can then be printed/emailed by selecting **Send** or the **single Print** icon at the top of the floating box. In the case of **Send** the appropriate number of letters will be printed/emailed. Select the browser button next to **Send** to make changes to the default send setup. Recipient email address can also be added or amended here and any amendment can be pulled through to the related contact.

- If the letter needs to be saved without printing, **Save and close** will save the letter as a document and close both the floating window and Word.
- If previewing is not required, click **Send** to print the letter on the default printer as defined by the system administrator or to email as defined by the default settings.

6.25 Designing a letter

Letters

New booking defined template New MS Word template Edit Save Delete Close

Letter list Edit booking defined template

Letter template name	Type	Booking	WL	Referral	Save after printing	Attach letter to appt	Set sent date to curr.	Document type	Save content	Save read only
01AudVars	MS Word	☐	☒	☐	☒	☒	☒	client letters	☒	☐
06.06.2018	MS Word	☐	☐	☐	☐	☐	☐		☐	☐
1	Booking de	☐	☒	☒	☐	☐	☐		☐	☐
1 Address	MS Word	☐	☒	☒	☒	☐	☐	client letters	☒	☐
11-03-19_test_template	MS Word	☒	☒	☐	☐	☐	☐	client letters	☐	☐
123	MS Word	☐	☐	☐	☐	☐	☐		☐	☐
19/02/2015 all variables	MS Word	☒	☒	☒	☒	☒	☒	client letters	Word doc	☐
1Separate letter	MS Word	☐	☒	☒	☒	☒	☒	client letters	Word doc	☐
1Single letter	MS Word	☐	☒	☒	☒	☒	☒	client letters	Word doc	☐
23/06/2016 all variables	MS Word	☒	☒	☒	☒	☒	☒	client letters	Word doc	☐
23423	MS Word	☐	☐	☐	☐	☐	☐		☐	☐
29/10/2015 all variables	MS Word	☒	☒	☒	☒	☒	☒	client letters	Word doc	☐

Selected template

Name Location **All locations** Department **All departments**

☒ Available in Booking ☐ Available in Waiting list ☐ Available for Referral receipt

Saving letter

☐ By default, save letters of this template after printing or emailing

☐ By default, attach letter to appointment

☐ By default, set date of sending to the current date

Default document type

Saving letter content

☐ By default, save content of printed letters of this template

☒ Save as text ☐ Save in RTF format ☐ Save as Word document

☐ By default, save letters read-only

Default recipients

Type	Name

On emailing to multiple recipients Send single email

You can design a letter by going to **Functions -> Settings -> Letters** in **Booking**. The dialog gives you a flexible layout, variables in fixed format and complete flexibility when editing letters in Word.

- The **Letter list** contains all letter templates that are currently available.
- You need an extended user right given by your system administrator to modify existing letter templates.
- You can either define a **New booking defined template** or a **New MS Word template**. The booking defined templates are templates created in Auditbase, with already defined building blocks set up by your system administrator. The Word templates are created in Word, which gives you complete flexibility when it comes to the layout.
- The Location and/or Department where an appointment takes place can be added to a letter as a variable in the **Letter specific information** folder. This is shown on the **Location** and **Department** fields on the Letter dialog. These replace the Hearing Centre variable which will be read-only when an appointment has a Location on the Booking screen. The old Hearing Centre variable will still work. If an appointment does not have a Location and/or Department it can be added here.

- If the **Location and Department Filtering option** is installed, **Letters** can be filtered by **Location** and/or **Department** with Location groups and multiple locations options. This filtering is made on the **main Toolbar**.
- Click **Save** to save a new or changed letter in the database.
- The **Delete** function will remove a letter from the database.

6.25.1 New booking defined template

- Booking defined letter templates are defined in Auditbase and available from the Booking module and from waiting lists.
- Click on **New booking defined template** and start out by entering name, location, department, availability, default saving settings and default recipients of the letter under **Selected template** (marked by red square in above screen shot).
- To edit a booking defined template, choose the letter in the list and make your changes under **Selected template** and the tab **Edit booking defined template**.
- You can choose whether or not the letter should be Available in the Booking module and/or Available in the Waiting list module.
- The saving settings allow you to save a record of any letter sent with or without content, along with a record of to whom and when it was sent.
- If you uncheck **By default, attach letter to appointment**, the letter is attached to the appointment that the letter is about.
- If you choose not to uncheck **By default, set date of sending to the current date**, the date field will be left empty on the letter.
- If the template contains the audiogram graph variable, a window will open to allow the user to select which audiogram is to be used. The number for the audiogram variable (there can be up to four) will appear at the top of the Audiogram List dialog. A variable is available to show a combined audiogram or split audiogram with separate right and left graphs.
- If you save the letter with content, saving in RTF (available for Booking defined templates) or Word format (available for Word templates) will take up more space on the server than if you save as text, which does not include images etc. Unless you really need to save images and formatting from documents, you should choose a plain text format. Text documents will lose all formatting but are still easy to read and edit. RTF will keep all formatting, but increase the file size, and is harder to edit later because of a frame setup.
- Uncheck **By default, save letters read-only** if you do not want the letter to be editable after you have saved it. However, users can be granted the extended user right of "Documents: Remove read-only flag" by the system administrator.
- Enter text and variables on the tab **Edit booking defined letter**.

- A series of predetermined variables are available for you to enter.
- Once a variable has been selected, place the cursor at the required position and click the button **Insert variable**. The name of the variable will appear with # marks at either side.


It is important that you do not edit the variable words inside the # marks, or the variable will not function correctly.

- You can insert variables in 3 ways:
- Place the cursor at the required position inside the building block/text field and double-click on the variable.
- Place the cursor inside the building block/text field at the position you wish to insert a variable and click on **Insert variable**.
- Click and drag the variable into the required position inside the building block/text field – it is important that you hold the mouse still above the variable before you click and drag the variable into the required position.
- The different text boxes in Booking defined templates can be formatted with the Report Builder. For more information on this, contact the Auditdata support office.


- To look at the layout, select **Print test** and a letter will be printed with the variable names displayed.
- The letter can then be saved and a new letter defined.

6.25.2 New MS Word template

- Click on **New MS Word template**, which will open Word and you can create the Word template as you need.



- The variables will remain hidden until you expand them using the arrows, keeping them hidden by default will make this dialog open faster.
- Variables can be nested in folders to help reduce the initial list.



- You can insert variables in the Word template in 3 ways:
 - Place the cursor at the required position in the document and double-click on the variable.
 - Place the cursor inside the document and click on **Insert variable**.
 - Click and drag the variable into the required position in the document – it is important that you hold the mouse still above the variable before you click and drag the variable into the required position.
- If the template contains the audiogram graph variable, a window will open to allow the user to select which audiogram is to be used. The number for the audiogram variable (there can be up to four) will appear at the top of the Audiogram List dialog.
- Name and address values can appear in upper case or mixed case according to a setting in the Administration tool.
- When finished with your document, click on **Save and close**.
- To close without saving, click on **Cancel**.
- Back in Auditbase, you can now edit the name, availability, saving settings and default recipients under **Selected template**.
- You can choose whether or not the letter should be **Available in the booking module**, **Available in the Waiting list module** or **Available as a Referral receipt**.
- The saving settings allow you to save a record of any letter sent with or without content, along with a record of to whom and when it was sent.
- If you check **By default, attach letter to appointment**, the letter will be attached to the appointment that the letter is about.
- If you choose not to uncheck **By default, set date of sending to the current date**, the date field will be left empty on the letter.

- If you save the letter with content, saving in RTF (available for Booking defined templates) or Word format (available for Word templates) will take up more space on the server than if you save as text, which does not include images etc. Unless you really need to save images and formatting from documents, you should choose a plain text format. Text documents will lose all formatting but are still easy to read and edit. RTF will keep all formatting, but increase the file size, and is harder to edit later because of a frame setup.
- Uncheck **By default, save letters read-only** if you do not want the letter to be editable after you have saved it. However, users can be granted the extended user right of “Documents: Remove read-only flag” by the system administrator.
- Word templates are editable in Word by choosing the letter in the list and clicking **Edit**.

6.25.3 Default recipients

It is easy to add or remove default recipients of letters.

- Choose the letter in the list.
- To remove recipients, choose the recipient you want to remove and click **Remove**.

Type	Name
Client	
All rels. and other contacts marked as	

- To add default recipients, click on **Add** to select which group or specific recipients you want to add as default recipients of the letter.

Add default recipient to letter template

Add Cancel

Select recipient

☒ Client

☒ Referral referring agent

☐ All relatives and other contacts marked as CC

☐ All professional contacts

☒ Specific professional contact type

☒ Specific referring agent

☐ Specific relative or other contact

Registered Practice

Mother

- You can add the selected **Client**.
- You can choose to add **All relatives and other contacts marked as CC** in the **Client information** module under the tab **Contacts**.
- You can add **All professional contacts**.
- You can add just a **Specific professional contact type**.
- You can add a **Specific referring agent**.
- And you can add a **Specific relative or other contacts**, even if they have not been marked as CC in the **Client information module**.
- The changes you have made are automatically saved to Auditbase.
- The full list of recipients can be added to the letter by using the variable List of recipients under Letter specific information either when editing a booking defined template in Auditbase or when adding variables in an MS Word template.

6.26 Making timetable

Timetable functionality can be restricted to line managers by the system administrator.

Timetables now consist of not just the Timetable symbol representing the clinic type but also the Location and Department symbols if these are used. All locations(No Location) and All departments(No department) can be used if Location and Department Filtering has not been set up. If there is to be no change in Location or Department, the [No Change] option can be selected. This will not overwrite any existing Locations or Departments.

As the Location of an appointment can be used in a Letter, if the Location of an existing appointment is changed when making the Timetable, the user will be requested to generate new appointment letters for all affected clients.

Timetable symbols have a default Location and Department set up in the System Administration tool. When making a timetable, if Location filtering is licensed, the default Location or Department for the selected symbol can be taken as the default or, by checking Select location/department from Booking screen as default, the default Location and Department is taken from the toolbar in the Booking screen.

If part of the timespan selected is occupied with appointments having a different Location or Department then the new selection will not be applied.

Timetable details can be entered via one of the following three functions:

- Direct editing
- Scheduling
- Copying

Direct editing

Select a date in the **Calendar**.


- Select **Edit -> Make timetable** or press **F9**.

The screenshot shows a dialog box titled "Select timetable, location, department and length". It contains three main sections: "Duration", "Symbol", "Location", and "Department".

- Duration:** Set to 1 hours and 30 min.
- Symbol:** A list of symbols including "NO SYMBOL", "1 1", "2 2", "NTS", "ENT CLINIC", "SAV - C&B - Dref / AGR", "test", "COMMUNITY PAEDIATRICS", "PAED Assisting", "PAED Hearing Aid Clinic", "PAED Transition", "SAVERNAKE PAEDS", "TIDWORTH", and "Wiltshire PHAC".
- Location:** A list of locations including "All (no location)", "[NO CHANGE]", "Test group123", "Location3", "Test group 2", "Location1", "Taw Hill", "Location2", and "Test4".
- Department:** A list of departments including "All (no department)", "[NO CHANGE]", "Department1", "Department2", "Department3", and "Test4".

There is a checkbox "Select location/department from Booking screen as default" which is currently unchecked. Below it is a note: "*) Only enabled for single location and department selection".

- Select a symbol in the list and enter the number of 15 minute time slots.
- If activated, select a Location the appointment relates to. The location symbol will display next to the timetable symbol on the booking page.
- If activated, select a Department the appointment relates to. The department symbol will display next to the location symbol on the booking page.
- If you are in **Resource** plan, click the timeslot on the resource you want to create.
- If you are in **Time plan**, click a timeslot on the resource/time grid.
- In both cases, the system marks the requested number of timetable slots by the selected symbol.
- When in Time plan the system automatically defaults to showing only Timetable symbols. However, you can check the box next to Booking under Display symbols to see Booking symbols as well.
- Once you click to make the specific timetable, you are prompted to turn off Booking symbols again for the system to be able to enter the Timetable symbol.



- Click **OK** and the booking symbols are automatically turned off and your new Timetable symbol is visible in the time grid.

6.27 Scheduling timetable

- Select **Edit -> Schedule timetable**.

- Select **Resources** in the list.
- Select a **Timetable symbol**. Note that outdated symbols are not shown in the list.
- If activated, select a **Location** the schedule will relate to.
- If activated, select a **Department** the schedule will relate to.
- Select **Date** and enter **Duration**.
- Set **Recurrence** if required. If the **Monthly** tab is chosen, you use the arrow buttons to add multiple criteria.
- Choose the desired **Schedule method** - the default is 'Prompt for each conflict'.
- **Apply** to create timetable and leave the window opened.
- **Save** to create timetable and close the window.

As the Location of an appointment can be used in a Letter, if the Location of an existing appointment is changed when rescheduling the Timetable, the user will be requested to generate new appointment letters for all affected clients.

When scheduling a Timetable there are options to control whether symbols that are already in Booking should be overwritten or not. Any appointments that have already been created will not be split between more than one Location or Department.

The list of options is the following (including comments):

- **Do not overwrite existing timetable, location and department symbols** – Any existing timetable symbols will not be overwritten and there will be no warning; if part of the timespan selected is occupied with appointments having a different Location or Department, then only the part of the timespan that is available will be updated with timetable, location and department symbols.
- **Overwrite existing symbols only where appointment is not booked** – Any existing timetable, location and department symbols will be overwritten only where there is no appointment booked;
- **Overwrite existing symbols even if appointment is booked and re-generate letter.**
 - *) **Overwriting of timetable symbol only does not re-generate letter** – If an appointment has been booked next to a timetable symbol, the symbol will be overwritten but you will be asked if you want to send a new letter to the client if the Location is changed;
- **Prompt for each conflict.**
 - *) Location/department will not be saved to slots with appointments if that causes appearing the same appointment in different locations/departments – If there is a conflict between the timetable you are scheduling and the existing timetable symbols, you will be asked to confirm the change. Appointments will not be booked if the appointment location and department clashes with the timetable location or department.

Timetable symbols have a default **Location** and **Department** set up in the System Administration tool. When scheduling a timetable, if **Location and Department Filtering** is licensed, the default Location or Department for the selected symbol can be taken as the default or, by checking **Select location/department from Booking screen as default**, the default Location and Department is taken from the toolbar in the Booking screen.

6.28 Copying timetable

- This facility may be used for duplicating the timetable to further days or weeks.
- Select **Edit -> Copy timetable**.

- Now you can choose when to get notified if changes to appointment Locations are found, which requires new letters to be created
 - If necessary to speed up the process of Copying timetable, use the option **“Notify after changes are made...”**
- In **Copy from resource** drop-down list, select a resource the timetable is created for, which is to be copied to another resource. Select **[duplicate]** in that list where the timetable is to be duplicated for a resource or resources.
- In **Copy to resource(s)**, select resources the timetable should be created (copied) for.
- When copying a timetable, you have the option to overwrite or not overwrite the Timetable, Location and Department symbols (**Overwrite existing timetable**).
 - If you choose to overwrite the timetable and if the Location or Department of an existing appointment is changed, when copying the Timetable, you will be requested to generate new appointment letters for all affected clients.
 - If you choose not to overwrite the timetable then only if all four symbols are empty will the Copy action take place for a particular timeslot.
- In **Copy from**, specify source days' timetable should be copied from.
- In Copy to days or Copy to weeks, specify target date range. If two or more weekdays are selected, only **Copy to weeks** is available.
- When you select the **Copy to days** option, you can specify the days when the timetable should be copied to.

- Click **Edit pattern**. The system opens the **Recurrence** window where recurring days can be specified on a Daily, Weekly, Monthly or Yearly basis.
- If you select **Copy to weeks**, you can specify copying on weekly basis. Week number range and sequence of week numbers can be specified.
- **Apply** to copy timetable and leave the window opened.
- **Save** to copy timetable and close the window.

6.29 Bulk move from Resource to Resource

When a resource is going to be unavailable and you need to move appointments in bulk from one resource to another, the Bulk move facility can be used.

- **Edit -> Bulk move.**
- Select the **From** resource and the **To** resource from the drop down lists of resources. By default, the active Resource will be selected.
- Select the from **Date** and the to **Date** using the calendar icon or by entering a date.
- By default, the active date will be selected.
- The appointments that can be moved will be highlighted in yellow. If an appointment cannot be moved, the appointment will stay in its original position and will not be highlighted.
- If a highlighted appointment is not to be moved, click on the appointment and it will move to left in its original position.
- The left and right arrows can also be used to move all appointments from one resource to the other.
- You can decide if letters should be printed **Never**, **If location or department is changed** or **For all moved appointments**.
- Once you have made your selections, **Save** will move the appointments to the selected resource.
- Once this has been done, the appointments cannot be moved back except by restarting the bulk move option.
- If all the appointments could not be moved from the **From** resource, the **Bulk move appointments window** will stay open so that further moves can be made.
- **Close** will shut down the **Bulk move appointments** window.

Bulk move appointments

From: Travy To: Res109

Date: 10/01/2011 Date: 10/01/2011

Click on a highlighted yellow appointment to exclude it from bulk move, or to include it again

Print letters

☒ Never

☐ If location is changed

☐ For all moved appointments

Save Close

If an appointment is a multi-resource appointment, it can only be moved if the locations match or there is no location set up in the To resource.


Reservations cannot be moved using this method but must be moved individually.

6.30 Efficiency Analysis

The Booking screen can be analysed to search for empty slots, unscheduled appointments or appointments in the timetable within a date range or slots that cannot be completely filled by appointments types of a defined length. Clients that have multiple earmoulds can also be found here. These are found on **Booking -> Functions -> Efficiency analysis**. There are several tabs which look for specific information.

The Efficiency analysis window can be collapsed to make viewing the Booking screen easier. This is done by using the arrows at the top right of the window. This creates a floating panel which can be moved to anywhere on the screen that is convenient. The same arrows can then be used to expand the windows.

Once a filter has been created it can be saved with a name. Once Save has been selected a window will appear which will give you options depending on whether this is the first time the filter has been saved or if it is being updated.



- You will need to give the filter a **Name** and decide if this filter will be the default filter by selecting **Save as the default filter**.
- If you do not want to **Save** this filter, select **Close** to shut the window without saving.
- To modify a current filter, choose one from the drop-down list of **Saved filters**, make any required modifications and then **Save as...**
- A **Save** filter window will appear with options to either **Save to the current filter**, **Rename the current filter** or **Save as a new filter**. You can also decide if this filter will be the default filter by selecting **Save as the default filter**.

6.30.1 Unbooked time

- Enter the required date range. This can be done by entering a date in the **Date: from** and **to** fields or by right clicking on the fields and selecting a date from the calendar.
- **Timetable symbols** can be selected by checking the box next to their name or by checking the **Select All** box and then using the arrow to move them to the right. The 'no symbol' option is not available; timetable symbols must be applied to search for gaps.
- **Resources** can be selected by checking the box next to their name or by checking the **Select All** box and then using the arrow to move them to the right.
- Once symbols and resources have been selected, the **Show result** button is highlighted in yellow to show that the analysis can be run.
- The result of the analysis is shown in the bottom section. To navigate to a particular time slot, double click on it and you will be taken to the empty slot.

Efficiency analysis - Unbooked time

Unbooked time | Unscheduled appts | Missed appts | Many earmoulds | Missed review appts

Filtering
 Saved filters: Balance | Save | Save as... | Delete

Date: from 31/01/2018 to 28/02/2020 | Show result

Timetable symbols: ☐ Select All

Symbol
☐ BAHARAC
☐ CLEAR1
☐ NO CLINIC
☐ OAD ADULT
☐ OAD PAED
☐ PAED O3
☐ PAED U3

Resources: ☐ Select All

Available resources	Selected resources
☐ George	☐ JAKE
	☐ CHELSEA
	☐ Walsh
	☐ ALAN
	☐ ROSE
	☐ BRIAN
	☐ EVELYN

☐ Only include time ranges which cannot be filled with appointments of the correct duration

Typical appointment duration: 0 hours 0 min.

Result - Double click on a row to navigate to that time interval | Print

Date	Resource	Symbol	Time interval
11/12/2018	CHARLIE	⌘ BALANCE	09:00-17:00
18/12/2018	CHARLIE	⌘ BALANCE	09:00-17:00
24/12/2018	CHARLIE	⌘ BALANCE	08:00-12:00
25/12/2018	CHARLIE	⌘ BALANCE	09:00-17:00
31/12/2018	CHARLIE	⌘ BALANCE	08:00-12:00
07/01/2019	CHARLIE	⌘ BALANCE	08:00-12:00

- If you want to see only time slots that cannot be completely filled by an appointment of a set duration, select the check box and set the **Typical appointment duration**.

☒ Only include time ranges which cannot be filled with appointments of the correct duration

Typical appointment duration: 1 hours 0 min.

- The results will now be filtered to show only slots that cannot be filled completely by the set duration. In this example, a one hour and 15 minute empty slot will be shown because a one hour and 15 minute appointment cannot completely fill the empty slot. A two hour slot would not be shown as two one-hour appointments can fill the empty slot.

Result - Double click on a row to navigate to that time interval | Print

Date	Resource	Symbol	Time interval
11/12/2018	CHARLIE	⌘ BALANCE	09:00-17:00
18/12/2018	CHARLIE	⌘ BALANCE	09:00-17:00
24/12/2018	CHARLIE	⌘ BALANCE	08:00-12:00
25/12/2018	CHARLIE	⌘ BALANCE	09:00-17:00
31/12/2018	CHARLIE	⌘ BALANCE	08:00-12:00
07/01/2019	CHARLIE	⌘ BALANCE	08:00-12:00

- This panel can be further collapsed so that maximum screen can be seen without the need to re-start the analysis.
- Appointments can now be adjusted or moved to maximise the use of the available time.

- The results of the analysis can be sent to a printer using the **Print** button. The print out will show the results by resource and then by date.

6.30.2 Unscheduled Appointments

The result of this tab will show the number appointments for client above the normal requirement for that appointment type.

- Enter the required date range. This can be done by entering a date in the **Date: from** and **to** fields or by right clicking on the fields and selecting a date from the calendar.
- Appointment symbols** can be selected by checking the box next to their name or by checking the **Select All** box and then using the arrow to move them to the right. The 'no symbol' option is not available; appointment symbols must be applied to search for appointments.

Efficiency analysis - Patients attending multiple unscheduled appt types

Unbooked time | **Unscheduled appts** | Missed appts | Many earmoulds | Missed review appts

Filtering
Saved filters: <New filter> Save Save as... Delete

Date: from 30/12/2018 to 30/12/2020 Show result

Unscheduled appointment types: ☒ Select All

Symbol	Symbol
☐ COMM ASSESS/REM	☒ I 1ST IF/ISSUE
☐ W WALK IN REPAIR	☒ P PR HAREPAIR
☐ A ASSISTING PAEDS	☒ I IMPLANT ANNUAL RV
☐ T TINNITUS ASSESS	☒ F IMPLANT FU
☐ F TINNITUS FU	☒ S SWITCH ON
☐ C CLINICAL NON PT	☒ S SURGERY
☐ A ADMINISTRATION	☒ A IMPLANT ASSESSMENT

Minimum number of appointments: 1

List of patients selected by params above (Appts total not including Group Appts) Export

Hospital no.	NHS no.	Name	Appts. total
0000001	111 111 1111	COLONEL CHARLIE HARPER	2
T121220		FRED	1

Result - Double click on a row to navigate to that appointment ☐ Show All

Date	Resource	Symbol	Status	Time interval
24/04/2019	CHARLIE	I 1ST IF/ISSUE	D	12:30-13:15
04/01/2019	BERTA	P PR HAREPAIR		11:15-11:45

6.30.3 Missed Appointments

The result of this tab will show appointments that have a certain appointment status.

- Enter the required date range. This can be done by entering a date in the **Date: from** and **to** fields or by right clicking on the fields and selecting a date from the calendar.
- **Statuses indicating unattended appointments** can be selected by checking the box next to their Description or by checking the **Select All** box and then using the arrow to move them to the right.
- The **Minimum number of appointments** can be set so that patients that have missed multiple appointments can be seen.
- Patients that need to be excluded from the result due to their alert or parameter settings, can be excluded by selecting the **Exclude patients with alerts and parameters** button which will open a window where **Alerts** (with a Code) and **Parameters** (without a Code) can be selected.

Select alerts and parameters ✕

Exclude patients with alerts and parameters Apply

☐ Select All ☐ Select All

	Code	Description
☒	D	Deceased
☐	M	Moved
☐		Wheelchair
☐		2 Person lift
☐		War Pensioner
☐	T	Transport
☐	P	Private Patient

	Code	Description

- If an **Alert** or a **Parameter** has been selected, then the exclusion message is shown.

Exclude with alerts and parameters Alert and param. exclusion is on

- Once **Show result** has been selected, a **List of patients selected by params above (Appts total not including Group Appts)** is shown in the window.

List of patients selected by params above (Appts total not including Group Appts) Export

Hospital no.	NHS no.	Name	DNA'ed appts. total	Appts. total
0000001	111 111 1111	COLONEL CHARLIE HARPER	6	18

- By selecting one of these patients, the appointments for the selected patient is shown in the bottom window.

- The **Export** button will open a window where the results can be saved as a CSV file so that it can be opened in Excel.

Result - Double click on a row to navigate to that appointment ☐ Show All

Date	Resource	Symbol	Status	Time interval
13/11/2019	BERTA	H HEARING TEST	C	10:30-10:45
13/11/2019	CHARLIE	H HEARING TEST	C	10:30-10:45
06/11/2019	BERTA	S SURGERY	C	10:00-11:00
06/11/2019	CHARLIE	S SURGERY	C	10:00-11:00
08/10/2019	CHARLIE	I 1ST IF/ISSUE	C	12:15-13:00
24/04/2019	CHARLIE	I 1ST IF/ISSUE	D	12:30-13:15

- Double clicking an appointment will show that appointment in the Booking screen.

6.30.4 Many Earmoulds

This tab shows patients that have a minimum number of earmould visits over a date range.

- Enter the required date range. This can be done by entering a date in the **Date: from** and **to** fields or by right clicking on the fields and selecting a date from the calendar.
- The Minimum number of earmould visits can be set.
- Show result will display patients that have a number of earmould visits equal to or greater than the set number.

List of patients selected by params above (including number of earmoulds) **Export**

Hospital no.	NHS no.	Name	EMs total
0000001	111 111 1111	COLONEL CHARLIE HARPER	2

6.30.5 Missed Review Appointments

This tab will show patients that have attended an initial appointment but not the review or follow up appointment.

- Enter the required date range. This can be done by entering a date in the **Date: from** and **to** fields or by right clicking on the fields and selecting a date from the calendar.
- Initial appointments types** can be selected by checking the box next to the appointment **Symbol**. The right facing arrow will move the symbol to the right-hand box which is used as the filter.
- The number of days after the initial appointment can be set using the **Review appointment must occur from, to days after the initial appt** fields. This can be set to a maximum of 999 days after the initial appointment.
- Review appointment types can be selected by checking the box next to the appointment **Symbol**. The right facing arrow will move the symbol to the right-hand box which is used as the filter.

- Patients that need to be excluded from the result due to their alert or parameter settings, can be excluded by selecting the **Exclude patients with alerts and parameters** button which will open a window where **Alerts** (with a Code) and **Parameters** (without a Code) can be selected.

Select alerts and parameters

Exclude patients with alerts and parameters Apply

☐ Select All ☐ Select All

Code	Description
☐ D	Deceased
☐ M	Moved
☐	Wheelchair
☐	2 Person lift
☐	War Pensioner
☐ T	Transport
☐ P	Private Patient

Code	Description

- If an **Alert** or a **Parameter** has been selected, then the exclusion message is shown.

Exclude with alerts and parameters Alert and param. exclusion is on

- Once **Show result** has been selected, a **List of patients selected by params above (Appts total not including Group Appts)** is shown in the window.
- By selecting one of these patients, the appointments for the selected patient is shown in the bottom window.

List of patients selected by params above (Appts total not including Group Appts) Export

Hospital no.	NHS no.	Name	Appts. total
0000020		MASTER ANGUS JONES	2
0000022		Dr. LINDA HARRIS	1
T121220		FRED	1

- The **Export** button will open a window where the results can be saved as a CSV file so that it can be opened in Excel.

Result - Double click on a row to navigate to that appointment ☐ Show All

Date	Resource	Symbol	Status	Time interval
13/11/2019	BERTA	H HEARING TEST	C	10:30-10:45
13/11/2019	CHARLIE	H HEARING TEST	C	10:30-10:45
06/11/2019	BERTA	S SURGERY	C	10:00-11:00
06/11/2019	CHARLIE	S SURGERY	C	10:00-11:00
08/10/2019	CHARLIE	I 1ST IF/ISSUE	C	12:15-13:00
24/04/2019	CHARLIE	I 1ST IF/ISSUE	D	12:30-13:15

- Double clicking an appointment will show that appointment in the Booking screen.

7 Referring agents

To open Referring agents go to **Navigation -> Referring agents**. You can also call this window from other modules where you select a referring agent, for instance Referral and Client information.

The system supports the following default referring agent types:

- Agency
- Audiologist
- General Practice (GP)
- An individual referring agent
- ENT (Ear- Nose- and Throat specialist)
- School
- Health visitor
- Onward referral
- Paediatrician
- SALT
- Other

More referring agent types can be defined by the System Administrator.

Referring agents

New

Edit

Select

Close

Search

Postcode

GP Code

Practice Code

Type

☐ Include outdated

CCG

CCG Code

Name

☐ Surname ☒ Part of full name

Search

Type	CCG	Title	First	Surname/Name	Address	Postcode	Info
General Practitioner	5QH	DR	M	AITCHISON	HILARY COTTAGE SURGERY, KEBLE LAWNS, F	PC:6373	
General Practitioner	5QF	DR	SN	ALBERT	BURDWOOD SURGERY, WHEELERS GREEN V	PC:8362	
Other				ALISON STAGG			
General Practitioner	5QE	DR	A	ALLEN	3 VALE AVENUE, WANTAGE, OXON	PC:6376	
General Practitioner	5555	DR	AL	ALLIK	123 STR, SOME CITY,	ABC 1234 CITY	
General Practitioner		DR	AD	AM	123 STR, HOME CITY		
Other				AMANDA CARROLL	MERCHISTON SURGERY, HIGHWORTH ROAD,	PC:3523	
Other				ANAESTHETIC CONSULTANT	TGW		
General Practitioner		CF		ANDERSON	MERCHISTON SURGERY, HIGHWORTH ROAD,	SN3 4BF	
General Practitioner	5K3	DR	M	ANDREWS	ELM TREE SURGERY, 24A HIGH STREET, SHRI	PC:5392	
Health visitor				ANN SEYMOUR			
General Practitioner	5K3	DR	K	APPLEGATE	HAWTHORN MEDICAL CENTRE, MAY CLOSE, C	PC:6406	
General Practitioner	5K3	DR		ASH	KINGSWOOD SURGERY, KINGSWOOD AVENUE	PC:3336	
Other				ATTOTI	CONSULTANT PHYSICIAN, DOME		
Other				MURIEL GAY	MURIEL GAY REFERRAL		

Address: 3 VALE AVENUE, WANTAGE, OXON

Postcode: PC:6376

City:

CCG: OX CCG

CCG code: 5QE

Practice code: K84074

NUM SCRL

You can search for Referring agents by the following criteria:

- Postcode
- CCG (Clinical commissioning group) code
- CCG name
- GP code
- GP practice code
- Agent type
- Surname or part of full name

Your System Administrator can configure which field the cursor should default to for faster access to searching.

Your system administrator configures if the different referring agent types are an individual or an organisation.

By default, the system does not include outdated agents in the search result. To include outdated agents, check the corresponding box.

When you have specified the relevant search criteria, click on **Search**. Agents meeting the search criteria will be listed in the table.

You may also use the 'Word wheel' functionality to search, see the section on 'Sorting and saving listing screens'.

7.1 Edit or add a referring agent

- To add a new referring agent, click **New**. If you wish to edit a referring agent, highlight the referring agent and click **Edit**.

Edit referring agent [X]

[Delete] [OK] [Close]

Agent type: **General Practice** ☒ Individual ☐ Organization

Title: DR

First name: A

Last name: ALLEN

Full name: DR A ALLEN

[Compose full name] [Decompose full name]

Address: 3 VALE AVENUE
WANTAGE
OXON

Postcode: PC:6376

Phone number:

Fax number:

Email: olepus@auditdata.com

Preferred comm. method: Site default (Only email, post if email is not avai

Information:

GP Code: 3453544441

Practice Code: K84074

CCG: OX CCG

CCG Code: 5QE ☐ Outdated agent

External system id: 5444

- Select an **Agent type**.
- Each agent can be either an **Individual** or an **Organization**. This is defined by selecting the corresponding option.
- If Individual is chosen, enter the title, first name or initials and last name in the appropriate fields, or enter the full name in the **Full name** field and use the **Decompose full name** to break it down according the name format in Auditbase Administration.

- **Compose full name** and **Decompose full name** allow names made suitable for addresses after they come from PAS and to be shown in different ways according to need, specifically as 'Dr A Adams' in addresses and as 'Adams A' when sorting in a list.
- To automatically fill in the full name with the information entered in the other fields, click on the **Compose full name** button.
- To extract the information from the full name field, click on the **Decompose full name** button. The system decomposes the full agent name as defined by the system administrator.
- An agent can be marked as **Outdated** by selecting the relevant check box. The system will not include this agent in search results unless required by the user.
- Enter an email address for the agent then from the drop-down list below this, select the agent's preferred method of receiving letters and documents
- Enter other relevant information for the agent, and click **OK** to save the Referring agent with the new or altered information.
- Depending on the settings in the System Administration tool, a referring agent can exist more than once at the same practice with different postcodes.
- Click **Delete** button to delete an agent from list.
- Click **Close** button to end the session with no action.


8 Measurements

Click the button below to access our training materials.

eLearning

The **Measurements** menu contains commands for accessing audiometry measurements:

- **AB Audiogram** starts a new audiometry measurement session. For more information refer to [Entering a pure tone audiogram](#)
- **ABR and OAE screening and diagnostics** opens a new window for entering ABR (Auditory Brainstem Response) and OAE (Otoacoustic Emissions) screening and diagnostic data. Please refer to the [ABR and OAE screening and diagnostics](#) topic for details.
- **Noah module selection** opens Noah4Auditbase, an Auditbase subsystem that interacts with Noah 4, and displays the list of Noah modules available. For more details on Noah4Auditbase, please refer to [Noah4Auditbase subsystem](#).
- **Noah session browser** opens the **Sessions and actions** panel of the Noah4Auditbase subsystem.
- **Open latest fitting action** to open the appropriate fitting module if installed.
- Shortcuts to installed measurement modules are also available if required, for instance **Aurical Audiogram**.



Auditbase stores audiograms by the **date entered by the user**, but Noah stores audiograms by the **date entered onto the system**. To avoid old audiograms being used by Noah, any audiograms entered into Auditbase with a date other than the current date will **not be linked into Noah**. This will prevent Noah pulling an outdated audiogram through to other modules. For further details please contact your local Auditdata support.

If an audiogram is saved in a Noah measurement module with a date before today, Auditbase will save this and it will be linked to Noah.

An audiogram saved from Noah Aud with a “Date of evaluation” in the past will be listed in the Auditbase Audiogram list with a text like this: “Transcription of 10/07/2006 Audiogram Data”. The date in the Auditbase audiogram list and the Noah session list will be the current date.

Audiograms with historical dates

If an audiogram is saved from Auditbase with a past date, the text in the Auditbase Audiogram list will be **Audiogram not linked to Noah** (it is not available from the Noah environment). The date in the list of audiograms will be the past date.

Noah Audiogram formats 100, 200 and 500 can be read, depending on settings in the System Administration tool. Auditbase saves in 200 format, Auditbase cannot edit a 500 format even if saved by Noah Aud.

Audiometer

The correct communication protocol is necessary to be able to configure audiometers. The correct protocol can be selected in System Administration. Core audiogram data made by a Noah module or panel cannot be edited in Auditbase except when created by the Noah Aud module in format 200. The following data can be updated:

- **Weber** – on the main audiogram graph and on the separate tab;
- Setting notes for thresholds using right click menu;
- **Information** (notes, ear drum status etc.).
 - If there was a note on a threshold, and users continue measurement and remove the threshold, the note must be removed too;
- **Referral**;
- **Vestibular**;
- **Speech in noise**;
- **Others;Surgery**;
- Symbols which can be added to the audiogram using **Import tymp**;
 - Simultaneous run of measurement and tymp is NOT needed.
 - Entering tympanometry data manually on the **Tymp** tab;
 - **Import tymp** data;
 - Tympanometry reflexes – it is possible to add these using the mouse as well as by using **Import tymp** and **Measure tymp**;
- Symbols which are allowed to be added to the audiogram include “Forehead bone measurements”. These symbols are not included in the public part of Noah. The list of symbols is included below:
 - Bone / Other / Unmasked Left;
 - Bone / Other / Unmasked Right;
 - Bone / Other / Unmasked Left Not reached;
 - Bone / Other / Unmasked Right Not reached;
- **Compare** tab

Tympanometry data

New Tympanometry algorithm for extracting data from Noah.

8.1 ABR and OAE screening and diagnostics

- From the **Navigation** area, select **Measurements** -> **ABR and OAE screening and diagnostics**.
- To view and edit existing tests for the patient, choose a test from the drop-down list.
- Click on **New**, if you want to fill in a new test.
- You can edit the **Date** of test if needed.
- **Age at test** is calculated and fixed when saving.
- A special button is available for attaching the measurement to or detaching it from an appointment. The button has a picture which reflects the state of the measurement: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the measurement linking.

Attach appointment				
				Attach Close
Date	Symbol	Description	Resource	Status
13/01/2020	II	from1	Res46	*
13/01/2020	2	2	Charlie	*
10/01/2020	E	PHAC new p	Charlie	*
10/01/2020	1	1	Charlie	*
09/01/2020	E	PHAC new p	Stassy	*
09/01/2020	1	1	Res54	*

- If the appointment is linked to a referral, then the **Referral stage**, where the appointment took place, will be shown here.
- **Test type** can be selected from the drop-down menu.
- **Machine** can be selected from the drop-down menu. This list will be defined by your System Administrator. Yes, No or N/A can be selected to show the In-patient status.
- **Transducer type** can be selected from the drop-down menu. **TDH** or **Insert phones** can be selected from the hard-coded options.
- **Protocol** can be selected from the drop-down menu.
- **Outcome** can be selected from the drop-down menu.
- The name of the **Screeners** can be shown by clicking on the  button and selecting either a user or a referring agent.
- Fill in the test and click **Save**.
- **Print** will send a copy of the report to the printer.

Please note that everything is measured in dBnHL.

ABR and OAE screening and diagnostics

Client: MR JOHN SMITH Print New Save Delete Close

Tests: Created by: SYSTEM ADMINISTRATOR

Date of test: 10/01/2020 Age at test: 79y + o Referral stage: Not linked to appointment

Test type: Screener: Machine: Transducer type:

In-patient: N/A Protocol: Outcome:


	RIGHT				LEFT			
			OAE	TE/DP			OAE	TE/DP
Automated ABR								
Click ABR				dBnHL				dBnHL
0.5kHz Tone Pip				dBnHL				dBnHL
1kHz Tone Pip				dBnHL				dBnHL
2kHz Tone Pip				dBnHL				dBnHL
3kHz Tone Pip				dBnHL				dBnHL
4kHz Tone Pip				dBnHL				dBnHL
Bone conduction				dBnHL				dBnHL
Cochlear microphonics		at		dBnHL		at		dBnHL
0.5kHz CERA				dBnHL				dBnHL
1kHz CERA				dBnHL				dBnHL
2kHz CERA				dBnHL				dBnHL
3kHz CERA				dBnHL				dBnHL
4kHz CERA				dBnHL				dBnHL

Hearing Screening responses and key referral info can be recorded and then audited with a set of Crystal Reports. These are found with other reports in **Navigation -> User Reports -> Hearing Screening** and include the following:

- In and Out Patients screened
- Number of screening sessions per patient
- Patients referred for diagnostic assessment
- Patients referred for targeted follow up
- Patients screened before some age
- Patients screened by particular screener
- Patients screened.

8.2 Entering a pure tone audiogram

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Select **Navigation -> Measurements -> AB Audiogram**.
- If configured by system administrator, the system opens the last audiogram. Select **File -> New** to create a new audiogram.
- The audiogram can be shown in either split, single, large or custom format where custom has a default zoom size that can be varied under the Zoom menu. The default mode is defined by the system administrator. See [How to toggle between split, single, large or custom audiogram formats](#).
- Select the appropriate measurement symbol found in the centre of the screen for split mode or right part of the screen for large mode.
- Enter the audiogram by clicking on the required threshold point.
- Right-clicking on a point will bring up a window where you can change the status of the point to **Not Reached** etc.
- You can input information for right and left ear, comments to the measurements result and in general and choose an audiogram type that are set up by your system administrator.
 - The audiogram type can be set as a mandatory field for saving a record.
- Select the **Show in Viewer** checkbox if you want the audiogram to be accessible from the Auditbase Viewer.
- Select **File** menu, then **Save**.
 - After an audiogram is saved, the **Created date/time** field will be filled in automatically.
- Check date and **Audiologist (Made by)**, change if necessary.
- Click **OK**.




If you enter audiograms via the device interface, the measuring points will automatically be transferred from the audiometer used for measuring.

- To enter the measurements via the device interface, select the menu item **Functions -> Measure** or click **Measure**.
- The button **Measure** turns yellow when active. Press **Measure** again to finish the measurement.

Measure		
NORMAL		
	Symbol	
○	AC	×
●	AC MASKED	×
△	BC UNMASKED	△
⚠	NOT REACHED	⚠
<	UNCERTAIN	>
↔	CROSSOVER	↔
□	BC MASKED	□
L	UCL UM	L
■	UCL M	■
M	MCL UM	M
■	MCL M	■
📍	SF	📍
📍	SF M	📍
📍	R IPSY	📍
■	R IPSY M	■
●	R CONTRA	⌘

- When using the Primus audiometer with insert headphones, measurement symbols will be displayed using air conduction symbols. Right click on the curve to see if the audiogram was carried out using TDH or Insert transducers.
- If applicable, select the value for the Reliable flag: **Reliable**, **Unreliable** or **Blank**.
- If applicable, select the audiogram watermark. **Unreliable** and **Estimated** watermarks are available by default. Additional watermarks can be configured in the Administration tool. Selected watermark will display across the audiogram and appear on any printed copies. The watermark will not display on an audiogram in Noah. If showing the audiogram to a client and not wanting them to see the watermark, go the **View** tab and click **Hide watermark**.



- The Auditbase keeps the **Reliable** flag values and the **Watermark** values consistent. If you are setting the flag value or the watermark value to 'unreliable', the other value 'becomes' unreliable as well.

In addition to pure tone graphs, an audiogram can contain results of the following measurements as part of the audiogram:

- Speech measurements.
- Extended speech measurements in graphical representation.
- Vestibular measurements.
- Other measurements.

8.2.1 Saving Audiograms

- Once the audiogram has been completed, select **Save** from the File menu to store the audiogram.
- When saving an audiogram, a dialog with client's name, system date and signature of logged on Auditbase System user is presented.
- If you want to have a Noah representation of the audiogram, select the check box **Save audiogram in Noah**. This can be unchecked if you do not want to save to Noah. If the audiogram has been saved using **Measure**, this must be deactivated before **Save to Noah** can be unchecked. **Save audiogram in Noah** cannot be unchecked if a measurement with the Noah audiogram module launch protocol v1 is in progress but it can be unchecked for Protocol v1 and Protocol v2 measurements if the full screen mode was not used. These protocols are set by the System Administrator.
- If you want to sign the audiogram after saving it, select the check box **Sign audiogram now**.
- As default, Auditbase System will suggest the audiogram to be saved - and identified - by the system date which may be altered by right clicking in the **Date** field to open calendar. Change of signature - Auditbase System user - is done via and selecting from list.
- If another staff member performs the client hearing level investigation, you can select this person as **Examined by** user on the **Information** tab. The system administrator defines whether this field is visible.
- When more audiograms are saved by the same date, they are numbered consecutively; DDMMYYYY1, DDMMYYYY2.
- There are no limits to the number of audiograms for a client.
- Click **OK** to save the audiogram with the suggested or changed parameters or press **Ctrl+S**.
- Retrieving saved audiograms from database is done via the File menu, **Open**.

- A dialog with lists of audiograms saved for a selected client is presented. The audiograms are displayed with audiogram name, date, no., whether or not it is signed, audiogram type and comments. A **Preview** option is also available. This will open the selected audiogram in a separate window so that it can be previewed before being opened.
- To retrieve the client's most recent audiogram without selecting in the list, select **File -> Open latest**, or press **Ctrl+L**.
- In the Administration tool, the system can be configured to open the client's most recent audiogram automatically.

8.2.2 Signing audiograms

You can sign an audiogram when you save the audiogram.

- This functionality can be switched on or off by the system administrator.
- You can also sign an existing audiogram from **Functions -> Sign audiogram**.
- You are reminded to link the Audiogram to an appointment when signing.
- Previously signed audiograms can be linked to an appointment if required.
- You can see whether an audiogram is signed, in the main window of the audiogram, in the Open audiogram dialog and in the Noah browser.

Note: *If you sign an audiogram, the audiogram cannot be edited.*

If a signed audiogram is edited or deleted in Noah, the link to the Auditbase audiogram will be broken.


8.2.3 Deleting audiograms

Deleting an Auditbase audiogram can be done from the Functions menu but only by a user that has been granted the extended user right **Delete Audiogram or linked Noah audiogram** by the System Administrator. By selecting the **Delete audiogram** button, a window opens and the audiogram can be chosen from the list and Delete can be used to delete the audiogram. Close will close the window without deleting an audiogram.

Another button on the **Functions** ribbon to **Delete linked Noah audiogram** will delete the Noah action associated with the selected audiogram, but this is an extended user right that must be granted by the System Administrator. This action will be refused if a Noah fitting is based on Noah action.

8.3 How to toggle between split, single, large or custom audiogram formats


- In the audiogram screen, select **View -> Split audiogram, Single audiogram, Large audiogram** or **Custom audiogram** as required.



- **Custom audiogram** has a default zoom size that can be varied from the **Zoom** menu, which is only available when **Custom** is the selected view. The percentage of zoom refers to the audiogram only and is based on how large the audiogram would look on a 1024x768 screen resolution. It defaults to the zoom level set by your system administrator. This view is intended particularly for working with a device interface.

8.4 Other view options

In the **View** ribbon choose to display Masking levels, Masking cursor, extended range up to 140dB, Speech banana, phoneme sounds and world sounds. The content of the latter two can be configured by your system administrator who also can set up if the Masking cursor should be turned on by default.



Audiogram static norm curves can also be shown from the View menu. Such curves are defined in Auditbase Administration: a specific curve can be selected for a specific workstation to be displayed as default. All available norm curves are listed in the **Norm-curve** pop-up. You can switch between them as required.

Based on data from ISO 7029 users can now display age and gender specific dynamic hearing loss distribution percentile curves. The percentile value used can be chosen in Auditbase Administration on a site level. The curves can be enabled or disabled on a Workstation level in Administration.

Special considerations:

- If the patient has no DoB (date of birth) or the age is out of range of the ISO 7029 standard there will be no percentile curves. Curves are generated for ages 18-80.
- If the patient gender is not set to 'Male' or 'Female', there can be no curve generated since there is no ISO 7029 data.
- If the clinician wishes, they can override the automated gender-based curves and view curves from the ISO standard for another gender for a particular patient's audiograms.
- If the clinician wishes, they can turn off the curves during review of a particular patient's audiograms.

Clicking the **Mean values** button opens the dialog with mean values for the selected audiogram. Mean value configurations are set within Auditbase Administration.

6/16/2024, no. 1, PTA				
Mean value	Air	Air	Bone	Bone
Fletcher index	38	43		
High frequency mean	33	43		


8.4.1 Fitting ranges

On clicking the **Fitting ranges** button, the floating dialog appears with a list of manufacturers' devices. Each device has a configured fitting range that can be applied to the audiogram to see if that device is suitable for the selected patient. At the bottom of the dialog, users can view additional information which may be helpful when working with a particular device (e.g., *age restrictions*).

It is possible to keep the dialog open and use the corresponding fitting range as reference when looking through different audiograms of the same patient or when switching between patients. Arrow keys can be used to move up and down the fitting ranges.

Fitting ranges configured as groups in the Administration tool are organised as folders in Auditbase. Clicking into the folder, opens it up displaying the items in that group.

You can select the fitting side (**Right**, **Left** or **Both**). In split mode, the range for the affected ear and the opposite ear is distributed between two graphs. In single view, the colours for the affected and the opposite ear are shown on the same graph.



The dialog can be resized to best fit your screen. It can also be collapsed when needed by using the collapse control (). To view available range colours, click .

R	L	Affected side	
		Air and bone conduction	
		Bone conduction only	
		Air conduction only	
		Contralateral	

8.5 How to view previous audiograms


- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation -> Measurements -> AB Audiogram.**
- Select **File -> Open.**
- The audiograms are displayed with audiogram name, date, no., whether or not it is signed, audiogram type and comments.
 - The audiogram list is a configurable list where column position width and multiple sort order can be saved for the logged-on user or for a site when saved by the SYSADM user.
 - The **Audiogram list** is resizeable by dragging any of the four borders to the required size.
- Make the changes you wish to the table and right-click anywhere in the table.
- Select **Save user view.**
- Click on the audiogram to be viewed.
- Click **Select**. Alternatively, click on the required audiogram and it will be selected in the background module. Double clicking an audiogram will select it and close the window automatically.

Audiogram list									
.	Audiogram	Date	No.	Signed	Type	Comments	Preview	Surgery	
	Audiogram changed in AB	06/13/2024	1				Preview		
	AURICAL Plus Audiogram changed	12/02/2010	1				Preview		
	New Audiogram	07/28/2010	1				Preview		
	New Audiogram	03/17/2010	1				Preview		
	AURICAL Plus Audiogram changed	08/06/2009	1				Preview		
	Audiogram not linked to NOAH	05/06/2009	1				Preview		
	New Audiogram	02/21/2008	1				Preview		
	Audiogram changed in AB	08/23/2007	1				Preview		
	Audiogram Changed in AB	09/29/2005	1				Preview		

- The **Audiogram list** can be left open when changing clients, and the list of audiograms for the newly selected client will be displayed. The **Audiogram list** will remain in the same position when clients are changed, including after Auditbase is restarted.

To open the latest audiogram:

- Select **File** -> **Open latest** or click the button **Client's latest audiogram** in the tool bar from anywhere in Auditbase .




- The audiogram title bar includes client identifier code, client name, date, number and audiogram type.
- Displaying Tympanometry and Speech data on this dialog can be switched on or off in Auditbase Administration.

8.6 Viewing more than one audiogram at a time in the same graph

To view up to 4 audiograms superimposed on top of each other.

- From the audiogram screen, select **File -> Open**.
- Select the first audiogram to be viewed and click **OK**.
- Select the **Compare** tab.
- Select up to 3 audiograms from the drop-down lists which display the audiogram date, number and type.
- Click on each colour box and choose the colour required by clicking on it.
- Click **Refresh** to display the selected audiograms.
- To close the screen and return to the original audiogram, click **Clear all**.



The screenshot shows a dialog box titled 'Add in'. It contains a section labeled 'Audiogram' with three drop-down menus. The first menu shows '12/02/2010, 1', the second shows '07/28/2010, 1', and the third shows '03/17/2010, 1'. To the right of these menus is a 'Colour' section with three color boxes: red, green, and blue. Below the 'Audiogram' section are two buttons: 'Refresh' and 'Clear all'. At the bottom of the dialog is a button labeled 'View side by side'.

To view up to 4 audiograms side by side:

- With the **Compare** tab active, click **View side by side**. Displaying Speech data on this dialog can be switched on or off in Auditbase Administration.
- Select an audiogram in the drop-down list for each of the 4 audiograms. The last 4 of the client's audiograms are pre-selected by default.
- Click **Preview** or **Print** as required.



8.7 Adding notes and comments to an audiogram

To add comments to an audiogram:

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation -> Measurements -> AB Audiogram.**
- Select **File -> Open** or add an audiogram.
- On **Information** tab, select **Edit** or **Alt+R**.
- A **Comments** window opens. Comments can be added to the audiogram and they will be displayed when printed.
- **OK** to save the comments.

To add a note to an audiogram:

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Select **Measurements -> AB Audiogram.**
- Select **File -> Open** or add an audiogram.
- Right click on the threshold you wish to add a note to.
- One of the options is **Set note**.
- Select from the drop-down list which note is to be added. These notes are defined by your System Administrator.

8.8 Tympanometric tab

Discrete tympanograms and reflex thresholds can be entered for the Tympanometric measurement or data can be transferred directly from: the Zodiac 901 connected to a COM port or from Noah sessions created by any module using the Noah Tymp 100, 500 or 501 data format, e.g. Otoflex module, Otowave, Titan, GSI Suite, Capella module or the Zodilink module. Data from any module that stores tympanometry in the standard Noah 100 or 500 format can be measured or imported see below.

One of the 3 tymp curves imported from Noah sessions or direct from Zodiac can be set as default for printing and Audiological Summary Reports. If none is set, the system will default to the highest number of curve sets available.

Since no Noah standard exists for Tympanometric data no other Noah modules can be used unless the manufacturers work with Auditdata to define a standard protocol.

Import of data can only be done when not in an audiogram measurement mode.

- Use **Measure** button to open the Tymp module configured in Administration which will automatically import into Auditbase on saving.
- Use the button **Import tymp** to import data from the instrument or a Noah session. Up to three tymp curve sets can be represented. Choose between curves in the drop-down box **Selected curve**.
- The date of the measurement can be changed manually when importing from a Noah session.
- If reflex thresholds have been measured, these thresholds will be drawn as thresholds in the pure tone audiogram.
- The scale factor for the tymp curves is read from the default setting in **Administration settings -> Workstation -> Audiogram**. To overrule this default setting, select **View -> Tymp scale**. The scaling is reset to default when selecting a new audiogram or a new client.
- You can print the pure tone audiogram and tymp information in one report. Select **File -> Print** and choose **Audiological Datasheet**. Either split or binaural audiograms can be printed.
- Imported tymp data can be reset in **Functions -> Reset tymp data**. Reset option is available to senior users (clinical staff) who were granted this right via Auditbase administration.

Note: It is not possible to create reflex thresholds with the Capella module.

When importing data directly from the Zodiac instrument the Zodiac should be connected to the PC via a COM port.

The following parameters will be imported along with the tympanograms if they are available:

- ECV = Ear Canal Volume: volume unit
- SC = Static Compliance (mmho)
- MEP = Middle Ear Pressure (daPa)
- Gradient: (daPa)
- Tymp Width = Tympanometric Width: daPa
- Frequency (Hz)
- Type = A, Ad, As, B, C, D, (E)

Detailed information on the interpretation of impedance data in Auditbase.

Reflex thresholds imported to Auditbase.

The reflex thresholds that are imported directly from the Zodiac or from a Noah session created by Otoflex, Capella or Zodilink are all interpreted using the following algorithm:

Example: Zodiac, 500 Hz stimulus, Ipsilateral:

Intensity dB HL	70	75	80	85	90
Actual deflection mmho or ml/cc/cm3	-0.01	0.45	-0.01	-0.03	-0.08
Reflex result bit	False	True	False	True	True

Example: ODS/Otoflex, 500 Hz stimulus, Ipsilateral:

Intensity dB HL	70	75	80	85	90
Actual deflection mmho or ml/cc/cm3	-0.01	0.45	-0.01	-0.03	-0.08
Reflex result bit	False	False	False	True	False

The way to identify the threshold value is:

If there is one and only one curve with both test Type = 'reflex' (i.e. manually measured) and the result bit set, this is taken as a manual indication of the threshold and is thus considered the final result. The procedure then ends here.

Otherwise:

Search all curves of test Type = 'reflex' or 'autoThresholdSearch' (can be mixed) from the highest stimulus intensity presented and downwards for the lowest intensity curve with an absolute positive or negative deflection value ≥ 0.02 or the result bit set, i.e. the last in the search direction that is not preceded by another curve fulfilling this criterion.

Now change search direction to increasing intensities and search for the first curve that has the result bit set. If a curve is found with the bit set, this curve (stimulus intensity) represents the threshold. If no curve is found with the bit set, the result must be indicated as 'no threshold'.

found at xxx dB HL' where xxx is the highest stimulus intensity that was presented, i.e. the highest intensity recorded in the curves.

This procedure will identify 85 dB HL as the threshold in both examples above. Note that 75 dB would not be considered a threshold in the Zodiac example even if the result bits for 85 and 90 dB were not set as the downward search would still stop at 85 dB.

Imported tympanograms

The tympanograms that are imported directly from the Zodiac or from a Noah session created by Otoflex, Capella or Zodilink are all interpreted in the following way:

The tymp curve is displayed using the unit from Noah. However, if a volume unit is indicated in Noah and the probe tone used is not 226 Hz, the tymp curve (every point of the curve) is recalculated as:

Actual tymp = Noah_tymp * probetone / 226
and the actual unit is mmho.

Tymp baseline compensation:

Where a Noah Tymp module requires it, curve compensation can be applied even when it is declared as already applied in the measurement.

The tymp curves are displayed baseline compensated when possible.

The curve may have been stored baseline compensated in Noah (recordMode=Compensated').

If the curve was stored 'non Compensated', the ear canal volume * probetone / 226 is subtracted from the curve (every point of the curve) values to calculate the baseline compensated curve. If the ear canal volume is undefined, the curve is displayed as non-compensated.

Tymp ID can be edited manually when a tympanogram is imported from Noah or measured in Auditbase, to make it possible to record the Tympanometer details when using different tympanometers in the same room.

If several tymps are present and must be displayed together, all of them will be displayed as non-compensated if one or more of them cannot be displayed compensated (if stored non-compensated and the ear canal volume is undefined). Measurements at different frequencies are grouped according to frequency on the same ear.

The parameters belonging to the tympanograms are determined in the following way.

Derived parameters:

The height of the peak from the baseline is denoted either Static Compliance (SC) or Static Admittance (SA). The term SA is used for all cases except for 226 Hz tympanograms with a volume unit (ml, cc, cm3). $SA (= SC) = \text{maxCompl} - \text{canalVolume} * \text{probetone} / 226$

TPP = Tympanometric Peak Pressure

TW = Tympanometric Width: daPa

Gradient: mmho/daPa or volume_unit/daPa

ECV = Ear Canal Volume


Type = A, Ad, As, B, C, D, (E)

8.9 Tabbed pages for other types of measurements

In addition to pure tone measurements, you can register, store and print a variety of other data.

The following data may be processed:

- For speech measurement results, select the **Speech** or **Speech in noise** tab.
- For tympanometry results, select the **Tymp** tab.
- For speech measurement results in extended graphical form, select the **Graphical speech** tab.
- For Bing, Rinne, Jelly and Weber measurement results, select the **Others** tab.
- For vestibular measurement results, select the **Vestibular** tab.



Once a tab has been selected, changing the audiogram or client will not change the selected tab. When Auditbase is re-started, the default tab is selected. If information has been stored on any of the tabs, a green circle will indicate this.

NOTE: the number of tabs to appear in the Audiogram module can be configured by the System Administrator. Any tab (except 'Information') can be set to be hidden from view.


Information tab

The Information tab is for storing general data for each measurement; for instance, notes, comments, audiometer number.

Notes can be added to a particular threshold by selecting the threshold, right-clicking and choosing Set note. These notes are defined by the system administrator and will appear on the audiogram when it is printed.

Comments can be added to an audiogram by selecting the Edit button and inserting free text notes. These are displayed on the audiogram when it is printed out.

Mean values, calculated for Air and Bone conduction as the average of frequencies defined by the system administrator, for instance 500, 1000 and 2000 Hz thresholds. Mean value type to display can be selected on this tab.

A screenshot of the 'Mean values' section in the 'Information' tab. It shows two columns for 'Right' and 'Left' ears. Under 'Right', there are input fields for 'Air' (56) and 'Bone' (46). Under 'Left', there are input fields for 'Air' (66) and 'Bone' (49). Below these are two dropdown menus, both set to 'Fletcher index'. Further down is a 'High frequency mean' section with two input fields and two 'Normal' checkboxes.

Referral tab

The Referral tab is for storing data about a referral, referring agent, and observations or procedures. The appointment which the Audiogram is related to is shown here and can be changed by using the Attach and Detach buttons. The referral in which the appointment takes part is also shown.

Speech tab

The Speech tab is for storing numerical speech audiograms, including, SRT, UCL, recognition percentages and masking levels. The following results can be entered:

- Type of measurement. Select from the drop-down list between Normal, Aided, Tube, Noise or Insert phone.
- SRT (Speech Recognition Threshold).
- Mask. (Masking level). For masked speech recognition measurement.
- UCL (Uncomfortable level).
- Max recognition 1, 2, and 3: For each type of measurement, Recognition %, dB level and masking level can be entered.

You can choose to display the speech measurement results graphically as an extension of the pure tone audiogram. The system administrator configures this extension and its content.

The values displayed in the speech extension are the following:

- TC (Mean value of pure tone measurement)
- SRT (Speech Recognition Threshold)
- DS (Discrimination Score) or DL (Discrimination Loss). Max recognition 1 is shown as DS or DL.
- DSN or DLN (Discrimination Score in Noise or Discrimination Loss in Noise). Max recognition 2 is shown as DSN or DLN.
- DS, DL, DSN and DLN are treated as masked when a corresponding masking level is specified. The following symbols are used to show values in the speech extension graph:
 - For TC: air normal unmasked
 - For DS and DL: air normal unmasked or masked
 - For DSN and DLN: sound field normal unmasked or masked
 - For DS, DSN, DL and DLN: free-field aided masked and unmasked.

Note: Masking is not used for SRT

For both pure tone measurement and speech extension the results of speech measurement can be obtained using the Aurical module.

The data entered in the **Speech** tab is part of the audiogram and can be saved with the entire audiogram.

Speech in noise

Under **Speech in noise** you can register measurements of speech tests in noise with headsets.

	Result, %	Level, dB	Masking, dB	Expected, %
Test 1	= 23	50		
Test 2	=			
PTA4		High frequency mean value		
Comment				

	Result, %	Level, dB	Masking, dB	Expected, %
Test 1	= 12	60		
Test 2	=			
PTA4		High frequency mean value		
Comment				

First choose which audiogram to base the expected result and the high frequency mean value on. Choose the current audiogram or a previous one.

The values from the selected audiogram will be stored under **PTA4** and **High frequency mean value**.

You can make two tests, where you register the result in percentage, the level in dB and the masking in dB. If you perform the test with an audiometer with control panel for Auditbase, the result fields will be populated automatically. Your System Administrator can set the system up to do this.

Use the drop-down list to qualify the result by either choosing the equal to sign (certain of the test's accurateness), the less than sign (the result is probably not accurate) or the more than sign (the result is probably not accurate).

The Expected result is calculated based on the test results and the PTA4 and High frequency mean value numbers.

Compare

The Compare tab is for viewing previous audiograms simultaneously, either together on the main screen or side-by-side on the screen that opens when pressing 'View side-by-side'.

Graphical Speech tab

Extended results of speech measurements can be registered in the form of a graphical speech audiogram in the **Graphical Speech** tab.

- As for pure tone audiograms, a symbol must be selected.
- The symbols for the following speech measurement types are defined by the system administrator, by default different symbols are set up according to country. The default can be selected and then the default mappings will be used when the word list is blank from the Noah module or when there is no mapping for the specific word list being used.
 - single phoneme
 - double phoneme
 - triple phoneme
 - three-digit words

- Additionally, different symbols can be defined for the following measurement conditions:
 - normal
 - aided
 - free-field
 - binaural
- Different symbols can also be defined for masked and unmasked measurements.
- The condition is selected in the drop-down list above the symbols list.
- The symbols can be placed into the required position (determined by dB level and recognition percentage) on the left or right ear graph by clicking.
- **Show norm-curves** will, if ticked, overlay the graphs with norm-curves. Up to 3 norm-curves can be shown on each graph. The norm-curves are defined and selected in the System Administration tool.
- **Comments** can be added to a Speech Audiogram. Selecting the right button below the Symbol table will open a window where comments can be added. **OK** will save the comment; **Cancel** will close the window without saving the comments. Once the comment has been saved, hovering the mouse over the **Comments** button will show a tool tip with the comment displayed.
- To see more details and edit it more precise, you can get an enlarged speech audiogram by clicking the left button below the symbol table.
- The graphs on the **Graphical speech** tab will be updated when you **Close** the window.
- As for pure tone measurement, the results of the speech measurements can be obtained using the Aurical module. The Max. discrim. 1 and Max. discrim. 2 measurement types in Aurical are treated as single-phoneme and double-phoneme by Auditbase. To register results of other measurements, the symbol must be defined in Auditbase first.
- Data entered in the Graphical Speech tab is part of an audiogram and saved with the entire audiogram.
- To print a graphical speech audiogram, select the **File -> Print audiogram** menu item and select one of the options for printing the graphical speech data in the **Print audiogram window**.
- If using the Primus audiometer and your System Administrator has carried out the necessary setup in administration, the graphical speech test curves will appear in AB audiogram on the Graphical speech tab. If Graphical speech is not licensed then the results will still show but only on the Speech tab as summary totals.
- Using the button on the ribbon users can override the Site and Workstation options for import Graphical Speech from Otosuite Module full screen into either Graphical Speech tab or numerical Speech tab.

NOTE: Auditbase Audiogram module does not handle binaural speech thresholds coming from Noah.

Others tab

Results of **Bing**, **Jelly**, **Rinne** and **Weber** measurements can be registered in the **Others** tab.

All **Bing**, **Jelly**, **Rinne** results are entered as blank, +, -, **F+**, **F-** for both right and left ear.

- + Positive
- - Negative
- F+ False Positive
- F- False Negative

To change the value, click in the corresponding field to see the next possible value.

The **Weber** result is entered in the same way. The possible values are:

Not measured (blank), R (Right), L (Left), C (Centred), Uncertain, Not reached.

The values are represented by the Weber audiogram symbols defined by the system administrator.

Data entered in the **Others** tab is part of an audiogram and saved with the entire audiogram.

The **Bing**, **Jelly**, **Rinne** and **Weber** results are printed on the **4 Audiograms** printout.

Vestibular tab


Results of vestibular measurements can be registered in the **Vestibular** tab.

The following data can be entered:

- The name of the audiologist performing the measurements: Select the from drop-down list of registered Auditbase users.
- Were goggles used: Select **Yes** or **No**.
- **Spontaneous nystagmus** and **Positional nystagmus** characteristics: Enter text up to 250 characters.
- For both left and right eye, reaction time in seconds for either 30 degrees or 44 degrees: Enter values from 0 through 240 manually or use the slider.
- **Comments**: Enter text up to 250 characters.
- Data entered in the **Vestibular** tab is part of an audiogram and saved with the entire audiogram.
- The results of vestibular measurements can be printed by selecting the menu item **File -> Print audiogram**. Select the Vestibular measurements option in the **Print audiogram** window.

8.10 Printing an audiogram

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Select **Measurements -> AB Audiogram**.
- Select **File -> Open**.
- Select the required audiogram and highlight it.
- Select **File -> Print Audiogram**.
- Choose the required formats by checkmark and the amount of copies and click **Print**.
- Or, click **Preview** to preview printout on the screen before sending to printer.




If the box labelled **Place client and user identification in clipboard** is checked then when printing to a PDF printer, the Audiogram date, username and client Primary code are saved to the clipboard. If the report is to be saved electronically using a PDF printer, rather than printing to paper, the clipboard can be pasted into the 'Save' dialog generated by the PDF printer to provide a descriptive filename when saving.

This check is maintained for the user for subsequent logins until unchecked.

8.11 How to enter into Noah

Noah can be entered from **Navigation -> Measurements** menu or from the [Client Pathway Overview](#).




When the client is specified, go to the Auditbase **Measurements** menu and do either one of the following:

- Click **Noah module selection** to open Noah with the **Modules** panel expanded.
- Click **Noah session browser** to open Noah with the **Sessions and actions** panel of expanded to view a list of the client's previous Noah sessions.
- Click **Open latest fitting action** to open the most recent fitting **action** if the fitting module is installed.
- Click the links at the bottom of the menu representing any installed measurement module to open that module.
- On slower PCs Auditbase may be logged in before Noah is fully running and usable. In this case you will receive an information message and should wait a few more seconds.

8.12 Using Noah

In Noah, there are three sections: **Client details**, **Modules** and **Sessions and actions**.




The basic client identifying information is shown at the top of the Noah4Auditbase window. To view additional client information within the Noah4Auditbase subsystem, click the button (⌵) beside the title of the **Client details** panel. This will show the client's address and create date and user.

Note: By default, client details for sites in UK are displayed to follow NHS CUI requirements which assume applying a number of rules and formatting options; client details for sites outside UK are displayed by default without meeting NHS requirements. This setting is configurable with the System Administration tool for any country.


In the **Modules** panel of Noah4Auditbase the following commands are available:

- Click the corresponding module in the module list to start a new fitting or measurement session.
- To customize your Module order right-click the module list and choose **Arrange Module Order** to open the **Module Bar Configuration** dialogue box. This order is saved per user into the database so will be available from any workstation.
- On the corresponding tab, view the Noah modules of the following types if available:
 - All modules
 - Measurement modules
 - Fitting modules
 - Other modules
- Any Noah module opens in a separate window and is represented by a button in the Windows taskbar.
- If you want to open a Noah module when another one is running, you must return to the Noah4Auditbase window and click the corresponding item on the **Modules** panel.

- All Noah modules opened under Windows 7 are grouped under a single taskbar button. Click this taskbar button to open a menu listing all the Noah modules running.



Select the **Sort in Ascending** order checkbox above the session list to switch to the ascending ordering of sessions. BSA shadow masking symbols are not included in the Noah standard: therefore, they will not be transferred to Auditbase on saving the audiogram in Noah.



Be aware: BSA shadow masking symbols are now included in the Noah standard 502: therefore, they will only be transferred to and from Auditbase on saving the audiogram in Noah if the module supports this.


For the Serial number issue from Noah dialog see [Section 12.4](#).

On the **Sessions and actions** panel of Noah4Auditbase you can view a list of clients' previous Noah sessions. The following commands are available on the **Sessions and actions** panel:

- Click on the arrow or plus icon (depending on Windows version) to the left of the session date to view the actions. Referenced actions such as the audiogram a fitting is based on are nested underneath.
- Click any action to open it with the corresponding module if installed.
- Click the **Delete Action** button to the right of the action description to delete it.
- Noah alerts can be opened from the Noah Session Browser.
- The audiogram that a fitting session is based on can be opened from that fitting session in the Session Browser.


8.12.1 Deleting Noah actions

If you do not have the correct extended right issued, you will see an error message like the following:




In this case, contact your System Administrator to grant extended rights for deleting Noah actions.

If an attempt is made to delete an audiogram that has a later fitting based on it, a message will appear denying deletion of the action.



Note: If you don't have will need both an extended user right and a specific table right rights to delete Noah actions. When the extended right is assigned the table rights are automatically set, but table 'delete' rights could erroneously be removed later. If you do not have the correct table right issued, an error occurs within Noah which cannot be caught by Auditbase and processed correctly.


Therefore, you will see an error message from Noah like the following:



In this case, contact your System Administrator to reassign the extended right grant table rights for deleting Noah actions which will correct this.

8.12.2 Fast Data View

If the Noah module supports it, a summary of the Noah action can be shown in a pop-up image or PDF by clicking on the



icon. The icon will only appear if the module supports Fast Data View. A local copy of this image or document will be created and you must close the preview of the image or document for Auditbase to delete it. If you do not close the image or document, it will remain open when changing patient and could lead to confusion.

Sessions and actions

☐ Sort in Ascending order

6/13/2024

New Audiogram MAKKNY 16:40	Noah 4 Audiogram Module		
COSI MAKKNY 16:31	Noah 4 Questionnaire Module		
Annual check up MAKKNY 16:24	Journal Module		
4-Figure2-1.png MAKKNY 16:24	Journal Module		




WARNING: Do not forget to close the Fast Data View document manually since Auditbase cannot close it automatically.

Be careful with patient content, Auditbase cannot warn users that a Fast Data View document is still opened for a client when users select a second client.

8.12.3 Noah alerts Dashboard

On the right-hand side of the Noah toolbar the globe icon opens the **Noah Alerts Dashboard**. Noah alerts could be created when a hearing instrument wearer activates one using the mobile App supplied to them by their hearing instrument manufacturer and when the Noah Mobile API is enabled in your Auditbase by your System Administrator.



When the Globe has a red element that indicates that there are one or more unread Alerts in the Dashboard. When every Alert has been viewed by any user then the red element is removed from the icon.

Opening the *Noah Alerts Dashboard* reveals the list of Alerts for all patients who the Auditbase user has permission to view. They will not see any Alerts linked to patients who they are not allowed to access, either due to the patient belonging to a Location that the user has no rights to access or due to the patient having only limited named users allowed to access them.

- Unread Alerts are shown **in bold**. Alerts with the *Priority flag* set have a red flag next to them.

- When an Alert is selected the detail appears in the right-hand panel showing the description from the patient. A specific Noah user can be assigned using the Assign button.

Noah4Auditbase - Business System

Alert Dashboard

Sort by: Most recent From: All alerts

FIRSTNAME20194	LASTNAME20194	Hearing Performance	03/12/2020	
FIRSTNAME20087	LASTNAME20087	Hearing Performance	03/12/2020	
FIRSTNAME20620	LASTNAME20620	Hearing Performance	03/12/2020	
FIRSTNAME20057	LASTNAME20057	Hearing Performance	03/12/2020	
FIRSTNAME20271	LASTNAME20271	Hearing Performance	03/12/2020	
FIRSTNAME20623	LASTNAME20623	Hearing Performance	03/12/2020	
FIRSTNAME20332	LASTNAME20332	Hearing Performance	03/12/2020	
FIRSTNAME20604	LASTNAME20604	Hearing Performance	03/12/2020	
FIRSTNAME20363	LASTNAME20363	Hearing Performance	03/12/2020	
FIRSTNAME20336	LASTNAME20336	Hearing Performance	03/12/2020	
FIRSTNAME19865	LASTNAME19865	Hearing Performance	03/12/2020	
FIRSTNAME20293	LASTNAME20293	Hearing Performance	03/12/2020	
FIRSTNAME19936	LASTNAME19936	Hearing Performance	03/12/2020	
FIRSTNAME19979	LASTNAME19979	Hearing Performance	03/12/2020	
FIRSTNAME19975	LASTNAME19975	Hearing Performance	03/12/2020	
FIRSTNAME19859	LASTNAME19859	Hearing Performance	03/12/2020	
FIRSTNAME20647	LASTNAME20647	Hearing Performance	03/12/2020	
FIRSTNAME20313	LASTNAME20313	Hearing Performance	03/12/2020	
FIRSTNAME19838	LASTNAME19838	Hearing Performance	03/12/2020	

Alert Details Session List

Patient : FIRSTNAME20194 LASTNAME20194

Noah User : Unassigned Assign

Priority :

Category : Hearing Performance

Received : 03/12/2020 14:13:46

Description :

Journal Module

Remove Alert

Close

Patient : FIRSTNAME120 LASTNAME120

Noah User : JULIE TYAS Assign

Priority :

Category : Hearing Performance

Received : 30/11/2020 13:55:15

Description :

Problems hearing the TV.

Session List

11/12/2020 :

- ANDSHU Auditbase audiogram
- ANDSHU Nxt audiogram

01/12/2020 :

- ANDSHU Subj1

30/08/2013 :

- TESTS:HIMSA - Noah 4 Audiogram Module
- TESTS:Amplivox Ltd
- TESTS:Amplivox Ltd

23/08/2002 :

- HILL:HIMSA - Noah 4 Audiogram Module

01/12/2001 :

- LCAVILLA:HIMSA - Noah 4 Audiogram Module

Journal Module

Remove Alert

Above the Alerts list the 'From' dropdown allows the user to filter on only the Alerts assigned to them as well as to filter on unassigned Alerts.

Noah4Auditbase - Business System

Alert Dashboard

Sort by: Most recent From: All alerts

All alerts
My alerts
Unassigned alerts

FIRSTNAME20450 LASTNAME20450	Performance	03/12/2020	▶
FIRSTNAME20284 LASTNAME20284	Performance	03/12/2020	▶
FIRSTNAME20286 LASTNAME20286	Performance	03/12/2020	▶
FIRSTNAME20200 LASTNAME20200	Hearing Performance	03/12/2020	▶
FIRSTNAME20134 LASTNAME20134	Hearing Performance	03/12/2020	▶
FIRSTNAME20379 LASTNAME20379	Hearing Performance	03/12/2020	▶
FIRSTNAME20677 LASTNAME20677	Hearing Performance	03/12/2020	▶
FIRSTNAME19915 LASTNAME19915	Hearing Performance	03/12/2020	▶
FIRSTNAME20518 LASTNAME20518	Hearing Performance	03/12/2020	▶
FIRSTNAME20657 LASTNAME20657	Hearing Performance	03/12/2020	▶
FIRSTNAME19907 LASTNAME19907	Hearing Performance	03/12/2020	▶
FIRSTNAME20402 LASTNAME20402	Hearing Performance	03/12/2020	▶
FIRSTNAME20436 LASTNAME20436	Hearing Performance	03/12/2020	▶
FIRSTNAME20499 LASTNAME20499	Hearing Performance	03/12/2020	▶
FIRSTNAME20247 LASTNAME20247	Hearing Performance	03/12/2020	▶

If the window is **maximized** then visible to the far right is the patient's Session List to help put the Alert in context.

Noah4Auditbase - Business System

Alert Dashboard

Sort by: Most recent From: All alerts

FIRSTNAME20450 LASTNAME20450	Hearing Performance	03/12/2020	▶
FIRSTNAME20284 LASTNAME20284	Hearing Performance	03/12/2020	▶
FIRSTNAME20286 LASTNAME20286	Hearing Performance	03/12/2020	▶
FIRSTNAME20200 LASTNAME20200	Hearing Performance	03/12/2020	▶
FIRSTNAME20134 LASTNAME20134	Hearing Performance	03/12/2020	▶
FIRSTNAME20379 LASTNAME20379	Hearing Performance	03/12/2020	▶
FIRSTNAME20677 LASTNAME20677	Hearing Performance	03/12/2020	▶
FIRSTNAME19915 LASTNAME19915	Hearing Performance	03/12/2020	▶
FIRSTNAME20518 LASTNAME20518	Hearing Performance	03/12/2020	▶
FIRSTNAME20657 LASTNAME20657	Hearing Performance	03/12/2020	▶
FIRSTNAME19907 LASTNAME19907	Hearing Performance	03/12/2020	▶
FIRSTNAME20402 LASTNAME20402	Hearing Performance	03/12/2020	▶
FIRSTNAME20436 LASTNAME20436	Hearing Performance	03/12/2020	▶
FIRSTNAME20499 LASTNAME20499	Hearing Performance	03/12/2020	▶
FIRSTNAME20247 LASTNAME20247	Hearing Performance	03/12/2020	▶
FIRSTNAME20098 LASTNAME20098	Hearing Performance	03/12/2020	▶
FIRSTNAME20176 LASTNAME20176	Hearing Performance	03/12/2020	▶
FIRSTNAME19911 LASTNAME19911	Hearing Performance	03/12/2020	▶
FIRSTNAME20122 LASTNAME20122	Hearing Performance	03/12/2020	▶
FIRSTNAME19862 LASTNAME19862	Hearing Performance	03/12/2020	▶
FIRSTNAME20042 LASTNAME20042	Hearing Performance	03/12/2020	▶
FIRSTNAME20213 LASTNAME20213	Hearing Performance	03/12/2020	▶
FIRSTNAME20277 LASTNAME20277	Hearing Performance	03/12/2020	▶
FIRSTNAME20274 LASTNAME20274	Hearing Performance	03/12/2020	▶
FIRSTNAME20527 LASTNAME20527	Hearing Performance	03/12/2020	▶
FIRSTNAME20056 LASTNAME20056	Hearing Performance	03/12/2020	▶
FIRSTNAME19906 LASTNAME19906	Hearing Performance	03/12/2020	▶
FIRSTNAME19735 LASTNAME19735	Hearing Performance	03/12/2020	▶
FIRSTNAME20641 LASTNAME20641	Hearing Performance	03/12/2020	▶
FIRSTNAME20282 LASTNAME20282	Hearing Performance	03/12/2020	▶
FIRSTNAME20058 LASTNAME20058	Hearing Performance	03/12/2020	▶
FIRSTNAME19692 LASTNAME19692	Hearing Performance	03/12/2020	▶
FIRSTNAME20448 LASTNAME20448	Hearing Performance	03/12/2020	▶
FIRSTNAME20175 LASTNAME20175	Hearing Performance	03/12/2020	▶
FIRSTNAME20593 LASTNAME20593	Hearing Performance	03/12/2020	▶
FIRSTNAME120 LASTNAME120	Hearing Performance	30/11/2020	▶
FIRSTNAME120 LASTNAME120	Request for Assistance	27/11/2020	▶

Remove Alert

Patient : FIRSTNAME120 LASTNAME120
Noah User : JULIE TYAS [Assign](#)
Priority :
Category : Hearing Performance
Received : 30/11/2020 13:55:15
Description : Problems hearing the TV.

Session List

- 11/12/2020 : ANDSHU Auditbase audiogram
ANDSHU Nxt audiogram
- 01/12/2020 : ANDSHU Subj1
- 30/08/2013 : TESTS:HIMSA - Noah 4 Audiogram Module
TESTS:Amplivox Ltd
TESTS:Amplivox Ltd
- 23/08/2002 : HILLHIMSA - Noah 4 Audiogram Module
- 01/12/2001 : LCAVILLASHIMSA - Noah 4 Audiogram Module

Underneath the description is an **'eye' button** which could open a webpage associated with the manufacturer's module. The Journal module icon would open the Noah Journal module if installed.




Beneath that at the bottom is the **'Remove Alert' button**. Be sure to remove Alerts that have been acted on to avoid the Alert dashboard becoming slow to load over time as the number of Alerts increases.




8.13 Changing clients with Noah running

When taking a busy fitting clinic, you can close open Noah modules but leave Noah active and change client in Auditbase.

- To do this, without closing Noah, select the Auditbase icon from the taskbar at the base of the desktop. The global Client can now be changed.
- To return to Noah simply use the **Noah module selection** or **Noah session browser** shortcuts from the Measurements menu in Auditbase and that part of Noah will become the focus. On slower PCs, a Noah splash screen will be shown while Noah changes the client.



- If there is any module currently left open you will be told that a session is already open and you should select the Noah Module icon on the taskbar to close it. If you were in the process of deleting a Noah action you will also be informed that a session is open.



- While Noah is minimized the icon is hidden in the Systray (the area in the bottom right corner where the clock is).
- The icon in the Systray is not really needed as the Auditbase Measurements menu should be all you need.
- If you do want to use the icon in the Systray, reveal it by clicking the small up arrow to show all icons. You can configure Windows to always show the Noah icon by clicking the up arrow choosing 'Customize'.

9 Onward referrals and reporting


The Onward referrals module allows you to collect patients together who are eligible for referral to internal or external services or who need to be reported on nationally and track the status of their progress through the referral or reporting process.

This module contains onward referral lists where patients can be added. A patient can be added to an onward referral list automatically if their audiogram triggered an addition to such a list, or manually, directly from the *Onward referrals and reporting* module, or the *Onward referrals and reporting* tab in Client information.

Onward referrals and reporting can be opened from *Navigation*, from the *Onward referrals and reporting* tab in Client information, or from the *Add to list* dialog following the audiogram preview button notification.

9.1 Automatic addition to onward referral lists

If a patient audiogram triggered a notification rule that adds a patient to an onward referral list, users will be alerted by the audiogram preview button on the toolbar being highlighted . On clicking the highlighted button, the Audiogram preview dialog opens where further action can be taken. Use  to see the notification.



Employing the ellipsis button , you can **Add/Edit onward referral** and make any required changes. You can attach the person or organisation that a patient will be referred to and appointment to this onward referral. The audiogram that triggered the addition to the list is in text form.

Status

Status is used to track the patient's progress in the onward referral process. The change of status from default (*Added to list*) means removing the notification for that patient.

- Some statuses (e.g., *referred*, *declined*) take the patient forward in the onward referral workflow.
- Other statuses (e.g., *unsuitable*, *further assessment needed*, *to be discussed*, etc.) need some review of the audiogram and other patient information and then making some user decision about what to do with patient addition to the list.
- Statuses with the option in Auditbase Administration 'Notify again on audiograms saved in the future' will notify the user again if another audiogram is recorded that matches the rule.
 - When one of these statuses is applied, then if the audiogram is saved again and it still matches the notification rule, the user will be notified again.

Add/Edit onward referral

The Auditbase audiogram must not be used as the sole means by which a diagnosis is made. OK Close

Referred to: MARORA, KINGSWOOD SURGERY, KINGSWOOD AVENUE, PARK NORTH, SWINDON, PC ...

Responsible user: SysAdm

At appointment: 11/30/2022, 1 ...

Audiogram: 11/29/2022, no. 5

Status: Added to list 11/29/2022

Added by LRDC Severe,
Audiogram: 11/29/2022, no. 5

Patient consent: Not applicable 11/29/2022

The  control opens the *Onward referrals and reporting module* - > *Members tab* with all users included in the onward referral list.

9.2 Reviewing onward referrals

You can view all patients on a particular list from the Members tab. If you opened the module from Navigation, you need to select the list first on the *Lists tab* to be able to see its contents on the Members tab.

On the Members tab, you can review the members of each list. With long lists, you can filter by *Status* or *Responsible user*, only one value can be selected at a time. The text to the right under the description box shows how many clients are in the list and how many are visible under that filter.

You can add new patients via the **Add selected client** and **Search and Add clients** controls. The 'Add selected client' option will add the global client to the list. You can use the **Search and Add clients** option to find other clients to add. Using parameters on that dialog, including on the **Show advanced criteria** section, allows you to retrieve and add multiple clients who meet certain criteria including from **Client Parameters** and from **Search by hearing loss** and **Search by device(s)**.

[illegible]

Status and Client consent and the Comment to Status can all be edited directly on the row.

Detach appointment		
Date added	Status	Status date
11/29/2022	Postpone	11/29/2022
11/29/2022	Data miss	11/29/2022
11/29/2022	Deceased	11/29/2022
	Declined	
	Further as	
	Postpone	
	PTA on EN	
	Referred	
	Referred fr	
	To be disc	
	Unsuitable	

Editing onward referrals

Use the **Edit** button to open the edit dialog and change any of the attributes of the Onward referral including adding an organisation or individual to refer to. These organisations and individuals are configured in the *Referring Agents* dialog.

Add/Edit onward referral

The Auditbase audiogram must not be used as the sole means by which a diagnosis is made.
OK
Close

Referred to
MARORA, KINGSWOOD SURGERY, KINGSWOOD AVENUE, PARK NORTH, SWINDON, PC

Responsible user
SysAdm

At appointment
11/30/2022, 1

Audiogram
11/29/2022, no. 5

Status
Added to list
11/29/2022

Added by LRDC Severe,
Audiogram: 11/29/2022, no. 5

Patient consent
Not applicable
11/29/2022

To select multiple clients tick each row on the left-most border. If you highlight another row that row is added to the multiple selection while it is highlighted. The text above the list table shows how many records are selected.

Lists Members

Add selected client Search and Add clients Edit Remove C

Filter

Status

Added to list

Responsible user

SysAdm

Onward referral

LRDC Severe

Severe hearing loss

Select All 3 entries selected

	Referred to	At appointment	Hospital no.	Name	Gender	User added	Respons
✓	MARORA	1 *, 11/30/2022, 1	T132991	20-111FIRSTNAME32991 15-LASTNAME32991	Male	SysAdm	SysAdm
?			T117240	MISS FIRSTNAME17240 LASTNAME17240	Female	SysAdm	SysAdm
✓			T119840	MISS FIRSTNAME19840 LASTNAME19840	Female	SysAdm	SysAdm

You can edit the Status on multiple clients simultaneously by using this multiple selection and the **Change status** button. See details in [Status](#).

You can export the list of patients Onward referrals to use in Excel. You can also generate letters to one or more patients by making a multiple selection on the list and creating a letter based on a template which has been assigned in Documents module as being available in the Onward referrals and reports module. Furthermore, it is possible to attach or detach appointments for patients directly on the list by highlighting the corresponding list entry and using the respective control.

A client can only be recorded on any particular Onward referrals and reports list once. If the client is on multiple lists the other lists will be shown in the table at the bottom of the screen.

If the user does not have the right to see lists of some specific type, they will not be able to select that list from the *Lists* tab. Patient membership on these lists will not be shown for that user on the *Members* tab - > *Other referrals* table.

9.2.1 Status

Status is used to track the patient's progress in the onward referral process. You can edit the Status on multiple clients simultaneously by using this multiple selection and the **Change status** button.

The change of status from default (*Added to list*) means removing the notification for that patient.

- Some statuses (e.g., *referred*, *declined*) take the patient forward in the onward referral workflow.
- Other statuses (e.g., *unsuitable*, *further assessment needed*, *to be discussed*, etc.) need some review of the audiogram and other patient information and then making some user decision about what to do with patient addition to the list.

- Statuses with the option in Auditbase Administration 'Notify again on audiograms saved in the future' will notify the user again if another audiogram is recorded that matches the rule.
 - When one of these statuses is applied, then if the audiogram is saved again and it still matches the notification rule, the user will be notified again.

9.3 Managing onward referral lists

On the *Lists tab*, you can see Onward Referral lists that have already been added in Auditbase.

When a list is selected, the comment section below the table will display comments related to that particular list. Each list is assigned a type and a responsible person that can be changed via the **Edit** control. Users can also create new referral lists or delete existing, employing the corresponding buttons on top. To filter out lists unrelated to yourself, activate the option "Show only assigned to me".

ListsMembers

NewEditDelete

☐ Show only assigned to me

Title	Responsible	Type	
LRDC All	SysAdm	Paediatric lists	
LRDC Profound	SysAdm	Paediatric lists	
LRDC Severe	SysAdm	Paediatric lists	
Paediatric module onward referrals	SysAdm	Paediatric module onward referrals	
Swedish Severe hearing loss register	SysAdm	Adult lists	
UK NICE Implant guidance	SysAdm	Paediatric or adult referrals	

Comment on selected referrals list


Severe hearing loss

10 Client pathway overview

To open the **Client pathway overview**, select from the Auditbase **Navigation** area → **Client pathway overview**.

Planned and completed actions in a referral pathway can be seen, whether you're using referrals and appointments or not. The initial view that is displayed can be set by default.


There is an easy to use but highly flexible configuration for site and user favourite views. You can create new actions and easily see an overview or the detail of most standard actions in a journey.



Navigation around the pathway view can be performed by using the keyboard arrow and tab keys as well as using the mouse.


Each of the stages has two dates adjacent to the title. Stages that have already been completed will show the stage start date and the stage end date respectively. The following stage will show the date of the completion of the previous stage as the start date.

Referral breach warnings will be displayed as part of each stage.




Expanding one of the stages will display all the tests and/or forms that have been completed for this stage.

You will also see a list of the Planned clinical actions, which are the tests and/or forms that are appropriate for this stage as set by the System Administrator. Any completed appointments are also shown with any associated clinical actions.



Right clicking on any action or appointment will show a series of options.

- **Refresh** – Will refresh the entire pathway.
- **Expand selected level** – Will open the items in the levels below the selected one.
- **View** – Any of the pathway views can be selected by selecting **View** and then the relevant pathway.



10.1 Changing the size of the viewing pane

Selecting an action or appointment will display the relevant information on the right hand-side of the screen.

The screenshot displays the Auditbase - [Referral] application window. The interface is divided into several sections:

- Top Menu:** Includes File, View, and Functions. Functions include Detailed, Quick, Save, Print list, Import data, Export data, Export to Noah, Log off, and Exit Auditbase.
- Client Information:** Client T146738 MRS FIRSTNAME46738 LASTNAME46738, User USER NAME35, All locations, All departments.
- Navigation:** A sidebar on the left with icons for Individual client, Client pathway view (selected), Clinic management, Stock management, User tasks, and PPP list.
- Referral Overview:**
 - Referrals:** 108858, 05/01/2011, ++DIRECT REFERRAL / Audio assess. Client name: MRS FIRSTNAME46738 LASTNAME46738. Buttons: Refresh, Cancel.
 - Book:** Search and book, Add to list, Add observation, Print referral, Print receipt, Print answer, New, Save, Delete.
 - Selected referral:** PathwayID: 0002-1644-8953. RTT start date: 05/01/2011, Age at start: 65y, Wait time: 0. Referral date: 10/12/2010, Other date: 06/01/2011. Treatment type: ++DIRECT REFERRAL / Audio assessment. Reason: ++GP direct referral. Customer: SWINDON PCT. Referred by: DR J FROST, WESTROP SURGERY, HOME FARM, H... Referring agent ref. Medical priority. Referral handling: Put on waiting list, Booked directly, Edit.
 - Waiting list entries:** Table with columns: Wait time, Date, Waiting list, Information.
 - Appointments:** Table with columns: Date, Time, Symbol, Status, Resource. Entry: 31/01/2011, 16:15, S, Res68, ++GP direct refe.
 - Observations and procedures:** Table with columns: Obs no., SNOMED code, Date, Add, S, Text.
 - Referral stages:** Table with columns: Name, Target date and warnings, Current, Active length. Rows: Assessment (15/02/2011), Treatment (06/04/2011), Follow up (05/10/2011).
- Registered by:** USER NAME11. Current status: Outcome 100a, Referral closed. Clock: Closed. since: 31/01/2011 17:19:15. Add new, History. Comment: Auto assigned as default successor for the status '34b, Referr. New outcome status: 100a, Referral closed.

The size of the left and right-hand panes can be changed. Drag the Navigation area left or right from its right border edge. Click and drag the border using the mouse to re-size the viewing panes. Increasing the size of the Navigation area will allow complete viewing of available icons.

10.2 Icons


10.2.1 Stages

Each stage has an icon which are coloured differently depending on if the stage has been completed or is the current stage.

-  - Incomplete stage
-  - Complete stage
-  - Current stage

10.2.2 Actions

Each type of action has an icon. These icons are coloured if an action has been completed.



They are uncoloured if the action has not been completed.

10.2.3 Appointments

An appointment icon will change depending on if the appointment has an action linked to it or not

-  12/27/2013  V5 Test Follow Up, Res55 - Appointment does not have a linked action
-  1/2/2014  V5 Test Follow Up, Res46 - Appointment does have a linked action

10.3 Actions linking to appointments

On several types of actions, auto-linking to appointments can be provided. Examples include such action types:

- SaLT tests
- Documents
- Questionnaires
- Stock actions
- Earmoulds

Auto-linking settings are defined in the system administration tool.

If such a clinical action is created, the most relevant appointment will be attached. If only one appointment occurs for the client that day, and the appointment start time is earlier than the current time, then the action will be attached to that appointment. If it is not clear which is the most relevant, for instance if there is more than one appointment on the same day or none at all that day, a dialogue box will open asking you to attach the most appropriate appointment.

Each dialogue box for such action has a special button for attaching the action to or detaching it from an appointment. The button is equipped with a symbol which reflects the state of the action: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the action linking.

To attach an appointment, click this button and an information dialogue box will open where you can **Attach** the correct appointment to link to the action. The button icon now changes to show an appointment is attached.

Attach appointment

Attach

Close

Date	Symbol	Description	Resource	Status
13/01/2020	IF	from1	Res46	*
13/01/2020	2	2	Charlie	*
10/01/2020	E	PHAC new p	Charlie	*
10/01/2020	1	1	Charlie	*
09/01/2020	E	PHAC new p	Stassy	*
09/01/2020	1	1	Res54	*

If the appointment is linked to a referral, then the **Referral stage**, where the appointment took place, will be shown here.

Auditbase - [Client pathway view]

File

Detailed Quick Import data Export data Export to Noah Log off Exit Auditbase

Search Import/Export Client data Exit

Client <T>T18765 MR JOHN SMITH User SYSTEM ADMINISTRATOR Multiple locations... Multiple departments... ?

Navigation

Favourites

- Referral
- Documents and attachments
- Waiting list
- AB Audiogram
- Attention list
- User reports
- Booking
- Invoice
- NOAH session browser
- Open latest fitting action

Client pathway view

Full pathway

22/08/2019, ++TINNITUS

22/06/2015, ++DIRECT REFERRAL / Audio assessment

18/06/2015, ++AUDIO REVIEW reassessment

<No stage defined>

10/01/2020 PHAC new patient mould-, Charlie

09/01/2020, BKB test, L: HA1, R: HA1

18/06/2015 ENT new patient mould-, Travy

18/06/2015

10/04/2015, ++AUDIO REVIEW reassessment

24/03/2015, ++AUDIO REVIEW reassessment

12/10/2001, ++DIRECT REFERRAL / Audio assessment

<No referral>

Individual client

Client pathway view

Clinic management

Client MR JOHN SMITH Compare results New Save Delete

Tests 09/01/2020, 1, L: HA1, R: HA1, +10 dB1 Created by SYSTEM ADMINISTRATOR

Date of test 09/01/2020 Age at test 79y Referral stage Assessment

☐ Not administered Appointment attached: *, 10/01/2020, PHAC new patient mould- 0

Left ear HA1 Right ear HA1

Presentation level 70dB SPL Test condition Audition + lipreading122

Noise level (signal > noise) +10 dB1 Noise type White

Lists Used Number of Sentences Presented 16

Optional calculation of results


Number of Key Words Presented 9 % of Key Words Correct 56

Number of Key Words Correct 5

Notes


10.4 Pathway views

At the top of the Client pathway overview, you can choose the type of **View** from a drop-down list and save that view as your default. These views have icons showing if they are a global view , a site view , or user view .



-  - Configure View (Shortcut = F4). See the details of the selected view and configure your own.
-  - Refresh View (Shortcut = F5). When an action is added to or moved on the pathway you can refresh using this button and your view of any expanded sections will be maintained.
-  - Save defaults (Shortcut = F6). Save the position of the vertical bar and the current view as default.
-  - View missing actions in a pathway. Run a crystal report displaying user defined missing actions for selected Treatment types.


If changes are made to any element of the overview outside of the **Client pathway overview**, a message window will appear advising you of this and whether you want to refresh the overview or not.




10.4.1 System default views

There are a number of system default views set by Auditbase System which can be used as templates for site default views or user specific views. You can view in detail how each template view is made using the Configure  button mentioned below.


- **Implant data stages** – For use with Implant module licenses only.
- **Full pathway** – Displays all referrals, clinical actions and appointments in Stages including planned actions.
- **Action types only** – Displays the action types with actions attached showing the date of the action.




- **Actions only** – Displays all actions grouped by action then in date order, newest action at the top.



- **Without stages** – Displays referrals with attached actions and appointments but no referral stages.




- **Without stages and appts/dates** – Displays referrals and actions but does not shows stages or appointments.



10.4.2 Configure Views

By selecting the Configure button  , views can be configured and saved. A **Configure view window** will open.



The global views cannot be changed. The view must be saved as a site or user view. Making any adjustments to the view will cause the name to be changed to remind you to save as site or user view.

Name	Modified, rename to save

Grouping level options can be chosen by checking or unchecking the relevant boxes. Planned actions which have not been completed can be shown by checking the **Show planned actions** box.

There are additional filtering options which are shown in the section titled **Advanced filtering options**. The filter will be active if the relevant box is checked.

Advanced filtering options

☒ Show stages containing no data
 - Current stage will be shown even with no data

☒ Show appointments not attached to referrals (and their attached actions)
 - Referral selection will be based on start date

☒ Show actions not attached to appointments group by date
 - Referral selection will be based on start date

- **Show stages containing no data** – Stages will be shown even if there is no data associated with the stage.
- **Show appointments not attached to referrals (and their attached actions)** – If there are appointments which are not attached to a referral, the appointment will still be shown.
- **Show actions not attached to appointments group by date** – Actions which are not attached to appointments will be grouped by the date of the appointment.

Once you have made changes to the view, you can preview it before saving by selecting the **Preview** button. Once you are happy with the correct layout, you can give the view a **Name** and **Save site view**. The view will then be saved in the list in alphabetical order.

10.4.3 Missing Actions Reports

Selecting the printer symbol  from the Client pathway view pane will open a choice of two system reports.

- Planned clinical actions by specialist
- Planned clinical actions by planned stage end date



Planned clinical actions by specialist
 Planned clinical actions by planned stage end date

Using these reports will allow you to identify incomplete actions within an individual client pathway or multiple clients' pathways.

Multi selection fields

To report on multiple values from multi-selection fields, each value is clicked on and moved to the **Selected items** box using the arrows adjacent to the box. When a value is transferred to the **Selected items** box that value will be reported on and anything left in the **Available items** box will not be reported on.

Missing actions in pathways

Current filter: <New filter> Save Save as ... Delete

Missing actions in pathways Run report

Filtering clinical actions

Specialist

Available items: Audiology tests and measurements, SaLT tests, ToD tests, General

Selected items:

Ignored

Add All Remove All

Additional clinical action types

Available items: Audiogram, BKB test, BKB Sentences test (Adaptive or Non adaptive), AB Words test, CUNY test, VSA test, Common phrases test, Mr. Potato test, CAP test, CEPS test, SIR test

Selected items:

Ignored

Add All Remove All


Treatment type

Available items: ++AUDIO REVIEW reassessment, ++DIRECT REFERRAL / Audio assessment, ++FITTING - from previous referral, ++NEONATAL ASSESSMENT, ++PAEDIATRIC ASSESSMENT, ++TINNITUS, ENT Hearing aid referral, PAEDIATRIC hearing aid journey (PHAC), SPECIALISED TEST REFERRAL, Test treatment type, x DO NOT USE -AUDIO ASSESSMENT

Selected items:

Add All Remove All

Above each **Selected items** box is a check box titled **Ignored**. This remains checked until a value is moved into the box. If values are not moved across to a **Selected items** box and that box remains empty, no filtering will be done on that selection and all parameter values will be included in the report.



Lists

If there is a list of possible values which could be used in multiple reports (such as Assessment appointment symbols) these can be defined in Lists set up in **System Administration -> Other definitions -> Lists for report parameters**.


Show List Items

When a parameter is a list of items, you can view the items by clicking on the **Show list items** button. The button will only appear when you have selected a value containing a list.

Although the list items will be shown, you cannot make changes to the list from here. This must be done from within System Administration since the same list may be being used in other reports and to make changes will affect all the reports it is used in.

Report Filters

To save report value selections you have made, click **Save**. You will be asked to give the selections a **Filter** name.



Once you have done this, the report selections are saved as a named **Filter** and can be accessed from the **Current filter** drop down list.

Multiple Report Filters

You can create differing versions of the same report and save them as Filters. To do this, open the report you wish to adjust the parameters on. Change the values and click Save as. Give the filter a name.

Save report filter

Save Close

☒ Save to the current filter <Planned Report>
☐ Rename the current filter
☐ Save as a new filter

Name: Planned Report

☐ Save as the default filter

This will now be available in the **Current filter** drop down box along with your original report set-up. Saving each report change as a filter will mean they are all there to be re-used in the future. There is no need to keep re-building reports with varying values.

You can also direct Auditbase as to which report should be the default.

Save report filter

Save Close

☒ Save to the current filter <Default>
☐ Rename the current filter
☐ Save as a new filter

Name: Default

☐ Save as the default filter

The report will always open the default report as standard.

If you have made changes to report parameters but have not saved them, you will be asked if you wish to save them if you re-open the User reports list or exit Auditbase.

Run and refresh

The **Run report** button will highlight yellow as soon as a parameter is changed. This will alert the user to the need for refreshing the existing report output. Clicking on the **Run report** button will generate a new output for CSV reports.

The screenshot shows a web interface for generating reports. At the top, there's a header 'Missing actions in pathways'. Below it, a 'Current filter' section contains a dropdown menu currently showing '1 [Default]'. To the right of the dropdown are three buttons: 'Save', 'Save as ...', and 'Delete'. Below the filter section, there's another area labeled 'Missing actions in pathways' with a vertical scrollbar on the right. At the bottom right of this section is a prominent yellow button labeled 'Run report'.

The white space to the right of the parameter lists will display the running dialogue and its progress. If the report data is short, the dialogue will only flash onto the white area before disappearing. A Stop button will display along with the report dialogue in order that the process can be brought to a halt if it is taking too long to complete.

A LOG file is included in the output file in case there were errors which can be reported to Support. If the report ran without errors, then it does not need to be retained and can be deleted.

The reports consist of several parameters which you will need to populate with variables in order for a report outcome to be achieved.

The two reports have different groupings in the output layout, specialist or planned stage end date;

- Planned clinical actions by specialist
- Planned clinical actions by planned stage end date

Report Parameters

- Filtering Clinical Actions – Specialist - Variables available here consist of tests and measurements grouped into specialist areas according to the standard Tests menu grouping.
- Additional clinical action types – Variables here allow you to add additional measurements and tests not included in the first Parameter.
- Client Professional Contacts – Referring agents who are linked to at least one patient on the Additional Professional Contacts on the details tab.
- Treatment Type (Mandatory field – Must be populated) – Select the treatment type(s) you wish to report on.
- Other variables allow you to look at patients with only certain alerts, GP's, PCT's and Customers

The report outcome layout uses Crystal Reports. If required a custom version of this layout can be produced by the support office at the normal rate.



Printed: 05/03/2020

Full name	Hospital no.	NHS no.	Patient keyworker	Patient age	RTT start date	Current outcome status	Treatment type	Treatment stage	Stage status	Stage end date planned	Stage end date planned year/month	Stage end date in fact	Planned clinical action	Action completion date
Audiology tests and measurements														
FIRSTNAME625 LASTNAME625	T1625		Unknown keyworker	29	20/02/2020	10a, Awaiting first ACTIVITY	++AUDIO REVIEW reassessment	Assessment	Current	01/04/2020	April 2020		BKB test	
FIRSTNAME3864 LASTNAME3864	T13864	1111111111	DR GJ BARRON	20	02/07/2019	100a, Referral closed	++AUDIO REVIEW reassessment	Assessment	Completed	18/03/2020	March 2020	06/02/2020	BKB test	
FIRSTNAME3864 LASTNAME3864	T13864	1111111111	DR GJ BARRON	20	02/07/2019	100a, Referral closed	++AUDIO REVIEW reassessment	Treatment	Current	07/05/2020	May 2020		NOAH action	
FIRSTNAME625 LASTNAME625	T1625		Unknown keyworker	29	20/02/2020	10a, Awaiting first ACTIVITY	++AUDIO REVIEW reassessment	Treatment	Not started	21/05/2020	May 2020		NOAH action	

10.4.4 No referral

If an action or appointment is not linked to a referral, possibly because the department is not using referrals, the action or appointment will be added to **<No referral>** and will be grouped by appointment date under **<No stage defined>**.



<No referral>



<No stage defined>



25/03/2003

B BATTERIES 3, Res73



11/12/2002

R GWH Repair, Res73



28/10/2002



12/07/2002

R GWH Repair, * Res56



27/06/2002

RM GWH Earmould, * Res65



27/06/2002

11 Earmoulds

Click the button below to access our training materials.

eLearning

To access the **Earmoulds** window, enter **Shift+Ctrl+E** or go to the **Navigation** area -> **Earmoulds**.

Earmoulds - MISS.FIRSTNAME41844 LASTNAME41844

Search

Print

Label

Earmould list

Waiting lists entries

Print stat.

Open with latest

Close

Client

Hospital no. T141844

Name MISS.FIRSTNAME41844 LASTNAME41844

Comments on client

Transport

Earmoulds

Moulds

Manufacturer

Adult

Paediatric

Re-mould

Date of impr.

Sent to manu.

Ready

Issued

Copy right to left

RIGHT

Mould

No.

Eardrum

Material

Vent

Sound channel width

length

Currently worn

Manuf. ID

LEFT

Mould

No.

Eardrum

Material

Vent

Sound channel width

length

Currently worn

Manuf. ID

Comments on mould(s)

Allocated aid

Hold for

Action

Waiting list

Booking

Post

Priority

Customer

SWINDON PCT

User

SYSTEM ADMINISTRATOR

Audiogram

Show

History

Add

Delivery location

Default EM name

Centre number

EM_C1

Address line 1

Default EM line 1

Postcode

EM PO

Address line 2

Default EM line 2

Any activity regarding earmoulds for a client is listed by date and on-going number when more earmoulds are entered for a client on the same date.


The following functions are available:

Label	Produces an earmould label which automatically contains all the information entered. Centre number will be stored with the earmould ONLY when the earmould label is printed. If the Centre number comes from Workstation settings the stored value will be changed if the label is printed a second time from a workstation with a different centre number.

New	Clears all details so a new earmould can be entered.
Save	Saves the earmould details.
Delete	Removes the earmould from the client.
Print	Produces an earmould report including the attached audiogram.
Print stat.	To extract statistics from the Earmould module, press Print stat. There is also the option to export these statistics to .csv files.
Waiting list entries	Click this button to display the Client's appointments and waiting list entries window where you can review, create, or edit Waiting list entries.
Search	Click this button to open the Search earmoulds window. Enter the mould number in the Earmould number field, select Search and either double click the required mould or choose Select. The search dialog will show the centre number and can be filtered on the centre number for easier searching over multiple locations. The default number for the filter comes from the centre number used on that workstation but can be changed here. The delivery address is taken from Location where specified. If Location is not specified then the default address in the System Administration -> Earmould settings is used.
Earmould list	Opens the Earmould list, which displays a list of earmoulds, either Paediatric or Adult, filtered within a date range, either Date of impression, Date ready or Date Issued. Earmoulds that are Not Ready or Not issued can be shown by checking the appropriate box allowing you to narrow the results to earmoulds that were Ready or Issued in a certain period or have yet to be ready or issued out.. To view the lists, select Show. To select an earmould, highlight the mould and click Select or double click the mould. To print the list, click Print. The client's Location can be shown in addition to the Delivery Location. This must be enabled using the Show client location check box above the table. The state of this check box will be saved for the user including after restarting Auditbase. Note the warning that showing Client Location can cause a reduction in the speed of populating the Earmould List.
Open with latest	Check this box to have the Earmould dialog open with the latest earmould order displayed automatically.

The following information can be viewed and edited in the window:

Manufacturer	When a manufacturer is selected the Earmould Types and Materials

	available can be restricted if a relationship between Types, Materials and Manufacturers is configured in System Administration by your System Administrator. This allows users to be selecting only from the Types and Materials supplied by the chosen Manufacturer.
Hospital no. and Transport	These are added from Client information (see Client information).
Earmoulds	Lists the selected client's previous earmoulds.
Eardrum right and Eardrum left	A free text box to enter details about the ear canal and eardrum.
Mould right and Mould left	Select the required earmould(s) from the dropdown lists.
Material	A specific earmould material can be selected from the drop-down menu.
Vent	Enter the vent size
Sound channel width	Width of sound channel
Sound channel length	Length of sound channel
Currently worn	If a previous earmould is the client's preferred one this can be recorded as Currently worn . On the Client Information page, the most recent Currently worn is shown rather than latest issued.
Manuf. ID	The Manufacturer ID as they use it can be recorded with the mould.
Copy right to left	Check box to copy Mould , Material and Eardrum information from right to left ear.
User	The logged in user, but can be changed manually if required.
Date of impr.	The date of the impression. Entered automatically by Auditbase but can be manually changed. An appointment can be linked to the earmould by  selecting the link button to the right of the date . The client's previous appointments will be shown and the appropriate appointment can be attached by double-clicking it or selecting and clicking on Attach.
Appointment attachment	With this button, you can attach the earmould to or detach it from an appointment. The button has a picture which reflects the state of the

	earmould: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the earmould linking.
Sent to manu	The date the impression was sent to the manufacturer.
Ready	The date the mould returns from the manufacturer.
Issued	The date the mould was issued to the client.
Paediatric	Check box to identify a paediatric earmould.
Adult	Check box to identify an adult earmould.
Action	Waiting list, Booking, Post and Priority check boxes.
Re-mould	Identifies an earmould that is being re-issued to a client.
Comments on mould(s)	Comments in this free text box will be printed onto the earmould label.
Comments on client	Can be used to add comments about the client.
Allocated aid	Enter details about hearing instruments that need to be allocated to this particular client or mould.
Hold for	Enter details about special instructions regarding who the mould must be given to when the mould returns.
History	Enter details about the earmould's history, for instance date of earmould repair.
Customer	A customer, usually a Trust or CCG, can be selected from the drop-down menu.
User	The user creating the earmould is pre-selected but can be chosen from the drop-down menu if the appropriate rights have been awarded by the System Administrator.
Audiogram	The drop-down list contains the selected client's audiograms. You can select an audiogram in this list and it will be printed with the earmould report. Click Show to activate a window for the audiogram review.
Centre Number	The Centre number is editable and is filled by default with the workstation value. This value is saved when the earmold is first saved.
Post Code	The Post code is taken from the delivery address which is usually only used in conjunction with the Repair module.

11.1 Entering Earmould details

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation** area-> **Earmoulds**.
- Click on **New**.

Earmoulds - MISS. FIRSTNAME41844 LASTNAME41844

Search Print Label Earmould list Waiting lists entries Print stat. Open with latest Close

Client
Hospital no. T141844 Name MISS. FIRSTNAME41844 LASTNAME41844 Comments on client

Transport

Earmoulds [Dropdown] Delete New Save

Moulds
Manufacturer [Dropdown] ☐ Adult ☐ Paediatric ☐ Re-mould Date of impr. 04/07/2021 Sent to manu. 07/07/2021 Ready 24/07/2021 Issued

☐ Copy right to left

RIGHT
Mould EM 2101 - SOLID-ACRYLIC HARD No. [Text]
Eardrum [Text]
Material [Dropdown] Vent [Text]
Sound channel width [Text] length [Text]
Currently worn ☐ Manuf. ID [Text]

LEFT
Mould EM 2101 - SOLID-ACRYLIC HARD No. [Text]
Eardrum [Text]
Material [Dropdown] Vent [Text]
Sound channel width [Text] length [Text]
Currently worn ☐ Manuf. ID [Text]

Comments on mould(s) Allocated aid

Hold for

Action
☐ Waiting list
☐ Booking
☐ Post
☐ Priority [Text]

History [Text] Add

Customer SWINDON PCT
User SYSTEM ADMINISTRATOR
Audiogram [Text] Show

Delivery location Default EM name
Address line 1 Default EM line 1
Address line 2 Default EM line 2

Centre number EM_C1
Postcode EM PO

- In the **Eardrum** right and left fields you can write about the condition of the eardrums and ear canals.
- Select earmould type from the earmould right and/or left lists.
- Check that the correct username is displayed in the **User** field. Use the drop-down list to modify, if necessary.
- Select the **Manufacturer** from the drop-down list.
- If applicable check one or both boxes **Post** and **Priority**.
- If applicable check one of the boxes **Adult** or **Paediatric**.
- If enabled by the system administrator and the earmould requires a letter to be sent to the client when it is returned, check the **Re-mould** box
- If necessary, enter comments in any of the 4 comment fields.

*Comments on mould(s) box will be printed
on the earmould label.*

- If required, enter **Ventilation channel** characteristics, and **Sound channel** width and length
- If left mould is the same as right mould, check **Copy right to left** to copy all characteristics of the right mould to the left mould.
- Click **Save**.
- An automatic identification number for the earmould will now be added by the system. This feature can be disabled by the system administrator, and manual identification numbers can be added.
- If there is a need to review client's waiting list entries while filling earmould details, click **Waiting list entries** button.

11.2 Entering information to show the earmould has been sent to the manufacturer

This can be done when entering earmould details:

- Enter the date in the **Sent to manu** box.
- Click **Save**.

Date of impr.	Sent to manu.	Ready	Issued
10/01/2020			
LEFT			
Mould		No.	

If this is done at a later date, for instance if the moulds are sent off in batches:

- **Navigation -> Earmoulds.**
- Click the **Earmould list** button.
- Enter the required date range.
- Click **Show**.

Earmould list
×

☐ Paediatric
☐ Adult
Print
Close

Date of impression: 10/01/2018 to 10/01/2020 Earmould centre number:

Date ready: to ☐ Not ready ☐ Filter on code

☐ Select all Show Select Fill ready date

Right No.	Left No.	Date of imp.	Sent to manu.	Date ready	Hospital no.	NHS no.	Client name
		09/01/2020	09/01/2020	09/01/2020	4084432		MS. 1 1
		09/01/2020			T1120		MRS FIRSTNAME120 LASTNAME120
		11/10/2019	09/01/2020	09/01/2020	4084432		MS. 1 1
		11/10/2019	11/10/2019	09/01/2020	4084432		MS. 1 1
		21/08/2019			Q222222		Father Test firstname Test surname
		29/07/2019			T15825		MRS FIRSTNAME5825 LASTNAME5825
125	126	13/03/2019	13/03/2019		R897596	9589544444	Mr. XXXXXXXXXXXXXXXXXXXXXXXXXXXX CL
789		03/07/2018	03/07/2018	03/07/2018	D568978	5555555555	Mr. test df_1
		14/06/2018			T146087		MRS FIRSTNAME46087 LASTNAME460
		14/06/2018			T111190		MR FIRSTNAME11190 LASTNAME11190
		14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
2	22	14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
		14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
		14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
		14/03/2018	14/03/2018				* CLIENT PERMANENTLY DELETED *

- Double-click on the appropriate client.
- Click on **Sent to manu.** and enter the date.
- Click **Save**.

11.3 Entering information that the mould has been returned from the manufacturer

- **Navigation** -> **Earmoulds** and click **Search**.
- Enter the earmould number from the earmould label.
- Click **Search**.
- Highlight the appropriate client name.
- Click **Select**.
- Double-click on the **Ready** box. The current date is automatically entered. If set up by the System Administrator, an Automatic Journal Entry will be entered into the Journal.
- If the **Re-mould** box was checked, the send letter window box automatically opens and you can select the appropriate letter to send to the client.
- If the **Re-mould** box was not checked, click on **Save**.
- If you want to put the client on a waiting list, use the **Waiting list** button at the top of the screen.
- Or you can close the earmould page and book an appointment for the client in the booking screen.

11.3.1 Booking back multiple Earmoulds

- Open the Earmould List and run the search based on earmoulds which have not been marked as Ready. This is done by selecting the **Not Ready** box and then clicking **Show**.
- Select the earmoulds which are to be returned by clicking to the left of the **Right No.**

Earmould list

☐ Paediatric ☐ Adult Print Close

Date of impression: to 10/01/2020 Earmould centre number:

Date ready: to ☐ Not ready ☒ Filter on code

☐ Select all Show Select Fill ready date

Right No.	Left No.	Date of imp.	Sent to manu.	Date ready	Hospital no.	NHS no.	
		09/01/2020	09/01/2020	09/01/2020	4084432		MS. 1 1
		09/01/2020			T1120		MRS FIRSTNAME120 LASTNAME120
		11/10/2019	09/01/2020	09/01/2020	4084432		MS. 1 1
		11/10/2019	11/10/2019	09/01/2020	4084432		MS. 1 1
		21/08/2019			Q222222		Father Test firstname Test surname
		29/07/2019			T15825		MRS FIRSTNAME5825 LASTNAME58
125	126	13/03/2019	13/03/2019		R897596	9589544444	Mr. XXXXXXXXXXXXXXXXXXXXXXXXXX
789		03/07/2018	03/07/2018	03/07/2018	D568978	5555555555	Mr. test df_1
		14/06/2018			T146087		MRS FIRSTNAME46087 LASTNAME4
		14/06/2018			T111190		MR FIRSTNAME11190 LASTNAME11
		14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
2	22	14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
		14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
		14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
		14/03/2018	14/03/2018				* CLIENT PERMANENTLY DELETED

- Select **Fill Ready date**

Earmould list

☐ Paediatric ☐ Adult Print Close

Date of impression: to 10/01/2020 Earmould centre number:

Date ready: to ☐ Not ready ☒ Filter on code

☐ Select all Show Select Fill ready date

	Right No.	Left No.	Date of imp.	Sent to manu.	Date ready	Hospital no.	NHS no.	
			09/01/2020	09/01/2020	09/01/2020	4084432		MS. 1 1
✓			09/01/2020					MRS FIRSTNAME120 LASTNAME120
			11/10/2019	09/01/2020				MS. 1 1
			11/10/2019	11/10/2019				MS. 1 1
✓			21/08/2019					Father Test firstname Test surname
✓			29/07/2019					MRS FIRSTNAME5825 LASTNAME58
	125	126	13/03/2019	13/03/2019			4444	Mr. XXXXXXXXXXXXXXXXXXXXXXXXXX
	789		03/07/2018	03/07/2018	03/07/2018	D568978	5555555555	Mr. test df_1
			14/06/2018			T146087		MRS FIRSTNAME46087 LASTNAME4
			14/06/2018			T111190		MR FIRSTNAME11190 LASTNAME11
			14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
	2	22	14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
			14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
			14/06/2018	14/06/2018	14/06/2018	T1120		MRS FIRSTNAME120 LASTNAME120
			14/03/2018	14/03/2018				* CLIENT PERMANENTLY DELETED

- Insert the date you wish to identify as the date earmoulds were ready and then select **Save**. **Note:** The date will automatically populate with the date on the PC calendar.

11.4 Viewing a client's previous earmould impressions

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation -> Earmoulds.**
- From the **Earmoulds** drop-down list, select the date of impression you want to view from the list.
- All details of this earmould will now appear on screen.

Earmoulds - MRS FIRSTNAME2278 LASTNAME2278

Search Print Label Earmould list Waiting lists entries Print stat. ☐ Open with latest Close

Client
Hospital no. T12278 Name MRS FIRSTNAME2278 LASTNAME2278 Comments on client
Transport

Earmoulds Delete New Save

Moulds
☐ Copy r
6, 15/06/2009
5, 30/12/2008
4, 26/06/2007
3, 06/04/2004
2, 27/06/2002
1, 11/04/2000

RIGHT

Mould No.

Date of impr. 10/01/2020

LEFT

Mould No.

11.5 Attaching audiograms to printouts

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation -> Earmoulds.**
- Select the appropriate earmould by selecting date from the earmoulds drop-down list at the top of the page.
- Select an audiogram in the drop-down list.
- Click **Save**.
- Select **Print**.

11.6 Earmould barcodes

In the Earmould module you can search for an earmould either by user input or with a barcode scanner. When using the barcode scanner, a unique earmould barcode is needed. This barcode can be printed out from Auditbase, if so set up in Auditbase system administration.

- Click on **Label** in the Earmould module.
- A label will be printed followed by a barcode if so configured by your system administrator.

Client name: MRS FIRSTNAME1966 LASTNAME1966

Hosp No: T11966

NHS No:

Impression date: 10/18/2010

Barcode (not transformed): &!101018-7724

Barcode (transformed):



- The label contains information concerning the patient's earmoulds such as the earmould numbers, type of earmoulds, as well as a hospital number and the audiologist who has worked on the patient. Comments and notes can also be added to the label.
- Once the barcode has been printed, use a barcode scanner to find the earmould in Auditbase System.

Search earmoulds

Search

Select

Close

Earmould number: 123

Earmould centre number:

Clients found:

☒ Filter on code

Hospital no.	NHS no.	Name	Date of im
T14438		MRS FIRSTNAME4438 LASTNAME4438	30/03/20
T14438		MRS FIRSTNAME4438 LASTNAME4438	30/03/20
T14438		MRS FIRSTNAME4438 LASTNAME4438	30/03/20
T999444	1233211233	Father Tname Fname	28/03/20

12 Paediatric Module

Click the button below to access our training materials.

eLearning

The module contains information related to a client defined as a child or young person. The module is only accessible when you have selected a client whose age corresponds to the limits set up by the system administrator.

To access the module, go to **Navigation** area -> **Paediatric** or press **Ctrl+Shift+P**.

When either **Client search (F3)** or **Client quick search (Ctrl+F3)** is activated from the Paediatric module, it is only possible to create a new paediatric case for a person below the age limit defined by the system administrator.

If a client aged below the limit is selected, you can add or modify paediatric information. If the client does not have an existing paediatric record, the paediatric module is left empty and you cannot enter or save data.

When merging clients that have a Paediatric Module record, only the record belonging to the Major will be retained after merging. Please ensure you have copied all important data from the Paediatric Module record of the client to be merged into the Paediatric Module record of the Major client before merging.

12.1 Entering data in the Paediatric module

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation** -> **Paediatric**, or press **Shift+Ctrl+P**.

To create a new Paediatric record for a client the client must be aged below the limit set by the system administrator.

- Using the tabs at the top of the screen enter the data required in each field.
- The tab to be presented at start-up is defined by the system administrator.
- Auditbase will prompt you to save information as you leave each tab or the module.

12.1.1 Contact Information

The information in the **Contact** tab is meant to give a quick overview of relevant contacts for the child.

The information on this tab is a combination of drop-down lists and free text. The content of the drop-down lists can be edited in the following way.

- Right-click on the drop-down arrow of the fields you want to edit.
- Click **New**.
- Add the required name for the **Text** box.
- Click **Apply**.
- Click **Close**.
- The required name will now appear in the drop-down list and can be selected via clicking.

The fields that are edited in this way are: **TOHI** (Teacher of the Hearing Impaired), **Head of TOHI**, **SALT** (Speech and Language Therapist), **Community Paediatrician**.

- **Audiologist** is a drop-down list of the users on the system.
- ENT Consultants and School Information are added from lists.
- The ENT Consultant may be transferred from the Client Information screen if configured to do so by your System Administrator. Any change here may affect the ENT Consultant in the Client Information module.
- Click on the button at the end of the field and select the required option:
- **Create new** allows you to add a new referring agent, for instance a school, doctor or health visitor. Fill in the referring agent screen as required.
- **Select all** opens the search window, where you can enter search criteria. Highlight the referring agent you wish to select and double-click or select to add them to the client record.
- **Select from list** opens the search window and automatically displays all agents. Highlight the referring agent you wish to select and double-click or select to add them to the client record.
- **Clear field** removes the currently selected referring agent from the client record.
- Change to the information is saved to the database by clicking **Save** from the **File** menu or pressing **Ctrl+S**.

12.1.2 Referral information

A dynamic overview of referrals through time is obtained from this tab listing date, agent, reason(s) and notes.

Contact information	Referral information	Audiogram	Risk analysis	Consultations	PCHI	Clinical inf.																												
Previous referrals <table border="1"> <thead> <tr> <th>Date</th> <th>Agent</th> <th>Agency</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>02/21/2008</td> <td>* AA-CHECK GP</td> <td></td> <td>++Patient self referral</td> </tr> <tr> <td>02/27/2008</td> <td>* AA-CHECK GP</td> <td></td> <td>.AUDIOLOGY referral</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>							Date	Agent	Agency	Reason	02/21/2008	* AA-CHECK GP		++Patient self referral	02/27/2008	* AA-CHECK GP		.AUDIOLOGY referral																
Date	Agent	Agency	Reason																															
02/21/2008	* AA-CHECK GP		++Patient self referral																															
02/27/2008	* AA-CHECK GP		.AUDIOLOGY referral																															
Date of referral : 02/21/2008 Referring agent * AA-CHECK GP, PLEASE REQUEST GP NAME ... Referring agency ... Referral reason ++Patient self referral Information concerns with S+L Reason for beginning Reason for ending Episodic conclusion 																																		

The drop-down lists for **Reason for beginning** and **Reason for ending** are defined by the system administrator.

Previous referrals are listed in the box. Click on the referral to see the information. This tab is a combination of drop-down lists and free text.

- Select the reason from the **Referral reason** drop-down list.
- Select other referral reasons from the **Reason for beginning** and **Reason for ending** drop-down lists.
- Enter further information in the text boxes.
- Referring agent and Referring agency are added from lists.
- Click on the button at the end of the field and choose the option required, see Contact information for further information on how to enter data.
- Selecting **New referral** from the **Functions** menu and entering information in the fields followed by saving, will store a new referral to the database.
- Selecting a referral from the list of previous referrals followed by selecting **Delete referral** from the **Functions** menu removes the referral from the database.
- Changes to the information are saved to the database by clicking **Save** from the **File** menu or pressing **Ctrl+S**.

12.1.3 Audiogram

Audiograms entered in the system are displayed in the Audiogram list box.

[illegible]

- To view an audiogram, click on the date to display it numerically.
- To enter a new audiogram, click on the symbol required on the left-hand side of the screen and type the numeric values in the audiogram table.
- Various tests, VRA, ABR, SSEP and Distraction can be entered.
- These tests result in audiogram thresholds for the frequencies using HL, SPL or dB(A) calibration.
- Each special test (with a set of thresholds) will be interpreted as an audiogram curve with its own corresponding symbol set in the audiogram module. Before a curve can be entered as new, calibration must be selected.
- All values are converted into HL before they are stored in the database structure.
- The curve type **Estimated audiogram** is a type that does not refer to a specific test. The intention is that the audiologist determines the thresholds for the estimated audiogram by viewing the values from the obtained special tests.
- The values for the estimated audiogram can then be entered as HL, SPL or dB(A) calibrated thresholds. All thresholds must be entered using the same calibration.
- When an estimated audiogram is saved, it is stored in the database structure as a pure-tone normal audiogram with a hard-coded note (10) on each threshold. This results in an audiogram that can be used in Noah for hearing instrument fitting, see [How to enter into Noah](#)
- The audiogram information can be viewed in **Table** or **Graph** mode so instead of entering thresholds as numerical values, the graphical display can be used as well. Choose the mode from **View -> Table mode** or **Graph mode**. The functionality is similar to the Audiogram module. By highlighting the dates in the **Audiogram list** box, you can decide which audiograms to view in both modes.
- Values can be entered in HL, SPL or dB(A).

- In both the tabular and graphical view, the audiogram can be viewed from the audiogram module and all other places where the audiogram is present.
- In both layouts, the mean values for 500, 1k, 2k Hz or 500, 1k, 2k, 4k Hz are displayed.
- Changes to the information are saved to the database by clicking **Save** on the screen, from the **File** menu or pressing **Ctrl+S**.

Note: If a new audiogram is chosen the client cannot change the audiogram mode to graph. If the client is on graph mode then selecting a new audiogram is not possible.

12.1.4 Risk Analysis

From the **Risk Analysis** tab, the user can enter risk parameters from observations about the child explaining the hearing problem.

The screenshot shows the 'Risk analysis' tab selected in the top navigation bar. The form is organized into two columns. The left column contains several input fields and checkboxes for screening tests, parental concerns, hearing status, birth details, and family history. The right column features two tables for 'Confirmed syndromes' and 'Risk factors', each with an 'Add/Remove' button. Below these tables are checkboxes for 'Progressive' and 'Congenital/neonatal' conditions, followed by dropdown and text input fields for 'Post natal cause', 'Date of post natal cause', and 'Age of post natal cause'.

Where some of the fields require predefined input, the date fields are automatically filled with dates retrieved from the database. Each saving of risk information retrieves the system date from the database to update the **Last updated** field. The **Date of birth** field is retrieved from **Client information/Date of birth**.

Newborn hearing screening test and **Health visitor distraction test** can be unchecked or checked to indicate whether the child passed the test, has been referred for further or testing has not been performed at all.

Information to be filled is the child's **Weight at birth** in kilograms, **Hearing status**, **Operations**, **Family history**, **Parental concern**. Both **Risk factors** and **Confirmed syndromes** can be added

by clicking **Add/Remove** and selecting appropriate items in the lists of those defined via the System Administration tool -> **Paediatric definitions** -> **Risk factors** -> **Syndromes**.

All selections and texts can be corrected and updated to the database reflected in the **Last updated** field.

Changes to the information are saved to the database by clicking **Save** from the **File** menu or pressing **Ctrl+S**.

The drop-down lists for **Syndromes** and **Risk factors** are defined by the System Administrator.

12.1.5 Consultations

This tab is used to write information related to each of the child's visits to the clinic. The child can have several consultations, so with all the information on these tabs referring to a consultation, the user can enter information about future consultations and also view information from past consultations.

For onward referrals, use the *Onward referrals and reporting* module.

The screenshot displays the 'Consultations' tab in the Auditbase software. At the top, there are navigation tabs: Contact information, Referral information, Audiogram, Risk analysis, Consultations (selected), PCHI, and Clinical inf. Below these, the 'Visits' section contains a table with the following data:

Date	Time	Symbol	Status	Resource
03/29/2018	12:00	[icon]	*	Travy
03/23/2018	12:15	[icon]	5	Charlie
03/23/2018	16:15	[icon]	5	Charlie
10/10/2015	10:15	[icon]	*	Travy
10/09/2015	9:45	[icon]	*	Travy
02/10/2009	10:00	[icon]	S	Res82
01/06/2009	11:45	[icon]	S	Res82

Below the table, there are several form sections:

- General development:** Radio buttons for Normal, Delayed, and Not ascertained.
- Speech/language development:** Radio buttons for Normal, Delayed, and Not ascertained.
- Snorer/mouth breather:** A text input field.
- Colds:** A text input field.
- School advice given:** Radio buttons for Yes and No.
- Information to family:** A text input field.
- Otorrhoea:** A text input field.
- Aetiology:** A text input field.
- Otoscopy:** A text input field.
- Operation:** A text input field.
- Care plan - post consultation:** A text input field.
- Onward referrals:** A sidebar section with the text: 'Please use the Onward referrals and reporting screen'.

Date and **Time** of each consultation is automatically transferred from the appointment book, with the name of the resource with whom the appointment is scheduled.

Updating the information of a consultation is done by selecting the appropriate date and time from the list which enables the fields to be filled with information on the tab.

Free text can be added to respective fields:

- Snorer/mouth breather
- Colds
- Otalgia
- Otorrhea
- Aetiology
- Otoscopy
- Operation
- Information to family
- Care plan – post consultation
- The appointment is booked by selecting this in the Functions menu and filling in information in the appointment dialog (Booking).

Also from the **Functions** menu, a consultation can be deleted once it has been selected from the list.

Changes to the information are saved to the database by clicking **Save** from the **File** menu or pressing **Ctrl+S**.

12.1.6 PCHI (Permanent Childhood Hearing Impairment)

By entering the date of the first appointment, observations and procedures and hearing instrument issue in the date boxes and pressing TAB, Auditbase will calculate the **Age in months** at these stages for you. Auditbase uses the date of birth entered in the client information module to make these calculations.

Contact information	Referral information	Audiogram	Risk analysis	Consultations	PCHI	Clinical inf.
First audiology professional Date: 02/14/2005 Age: 0 Year(s) 1 Month(s) 27 Day(s)				Average of .5,1,2,4 kHz better ear Notes 		
Diagnosis Date: 03/15/2007 Age: 2 Year(s) 2 Month(s) 25 Day(s)						
Hearing aid issue Date: 04/27/2012 Age: 7 Year(s) 4 Month(s) 9 Day(s)						

Free text can be filled in for the average of .5, 1, 2, 4 kHz in the better ear and notes.

Changes to the information are saved to the database by clicking **Save** from the **File** menu or pressing **Ctrl+S**. Changes to any of the fields are made by correcting dates or text and saving to the database.

12.1.7 Clinical information

This tab presents an overview of the client's clinical status. Sorted by date, the medical condition, investigations and immunisations are listed in the three tables.

[illegible]

- To add information, double-click a row in the table.
- Enter new clinical information or delete existing information in the window box.
- The system date is given to the date field by default and from the drop-down box you can select between the clinical information defined by the system administrator in the Administration tool.
- Changes to the information are saved to the database by clicking **Save** from the **File** menu or pressing **Ctrl+S**.
- Information is deleted by double-clicking the respective entry in the table and pressing **Delete** in the dialog box.

12.1.8 Deleting Paediatric information

When paediatric information for a client needs to be deleted from the database, **Delete** from the **Edit** menu holds this function and the user is warned that carrying out this action cannot be undone.

Pressing **Yes** to the security question erases all paediatric information for the client from the database.

Pressing **No** ends the deleting session without erasing paediatric information for the client from the database.

12.2 Paediatric review report

To access this report in the Paediatric module:

- Select **View** -> **Paediatric review report**.
- Select **unaided audiogram**.
- Select **aided audiogram**.
- Hearing instrument information is taken automatically from the client's device list.
- Enter hearing instrument details.
- Click **Print**.

Paediatric review report / MR JOHN SMITH (T18765) ×

Print

Close

Number of copies to print

Select unaided audiogram

10/01/2020, 1

Select aided audiogram

11/03/2019, 1

Hearing Aids

Type right

NHS SUPPLIES, ITE10MR

Type left

BERNAFON, test

User volume

Right

23

Left

20

Settings

Serial number

1234432

1234433

Audiologist

SYSTEM ADMINISTRATOR

▼

Conclusion

☐ TOHI

☒ Community Paediatrician

☒ ENT

☐ SALT

12.3 Printing

You can preview or print a full report of the information you have entered in the Paediatric Module.

- Select **File** -> **Print** or press **Ctrl+P**.
- Select which pages to print:
- Print all
- General paediatric information (Family + Contact information)
- Referral information
- Audiogram
- Consultation
- Significant medical conditions/illnesses
- Investigation
- Immunisation
- A printout will be sent to the default printer.

OR

- Select **Print preview**. A copy of the report will be displayed on screen.
- When **Preview** is presented on screen, the file can be exported to **Format** and **Destination** selected in the **Export** dialog followed by **OK** to carry out selection or return to **Preview** by hitting **Cancel**.

13 Stock

Click the button below to access our training materials.


eLearning

All articles, such as hearing instruments, spare parts and services, can be managed in the **Stock** module.


The **Stock** module has relations to invoicing and other additional facilities for purchasing, ordering, repairing, etc.

To open the **Stock** module, select **Navigation -> Stock** or use **Ctrl+Shift+S**.

In the Stock tree view, all devices are shown in the hierarchy *Group/Manufacturer/Article*.



In the Stock list view, you can see all devices in a table.



Auditbase remembers the last opted-for view. When the Stock module is reopened, the view will be in the same mode as it was previously selected by user.

By default, discontinued items are filtered out. They can be included in the list when the "Show discontinued" option is selected.

In the **Filter** field, you can enter any part of the device name and all related items will be displayed. In the Stock tree view, the search is conducted within the chosen Group and Supplier. In the Stock list view, the search is comprehensive and the output will include items from all Groups and Suppliers.

In the upper section the **Stock** module lists the **Group**, **Manufacturer**, **Article**, and **Stock type** that are used for selecting the specific item to work with.

Selections are made from left to right over the available lists:

Group

Contains definitions of for example hearing instruments, spare parts, accessories and services. Groups are defined by the System Administrator. Each group is managed and identified by Serial no. or as Quantity or Service.

Depending on the group selected in the list, the displayed information in the lower part of the screen will change. For example, selection of a serial number controlled group will show **Article Information**, **Order by** and **Search**. Selection of a quantity controlled group will show **Article Information** and **Items found**. Selection of any group identified as service shows **Service Information**.

Manufacturer

Shows the manufacturers of articles of the group selected in **Groups**. For example, for the **Hearing instruments** group, the list can contain manufacturers as Auditdata, Widex, and Oticon etc. A new manufacturer can be added or existing manufacturers modified, when the group is selected, from the menu **Functions -> Settings -> Manufacturers**.

Article

Lists the sub-category of **Manufacturer**. For example, for **Hearing instruments**, the Auditdata manufacturer, the **Article** list contains stock articles produced by Auditdata. Articles are defined in **Functions -> Settings -> Articles**.

Stock type

Identifies the physical location or current status of an item. For example, when a supply of articles is delivered, the new purchased items should be registered as **In stock**.

Changing a stock type for an article implies that an article has moved from being **In stock** to being **Issued to client** or maybe temporarily **For repair** from the status **Issued to client**. The same applies to other stock types for example Spare parts.

*NOTE: Changes in the status of items create clinical actions. If you have attached them to appropriate appointments, they can be seen on the **Clinical actions** tab of the **Referral** module.*

Stock types are defined by the System Administrator.

For a quantity controlled group, items can be deleted no matter which stock type status they have.

Miscellaneous

The headings for **Manufacturer** and **Article** can be defined by the System Administrator. For example, you can see that for Spare parts, the heading for the lists changes to **Type** and **Series**.

Any selected article shows **Article information** with product ID, quantity ordered, type, codes, prices and discount, supplier and supplier article number and if you have selected a group identified serial number, you will also see a version number.

Information about external and internal product codes, lowest stock level, lowest stock level at bulk buy or collective purchasing, type, version, etc. can be attached to an article.

If an HI has the status **Lent by employee**, you will see the employee's name under the Article information, when the article is selected in the main Stock window.

Read more about the Stock module in the following chapters.

13.1 New status

To change the status of an item, select a group, manufacturer, article and stock type. Find the item and click **New status**. In the opened **New Status** dialog, select the new stock type, specify the required details and press **Save**.

Note: The status of devices and accessories can also be changed from the Devices tab of the Client Information module.

New status for serial number: 11233445. NHS SUPPLIES, ITE11MR

Client: MR. JOHN SMITH

Print Settings OK Cancel

From stock type: STOCK - GWH (In stock)

Location: All locations

To stock type: FITTED/EXCHANGED (Issued)

Article name: ITE11MR

Ear: ☒ R ☐ L ☐ N/A

Date: 28/11/2022

Recycled: ☐

User: SYSTEM ADMINISTRATOR

HI Satisfaction questionnaire wanted: ☐

History comment:

Price: £58.14

Invoice type: Invoice type 1

Reason to issue:

Item information: 333

Invoice: ☐ to customer ☒ to client

Show discontinued: ☐

If the change of stock type is the issuing of an instrument, the instrument will be given the status **Issued** and this will be registered for the selected client. Simultaneously the issue is registered for invoicing.

If so configured by your System Administrator, it might be mandatory to select the **Reason to issue** (used especially in Denmark). The reasons are listed by a four-digit code using letters and numbers. They are sorted alphabetically in order to make the selection easier. No other priority sorting is supported. You can select the code by using number and letter keys on your keyboard, when the drop-down list is selected. Each key press will select the next character in the code. Once selected, the **Reason to issue** code will then be shown on each posting related to this type of issue and inside the invoices.

All changes of status will be registered in the history of the item which is displayed via the menu **Functions -> History**.

In addition, changes of status automatically create clinical actions, namely:

- When the new stock type of a device is of the Issued category and its current stock type is not of the **Repair** or **Lost** category, a clinical action of the **Issue article** type will be created, meaning that the device is issued to the client.

- When the new stock type of a device is of the **Issued** category and its current stock type is of the **Repair** category, a clinical action of the **Issue article from repair** type will be created.
- When the new stock type of a device is of the **Issued** category and its current stock type is of **Lost** category, a clinical action of the **Issue article from lost** type will be created.
- When the new stock type of a device is of the **Lent out to client** category, a clinical action of the **Lend out article** type will be created.
- When the new stock type of a device is of the **In stock** category, and the device is associated with the client before this transaction meaning that the current stock type is either of the **Issued** or **Lent out to client** category, a clinical action of the type **Return article to stock** will be created.

*NOTE: A device can be moved to stock directly from another stock type, or from a stock type of the **Lent out to other** category, or from the **Repair** category. However, in such cases there is no client associated with the device, and a transaction like this will not be a clinical action.*

- When the new stock type of a device is of the **Repair** category, and the device is associated with the client before this transaction meaning that the current stock type is either of the **Issued** or **Lent out to client** category, a clinical action of the **Return article to repair** type will be created.

*NOTE: A device can be sent to repair directly from stock. In such a case, the current stock type is of the **In stock** category and there is no client associated with the device. Therefore, a transaction like this will not be a clinical action.*

- When the new stock type of a device is of the **Lost** category, and the device is associated with the client before this transaction which means that the current stock type is either of the **Issued** or **Lent out to client** category, a clinical action of the type **Record lost article** will be created.

*NOTE: A device can be registered as **Lost** if it is currently not associated with a client. A transaction like this will not be a clinical action.*

The **New Status** dialog can also be called by scanning a barcode of a device already registered in the system.

When a new status is selected you can change the **Print settings** for each status.


The screenshot shows a dialog box titled "Default print setting for 'FITTED/EXCHANGED (Issued)'" with a close button (X) in the top right corner. The dialog contains several sections and controls:

- Buttons:** "Clear", "Print Preview", "OK", and "Cancel" are located at the top.
- Headline text:** A text input field containing "test headline".
- Print article price:** A checkbox that is currently checked.
- Number of copies:** A numeric input field set to "0".
- Print supplier data:** A checkbox that is currently checked.
- Print addressee:** A group box containing two radio buttons: "Client" (selected) and "Supplier".
- Body text:** A large text area containing "Test 2" with a vertical scrollbar on the right.
- Lower body text:** A text area containing "Test 3" with a vertical scrollbar on the right.

*NOTE: If you have attached clinical actions to appropriate appointments, such clinical actions can be seen on the **Clinical actions** tab of the **Referral** module.*

13.2 Issuing a quantity controlled hearing instrument from stock

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Select **Navigation** -> **Stock** or press **Shift+Ctrl+S**.
- Select **Group**.
- Select **Supplier**.
- Select article/instrument type.
- Select the current stock type for the instrument, for instance Stock existing users.
- Click **New status**.
- Select the new stock type, for instance **Issued**.
- Select right or left if required.
- Click **OK**.



13.3 Issuing a serial number controlled hearing instrument from stock

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Stock** or **press Shift+Ctrl+S**.
- Select the device to be issued by scanning the barcode.

OR

- Select **Group**, for instance, NHS hearing aid.
- Select **Supplier**, for instance, NHS supplies.
- Select article/instrument type (model), for instance, BE101B.
- Select the current stock type for the instrument, for instance, STOCK - GWH.
- Enter the batch/lot number in the **Filter batch/lot** box.
- Enter the serial number of the instrument in the **Filter serial numbers** box.

*It is important that you enter the serial number of the instrument you are going to issue in the **Filter serial numbers** box before you issue the instrument. This will enable tracking of serial number controlled instruments in the system.*

The screenshot shows the 'Auditbase - [Stock]' application window. The top menu bar includes File, Edit, Functions, Statistics, and Settings. Below the menu is a toolbar with icons for Item, Article, Group, Search serial no., Search Batch/Lot, Register for stock, Add external items, New status, Bulk transfer, Battery issue, Fast accessories issue, Purchase orders, Add service to order, History, Print bar code, and New task. The main interface has a 'Client' field with 'T117575 MST FIRSTNAME17575 LASTNAME17575' and a 'User' field with 'John Smith'. Below this are tabs for Stock tree, Stock list, Search, New status, Device List, Invoice, Requisitions, and Verification. The 'New status' tab is active, showing a list of items with columns for Group, Supplier, Model, and Stock types. The 'Filter by a part of article name' field is empty. The 'Article information' section on the left shows details for item 50264, including NHS price, internal art no., and supplier. The 'Serial number' field is set to 'RKQ00255' and the 'Batch/Lot' field is set to '54115'. The 'Modified date' is '6/17/2024'. The 'Receiver' is 'BROWN'. The 'Type' is 'BROWN'. The 'Label' is 'BROWN'. The 'Item no.' is '54115'. The 'Batch/Lot' is '54115'. The 'Sales price' is '\$ 47.26'. The 'Warranty expires' is '6/17/2024'. The 'Purchase price' is '\$ 46.69'. The 'Purchase date' is '6/17/2024'. The 'Battery' is 'CP48'. The 'Return date' is '24'. The 'Warranty code' is '24'. The 'Order by' section on the right has 'Date' selected. The 'Filter serial numbers' field is 'RKQ00255' and the 'Filter batch/lot' field is '54115'. The 'Edit item' button is at the bottom right.

- When the serial number of the device is found, click **New status**.

New status for serial number: RKG00255. NHS SUPPLIES, BE101B

Client: MST FIRSTNAME17575 LASTNAME17575 Print Settings OK Cancel

From stock type: STOCK - GWH (In stock) Location: All locations To stock type: FITTED/EXCHANGED (Issued) - POSTAL BATTERIES (Issued batteries) - type1 - type2 - type3 - type4 - type5 - LOAN (Lent out to client) - TEACHERS OF THE DEAF (Lent out to other) - SENT FOR REPAIR (Repair) - DAMAGED (Lost) - LOST - OBSOLETE (Lost) - Louisa's sorting (In stock) - REPLACEMENT (Issued) - STAFF DEMOS (Lent out to other) - STOCK - PAEDS (In stock->Issued) ☐ Show discontinued	Article name: BE101B Ear: ☐ R ☐ L ☒ N/A Date: 06/17/2024 ☐ Recycled User: John Smith ☐ HI Satisfaction questionnaire wanted History comment: Price: \$47.26 Invoice type: Invoice type 1 Reason to issue: 1a01 Item information: Invoice: ☐ to customer ☒ to client

- Select the new stock type, for instance Damaged – your System Administrator can create a default ‘next stock type’ for each Stock type to speed this up.
- Select the right or left ear. **N/A** can be used for articles that are not assigned to a particular side. If **N/A** is selected, it will appear as – in the **Device** list.
- Select the **Invoice type** – your System Administrator can create a default Invoice type for the whole site and for an individual workstation to speed this up.
- Select who to invoice to – your System Administrator can save a default invoice for the whole site and for an individual workstation to speed this up.
- OK.
- If configured by the System Administrator, the system shows a confirmation request.

Stock transaction confirmation

You are going to issue (lent out - in case of lending out) the following stock article:
NHS SUPPLIES, BE101B, RKG00255
 to the following client:
T117575 MST FIRSTNAME17575 LASTNAME17575
 Details are the following:

New stock type:	FITTED/EXCHANGED (Issued)		
Side:	N/A	Date:	06/17/2024
Invoice type:	Invoice type 1	Invoice to:	Client: T117575 MST FIRSTNAME17575 LASTNAME17575
Price:	\$47.26		
Return date:			

Is the above information correct?

Click Commit to issue (system will make stock transaction)

Click Edit to return to "New status" dialog and change some information

Click Abort to cancel stock transaction

Commit Edit Abort

- **Commit** to issue, **Edit** to edit data, **Abort** to interrupt.

13.4 Issuing devices from Stock after fitting in Noah

In order for devices to be issued from Noah once you have properly programmed and fitted the hearing instrument, it is important that you have:

- Correctly selected the new instrument you wish to fit.
- Saved the Noah action.
- Closed the fitting software.

The process reacts on a new or updated saved Hearing Instrument selection action.

In order for the Stock transaction confirmation window to open successfully, you should:

- Ensure Auditbase is NOT minimised to the task bar.
- Ensure Noah is NOT minimised to the task bar.


If Auditbase is minimised and you have already saved the fitting process and closed the fitting software, maximise Auditbase again and the confirmation window will appear.

If Noah is minimised, you have already saved the fitting process and closed the fitting software, click on the Audit Base screen and the confirmation window will appear.

If you close the **Serial numbers found in Noah** dialog without issuing, the dialog will not be displayed by simply connecting to that aid again in the Noah module, a change must be made to the hearing instrument selection in the fitting module and that change saved before the dialog can reappear.

A pop up box will appear when pressing **Close** without having completed the stock transaction when issuing a hearing aid via Noah within Auditbase.

The warning will ask:



If you confirm that you wish to close the issue by selecting **Yes**, an Automatic Journal Event will be fired asking you to provide a reason why the event is being cancelled. This can be configured by your System Administrator.

Journal events

OK

Selected event

1464

Users rejected issuing device after fitting in NOAH

Keyword

GENERAL

☐ Prompt for user input ☐ Allow to cancel event ☐ Save unsigned

Issue after fitting in NOAH was activated but rejected by the user SYSTEM ADMINISTRATOR. The devices found in NOAH were the following: Serial number: 23243543554, Manufacturer: Not found, Article: Not found, Ear side: R; Serial number: 2343535356, Manufacturer: Not found, Article: Not found, Ear side: L; PLEASE PROVIDE A REASON FOR CANCELLING THE ISSUE

B I U

After closing down Noah, the system may check whether any fitting actions were performed, if so configured by your System Administrator. A list of the articles found will be displayed.

Serial numbers found in NOAH

Client MR. JOHN SMITH

☐ Open 'Accessory issue' automatically ☐ Open 'Device list' if another current device is found

Proceed Close

Serial number	Manufacturer	Article	Ear side	Stock type	Patient	Hospital no.	Action
23243543554	NHS SUPPLIES	ITE10ML	R	STOCK - GWH (In stock)			Processing
2343535356							
123214124							
35223532523523							
433532532525							
4663646643							
432423455666							

New status for serial number: 23243543554. NHS SUPPLIES, ITE10ML

Client MR. JOHN SMITH

Print Settings OK Cancel

From stock type
STOCK - GWH (In stock)

Location
All locations

To stock type
Repair 1
FITTED/EXCHANGED (Issued)
LOAN (Lent out to client)
TEACHERS OF THE DEAF (Lent o
SENT FOR REPAIR (Repair)
DAMAGED (Lost)
OBSOLETE (Lost)
Louisa's sorting (In stock)
RECONDITIONED (Issued)
REPLACEMENT (Issued)
STAFF DEMO'S (Lent out to other)
STOCK - PAEDS (In stock->Issued)
Sent to manufacturer (In stock)
INTRACAFARI F (In Stock)

☐ Show discontinued

Article name
ITE10ML

Ear
☒ R ☐ L ☐ N/A

Date
28/11/2022

☐ Recycled

User
SYSTEM ADMINISTRATOR

History comment

Price
£69.36

Invoice type
Invoice type 1

Reason to issue

Item information

Invoice
☐ to customer
☒ to client

en New status
en New status
en New status
en New status
en New status
en New status

- In the column called **Action**, you can choose what to do with the articles. Place your mouse in the cell and an arrow appears, from where you can choose an action in a drop-down list.
- Once you have chosen actions for all articles found, press 'Proceed', where after all articles are processed one by one.
- The article being processed is now highlighted in the background.

Serial numbers found in NOAH

Client: MR. JOHN SMITH

☒ Open 'Accessory issue' automatically ☒ Open 'Device list' if another current device is found

Proceed Close

Serial number	Manufacturer	Article	Ear side	Stock type	Patient	Hospital no.	Action
23243543554	NHS SUPPLIES	ITE10ML	R	FITTED/EXCHANGED (Iss JOHN SMITH		T1625 -	Processed
2343535356			L	<<Not found>>			Processing

Register for stock - G12, MANUFACT

☒ Stock tree ☐ Stock list

Save Cancel

Group	Manufacturer	Articles	Stock types	Serial no.
G12	OTICON MEDICAL	test group	STOCK - GWH (In stock)	2343535356
NHS HEARING AID (Serial No.)	PHILIPS	BE102H	BATTERIES IN STOCK (Batteries in	
Service-Accessory	PHONAK	ITE10ML	TEACHERS OF THE DEAF (Lent out	
COMMERCIAL HEARING AID (Serial	RESOUND	ITE11MR	Louisa's sorting (In stock)	
EARMOULD ACCESSORIES	SIEMENS	ITE11ML	STAFF DEMO'S (Lent out to other)	
ELBOWS	Sivantos	BE101	UNTRACEABLE (In Stock)	
LEADS, RECEIVERS & SHOES	Sonova	BE101B		
MISC. HA ACCESSORIES	Starkey	BE101G		
SERVICES	UKJENT	BE102HF		
TINNITUS DEVICES	UNITRON	BE103		
	VIENNTONE	BE105		
	Widex AS	BE18		
	NHS SUPPLIES	BE19		

☐ Show discontinued ☐ Show discontinued Filter by a part of article ...

☒ Use alphabetic characters in the sequence for this manufacturer; B, I, O, Q, S and Z will be skipped

Warranty

Purchase date: 18/06/2024 ☐ Warranty: months

Expires: Warranty code: 24

Hide details

Price

Purchase price	Discount on purchase	Net purchase price
£58.14	-	£58.14
	Basic profit	1.24%
Calc.	Sales price	£58.86

Article ID: 50144

Supplier art. no.: GHB 008M

Item number:

Batch/Lot:

Battery: CP41

Colour:

Version:

Label:

Type:

Item information

Interface connection: ☐

- The above is an example of an article needing a new status.
- The second article in the example is issued to the wrong patient and needs to be issued to the correct patient. This will be done in two steps: return the article to stock and issue the article to the new patient.
- If you try to cancel creating a new status for the article in order to return it to stock, you will be warned that you cannot issue the device without returning it to stock.
- The third article in the example has been set to **Skip (duplicate)** as it is a duplicate of another article.
- The fifth article in the example has been set to **Register for stock, then New status**, since the stock type was **Not found**, and therefore the **Register for stock window** is opened.

Serial numbers found in NOAH

Client: MR. JOHN SMITH

☒ Open 'Accessory issue' automatically ☒ Open 'Device list' if another current device is found

Proceed Close

Serial number	Manufacturer	Article	Ear side	Stock type	Patient	Hospital no.	Action
436457457547			R	<<Not found>>			Register for stock, then New status
4574574754747			L	<<Not found>>			Register for stock, then New status
43636463463			R	<<Not found>>			Register for stock, then New status
3464363636436			L	<<Not found>>			Register external item
3264575758758			R	<<Not found>>			Skip
							Register for stock, then New status

- The serial number is filled in automatically.
- Press **OK** and the **New status** window appears.
- Fill out the new status and the article is issued to stock.
- If the patient already has a current serial controlled device for a particular ear, when issuing from Noah, a setting in System Administration may open the device list for returning the old device. This can be set per workstation so should be disabled if a user regularly issues more than one serial controlled device per ear.

*Note: Changes in article status create clinical actions. If you have attached them to appropriate appointments, they can be seen in the **Clinical actions** tab of the **Referral** module.*

13.5 Edit item

To change details for an item, open the Edit item dialog by selecting **Edit** -> **Edit item** or clicking **Edit item**.

The following item details can be changed:

- Serial number; in this case the system changes the serial number in postings if any for the item. Invoiced postings can also be modified if configured in the Administration tool
- Purchase date if the user has the corresponding right granted
- Purchase and sales prices
- Warranty checkmark and expiration date
- Recycled flag (it is possible to mark a serial number controlled article as **Recycled**. This means that the article has been invoiced already and can be reused for another client. You can mark an article recycled from Item information or when changing the article's status in the New status-dialogue.
- Warranty code (Danish)
- Batch/lot number
- Item number
- Battery
- Colour
- Type
- Label
- Version
- Interface connection flag
- Item information

- Barcode: select **Product ID** from a Product ID barcode list specified for the article. This ID is used by the system to identify the item by scanning an item barcode.

At the bottom of the dialog, name of the user is seen in read only mode. This is a user who recently performed an action with the item.

- Click **Save** to save the changes.
- Click **Delete** to delete the item from the database. Note that this is only possible for items in stock.

13.6 Reduce quantity

When you have selected a stock group and related manufacturer, article and stock type, the number in that stock type can be reduced. Go to **Edit -> Reduce quantity**.

- The dialog window shows the number of items for the selected article available in selected stock type.
- Enter the relevant number and press **OK** to reduce the number of items.
- Deletion must be confirmed before it is complete.
- The stock group must be defined as **Quantity** type from the **Administration tool -> Stock definitions -> Stock group** for this option to be enabled.

13.7 Add external item

The **Add external item** window is initiated by selecting **Functions -> Add external items -> Add serial numbers** or **Add amount controlled articles**.

In the Stock tree view, all devices are shown in the hierarchy *Group/Manufacturer/Article*.

Register external articles

Stock tree ☒ Stock list MRS FIRSTNAME46830 LASTNAME46830 [Save] [Cancel]

Group	Manufacturer	Articles	Stock types	Serial no.
G1	NHS SUPPLIES	FILTER GREEN	FITTED/EXCHANGED (Issued)	
NHS HEARING AID (Serial No.)		FILTER RED	POSTAL BATTERIES (Issued batteri	
Service-Accessory		FILTER YELLOW	RECONDITIONED (Issued)	
COMMERCIAL HEARING AID (Serial No.)			REPLACEMENT (Issued)	
EARMOULD ACCESSORIES				
ELBOWS				
LEADS, RECEIVERS & SHOES				
MISC. HA ACCESSORIES				
SERVICES				
TINNITUS DEVICES				

☐ Show discontinued ☐ Show discontinued FI [Filter]

☐ Use alphabetic characters in the sequence for this manufacturer; B, I, O, Q, S and Z will be skipped

Warranty
 Purchase date: 11/17/2022 ☐ Warranty: months
 Expires: Warranty code: 42
☒ Show details

In the Stock list view, you can see all devices in a table.

Register external articles

Stock tree ☐ Stock list ☒ MRS FIRSTNAME46830 LASTNAME46830 [Save] [Cancel]

Group	Manufacturer	Article	Stock types	Serial no.
EARMOULD ACCESSORIES	NHS SUPPLIES	FILTER GREEN	FITTED/EXCHANGED (Issued)	
EARMOULD ACCESSORIES	NHS SUPPLIES	FILTER RED	POSTAL BATTERIES (Issued batteri	
EARMOULD ACCESSORIES	NHS SUPPLIES	FILTER YELLOW	RECONDITIONED (Issued)	
			REPLACEMENT (Issued)	

☐ Show discontinued ☐ Show discontinued FI [Filter]

☐ Use alphabetic characters in the sequence for this manufacturer; B, I, O, Q, S and Z will be skipped

Warranty
 Purchase date: 11/17/2022 ☐ Warranty: months
 Expires: Warranty code: 42
☒ Show details

By default, discontinued items are filtered out. They can be included in the list when the "Show discontinued" option is selected.

In the **Filter** field, you can enter any part of the device name and all related items will be displayed. In the Stock tree view, the search is conducted within the chosen Group and Supplier. In the Stock list view, the search is comprehensive and the output will include items from all Groups and Suppliers.

Optional fields (e.g., price, article ID, item information) are hidden behind the **Show details** button.

Price		
Purchase price	Discount on purchase	Net purchase price
\$0.66	-	\$0.66
	Basic profit	0.00%
Calc.	Sales price	\$0.66

Article ID: 50284

Item number:

Battery:

Colour: Yellow

Version:

Label:

Type:

Interface connection: ☐

Item information:

The dialog is used to register on stock issued items, for instance when a client brings a device, which is purchased elsewhere, for repair.

You can register Warranty information, Price information, Item information, side of Ear, etc.

For serial numbers, the functionality of the dialog is the same as for the **Register for Stock** dialog, with the exception that in this dialog, you register devices directly to stock types of the Issued category.

For quantity controlled articles, the functionality of the dialog is the same as for the **New Status** dialog.

*NOTE: Changes in article status create clinical actions. If you have attached them to appropriate appointments, they can be seen in the **Clinical actions** tab of the **Referral** module.*

13.8 Moving single articles of stock

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation** -> **Stock** or press **Shift+Ctrl+S**.
- Select **Group**.
- Select **Supplier**.
- Select the article/instrument type.
- Select the current location of **Stock type**.
- Enter the serial number in **Filter for serial numbers** box, if required.
- Click **New status**.
- Select the new stock type.
- Check the number to be moved and click **OK**.

13.9 Moving single articles of stock using a Barcode reader

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation** -> **Stock** or press **Shift+Ctrl+S**.
- Scan the hearing instrument barcode.
- If the hearing instrument is already registered in stock the **New status** window will open.
- Select the new stock type and click **OK**.

The system will read either the European standard barcodes known as EHIMA bar codes, GS1 long barcodes or GS1 2D barcodes known as Matrix or QR codes (providing the barcode scanner supports this type of barcode).

Note: Some barcode scanners will not activate if the mouse cursor is in a read-only text field. If you find the scanner does not seem to action a barcode, try moving the mouse cursor to an editable field or list box.


13.10 Barcode scanning functionality

The system will read either the European standard barcodes known as EHIMA bar codes, GS1 long barcodes, or GS1 2D barcodes known as Matrix or QR codes (*providing the barcode scanner supports this type of barcode*).


The typical **EHIMA barcode** device label looks like the one below. Please note that it consists of 2 barcodes, both of which must be scanned:



The typical **2D barcode** device label can look like this:



The typical **1D long barcode** device label can look like this:



Technical principles of scanning barcodes

The barcode scanner attached to a PC simulates typing on the keyboard. Text input from the scanner contains a sequence of symbols encoded in the barcode.

To let the system distinguish between the users' typing and the typing emulated by the scanner, the scanner must be configured to produce the prefix and suffix strings. These strings must be

further specified in the [Auditbase Administration tool](#) (For details, see *Auditbase Admin Guide*, section on 'Bar code settings').

Information the system gets from the barcodes

After the barcode scanning is recognized, the system takes the following information for processing:

- Manufacturer code
- Device model (article) code
- Device serial number
- Batch/Lot number (only for 2D barcodes and 1D long barcodes)

IMPORTANT note for EHIMA device barcodes:

- Both barcodes contain important product-identifying information, so both must be scanned for the intended processing.
- The 2nd barcode contains the device serial number prefixed by the '21' string. This '21' string is an integral barcode part, and that is how Auditbase recognizes the serial number. Therefore, '21' is only removed by the system when both barcodes have been scanned.
 - The existing functionality in Auditbase is NOT intended for scanning only the barcode part of the EHIMA full barcode.

If the content of the recognized string of symbols cannot be interpreted properly (e.g., *the format is wrong*), the system displays an error message about the wrong barcode detected at scanning.

Processing the recognized data

Manufacturer code, article code and the device serial number are processed by the system in the following way:


- The system will search for the manufacturer using the manufacturer code. If the code is not found, manual selection will be suggested. After the selection, the code will be saved to the selected manufacturer (the system will use the saved manufacturer code for all subsequent searches).
- Then, the system will search for an article within the manufacturer. If the article is not found, it will suggest manual selection. After the selection, the article code will be saved to the selected article (the system will use the saved article code for all subsequent searches).
- Finally, the system will search for the recognized serial number. If the device with that serial number is found in Stock, the system will assign a *New status* for that device. Otherwise, it will initiate *Registering to Stock*.

13.11 Bulk transfers of stock

Large numbers of serial controlled articles can be moved from one stock type to another by using the Bulk transfer option. Articles can only be moved from a stock type with an In stock category to another type of the same category.

- **Navigation** -> **Stock** or press **Shift+Ctrl+S**.
- Choose **Group**, **Supplier**, **Article** and **Stock type** to move the stock from.
- **Functions**
- **Bulk Transfer**

- Select **Group**, **Supplier** and **Article** and the serial numbers for the articles that are in stock will appear in the **Devices in stock** window.
- Select the required articles to transfer by checking the box next to the serial number. **Select all** can be chosen.
- Once the articles have been chosen, use the arrow to move them to the **Selected devices** window.
- At this stage, articles can still be moved back to **Devices in stock** by unchecking **Select all**, checking the required serial number and use the back arrow to de-select an item.
- Select **Location** (only an option if your site has the appropriate license).
- Select **New stock type** from the drop-down menu. Only stock types with the stock category of **In stock** will be displayed.
- Information can be added to the **History comment** and **Add to item** information boxes.
- **Transfer**
- A confirmation message will appear letting you know how many articles were transferred.



- **OK** the information message.
- Further articles can then be transferred or **Close** the transfer window.

13.12 F10 Fast battery issue

Items in one stock group can be set up as a quick stock issue group by the System Administrator. If this is set up, use the following procedure:

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Press **F10**.
- Select **Manufacturer**.
- Select **Article**.
- **Manufacturer** and **Article** will depend on the **Group** which has been selected for **Fast battery issue** when the **Groups** were set up.
- The **Date** and **Signature** are automatically filled in but can be manually changed if required.
- The **Invoice type** is optional and is not generally used.
- The **Customer** must be selected.
- The client's name is displayed. If this is not required, check the **Invoice without client reference** box, and the client's name will disappear.
- Choose the number of **items** that are having their status changed and enter the **New NHS serial number** if required.

*NOTE: Changes in article status create clinical actions. If you have attached them to appropriate appointments, they can be seen in the **Clinical actions** tab of the **Referral** module.*

- Click on **OK** and the information will be saved and the window will close.
- If you want to close the window without saving, select **Cancel**.

13.13 Search for a serial number

- **Navigation** -> **Stock** or press **Shift+Ctrl+S**.
- Click **Search**.

Search for serial no. [X]

Search Search in NOAH Close

Serial no. 234

Quantity found 5

Found items

Serial no.	234	◀ Previous	Next ▶
Group	NHS HEARING AID (Serial N	New status	History
Manufacturer	NHS SUPPLIES	Select	
Article	ITE11ML		
Stock type	FITTED/EXCHANGED (Issu		
Location	All		
Recycled	No		

Client

Hospital no. T1106 Change to

Name MRS FIRSTNAME106 LASTNAME106

- Enter the serial number. Or scan the number using the barcode reader.
- Click **Search**.
- Note that the complete serial number is not required to search. As with a client search, if the first part of a serial number, for instance F412, is entered, Auditbase will display all serial numbers beginning with F412.
- The system shows the number of found items in **Quantity found**. You can scroll through them by clicking the arrow buttons.
- When you select an item, you can click **New Status** to open the **New Status** dialog.
- The **History** button initiates the **History** dialog for the item selected.
- Click **Select** to show in the main Stock screen.
- Another way to search for a serial number is to select the relevant **Group**, **Supplier**, **Article** and **Stock type**, then enter the serial number in the **Filter serial numbers** field. The information for this item will appear in the box below.
- You can also search by entering the first part of a serial number. If more than one item is found, the system shows the number of found items below the item information box and arrow buttons scroll over the items.

13.14 Search for serial number in Noah

- **Navigation** -> **Stock** or press **Shift+Ctrl+S**.
- Click **Search**.

Search for serial no. [X]

Search Search in NOAH Close

Serial no. 234

Quantity found

Found items

Serial no. [] Previous Next

Group [] New status History

Manufacturer [] Select

Article []

Stock type []

Location []

Recycled

Client

Hospital no. [] Change to

Name []

- Enter the serial number. Or scan the number using the barcode reader.
- Click **Search in Noah**.
- Now you can search for the serial number in Noah fitting actions.


[illegible]

- The **Date from** field is automatically set to a year since today's date and the **to** field is set to today's date.
- Check the box **Suspend search on most recent occurrence found** to stop the search at the most recent match.
- Click **Find next** to continue the search.
- Select a fitting action and click **Close** to return to the Search window, where you can enter a **New status**, see the **History** or **Select** the article to show it in the main Stock module. The client will also change in Auditbase, if different from the previously selected client.

13.15 Search by batch/lot number

The batch/lot search functionality allows users to quickly locate devices from a specific batch and transfer them between different stock types. For instance, if the devices in a particular batch/lot are malfunctioning and need to be returned to the manufacturer for replacement, using this functionality optimizes stock management and customer notification. Additionally, users can create lists of clients who should be notified if there are issues with devices that have already been sold or lent out.

To do so, navigate to the **Stock module > Functions** and click **Search Batch/Lot** on the top toolbar.



Enter the Batch/Lot number and click **Search**.

Below you will see all articles from that batch/lot. You will see a list of all articles from that batch. If the articles belong to different stock types, choose the one you intend to process.

Bulk transfer

For bulk transfers, follow these steps:

1. In the “Stock items” section, select the relevant items.
2. Click the corresponding control for bulk transfer.

The screenshot displays the 'Search for Batch/Lot' dialog box. At the top, there is a text input field for 'Batch/Lot' containing the value '54116' and a 'Search' button. Below this, the 'Filter found stock items' section contains two checkboxes: 'Select all articles' (checked) and 'Select all stock types' (unchecked). The 'Select all articles' checkbox is followed by a table with columns: Group, Manufacturer, Article, and Stock. The table contains three rows, all of which are checked. The 'Select all stock types' checkbox is followed by a table with columns: Stock, and two rows: 'STOCK - GWH (In stock)' (checked) and 'Sent to manufacturer (In stock)' (unchecked). Below the filter section, the 'Stock items' section shows a table with columns: Group, Manufacturer, Article, Serial no., Stock, Hospital no., NHS no., and Client. The table contains three rows, all of which are checked. To the right of the 'Stock items' table, there is a 'Bulk transfer' button and a 'Clients to list' button.

3. Choose the location and the new stock type for the transfer. The devices you selected on the previous screen will be preselected here.
4. Verify the list of devices to be transferred and click **Transfer**.

Stock bulk transfer

Source stock type: **STOCK - GWH (In stock)** Close

Select serial numbers (Step 1)

Group	Supplier	Model
G1	(1)Testmanu	test group
NHS HEARING AID (Serial No.)	(2)Testmanu	ITE10ML
Service-Accessory	123456789	ITE11MR
COMMERCIAL HEARING AID (Serial No.)	NHS SUPPLIES	ITE11ML
EARMOULD ACCESSORIES	(3)TestManufacturer	BE101
ELBOWS		BE101B
LEADS, RECEIVERS & SHOES		BE101G
MISC. HA ACCESSORIES		BE101G
SERVICES		BE102HF
TINNITUS DEVICES		BE103
		BE105
		BE18
		BE19
		BE301
		BE34
		BE34BASEEFA
		BE36
		BE37
		BE37D
		BE38
		BE38B
		BE39FX
		BE52
		ITE11ML

Transfer selected devices (Step2)

Location: All locations

New stock type: Sent to manufacturer (In stock)

User: John Smith

History comment

Add to item information

Transfer

Devices in stock ☐ Select all

Serial number
☐ RKG00199
☐ RKG00256
☐ RKG00257
☐ RKG00258
☐ RKG00259
☐ RKG00250
☐ RKG00251
☐ RKG00252
☐ RKG00253
☐ RKG00254

Selected devices ☒ Select all

Device
☒ RKG00250, BE101B, NHS SUPPLIES
☒ RKG00261, BE101B, NHS SUPPLIES
☒ RKG00262, BE101B, NHS SUPPLIES

5. If the transfer is completed without any issues, you will see a success message.

Stock bulk transfer

 3 stock items have been successfully transferred

OK

Adding clients to the list

When you need to notify groups of clients, use the **Clients to list** option:

1. Click the respective control.
2. In the dialog that appears, select a pre-created list (e.g., a device recall list).

Search for Batch/Lot

Batch/Lot

54114

Search

Close

Filter found stock items

Select all articles

	Group	Manufacturer	Article
☒	NHS HEARING	NHS SUPPLIES	BE101B
☐			
☐			
☐			
☐			

Select all stock types

	Stock
☐	STOCK - GWH (In stock)
☒	FITTED/EXCHANGED (Issued)
☐	
☐	
☐	

Stock items

Select all

2

Batch/Lot

54114

Bulk transfer

Clients to list

	Group	Manufacturer	Article	Serial no.	Stock	Hospital no.	NHS no.	Client
☒	NHS HEARING	NHS SUPPLIES	BE101B	RKG00251	FITTED/EXCHANGED (Issued)	T1106	5555554444	FIRSTNAME106 LASTNAME106
☒	NHS HEARING	NHS SUPPLIES	BE101B	RKG00255	FITTED/EXCHANGED (Issued)	T117575		FIRSTNAME17575 LASTNAME17575
☐								
☐								
☐								

Add clients to Client list

Select

Close

Choose Client list to add 2 clients

Start date	End date	Status	Title	Responsible	Type	Min. clients	Act. clients
01/01/2016	02/01/2017	Active	Title 4	USER NAME29		444	6
01/04/2024	01/08/2024	Active	Recall devices	John Smith			0

3. The added clients will appear in the corresponding list in the **Clinic Management module**.

© Auditdata – 2024, ID: 20.0040/35

286

Auditbase - [Client lists]

File

Detailed Quick Import data Export data Import from Noah Export to Noah Log off Exit Auditbase

Search Import/Export Client data Exit

Client All locations All departments ?

User John Smith

Lists Members

Favourites

- Device list
- Repair list
- Purchase orders
- Requisition
- AB Audiogram
- Stock

Clinic management

- Booking
- Day view
- Waiting list
- Referral overview
- Invoice
- Referring agents
- User reports
- Client lists**
- Onward referrals and reporting

Add selected client Search and Add clients Remove Change status ?

Status Not asked

Parameter #1

Parameter #2

List

Recall devices 1/4/2024 - 1/8/2024

SelectAll No entries selected

Clients in the Client list: 0, Filtered: 2, Min clients needed:

Hospital no.	Name	Distance	Status	Date added	User	Picture	Parameters	Gender	NHS no.
T1105	MRS FIRSTNAME105 LASTNAME105		Not asked	05/17/2024	John Smith	No		Female	5555554444
T117575	MST FIRSTNAME17575 LASTNAME17575		Not asked	05/17/2024	John Smith	No		Male	

Other Client lists client participates in

Start date	End date	Status	Title	Responsible	Type	Min. clients	Act. clients

13.16 Item and article information

- Select **Functions -> Item information** to open a window to enter information about an item, for instance settings and special conditions.
- Select **Functions -> Article information** to open a window to enter information about an article, for instance settings and special conditions.

13.17 Register for Stock

Registering items to increase stock is done manually or by using a bar code reader.

- **Navigation** -> **Stock** or press **Shift+Ctrl+S**.
- Select **Group** and **Manufacturer**.
- Select **Functions**.
- Select **Register for stock manually** and add the relevant items. You can use different types of views to find devices you want to register. *NOTE: Registration cannot be done for groups of articles, an article must be selected.*

- In the Stock tree view, all devices are shown in the hierarchy *Group/Manufacturer/Article*

Register for stock - NHS HEARING AID (Serial No.), NHS SUPPLIES

Stock tree

Stock list

Save

Cancel

Group	Manufacturer	Articles	Stock types	Serial no.
G1	(1)Testmanu	Test group	STOCK - GWH (In stock)	RGK00263
NHS HEARING AID (Serial No.)	(2)Testmanu	ITE10ML	BATTERIES IN STOCK (Batteries in stock)	
Service-Accesory	123456789	ITE11MR	type1	
COMMERCIAL HEARING AID (Serial No.)	123456789	ITE11ML	type2	
EARMOULD ACCESSORIES	(3)TestManufacturer	BE101	type3	
ELBOWS		BE101B	type4	
LEADS, RECEIVERS & SHOES		BE101G	type5	
MISC. HA ACCESSORIES		BE102HF	TEACHERS OF THE DEAF (Lent out to other)	
SERVICES		BE103	Louisa's sorting (In stock)	
TINNITUS DEVICES		BE105	STAFF DEMO'S (Lent out to other)	
		BE18	STOCK - PAEDS (In stock->Issued)	
		BE19	Sent to manufacturer (In stock)	
		BE301	UNTRACEABLE (In Stock)	
		BE34		
		BE34BASEEFA		
		BE36		

Show discontinued

Show discontinued

Filter by a part of article name

Use alphabetic characters in the sequence for this manufacturer, B, I, O, Q, S and Z will be skipped

Warranty

Purchase date

06/17/2024

Warranty

months

Expires

Warranty code:

24

Show details

- In the Stock list view, you can see all devices in a table.

Register for stock - NHS HEARING AID (Serial No.), NHS SUPPLIES

Stock tree

Stock list

SaveCancel

Group	Manufacturer	Article	Supplier art. no.	Stock types	Serial no.
G1	ENTERFIC	44	1	STOCK - GWH (In stock)	RG00293
G1	ENTERFIC	LOUDSPEAKER R1	76567	BATTERIES IN STOCK (Batteries in stock)	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	ITE10MR	GHB105M	type1	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	ITE10MR	GHB106P	type2	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	ITE11MR	GHB008M	type3	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	ITE11MR	le 3 333poltpo	type4	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	BE101	GHB059	type5	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	BE101B	GHB023	TEACHERS OF THE DEAF (Lent out to other)	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	BE101G	GHB048	Louise's sorting (In stock)	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	BE102HF	GHB104R	STAFF DEMO'S (Lent out to other)	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	BE103	GHB043	STOCK - PAEDS (In stock->Issued)	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	BE105	GHB022	Sent to manufacturer (In stock)	
NHS HEARING AID (Serial No.)	NHS SUPPLIES	BE18	GHB003	UNTRACEABLE (In Stock)	

☐ Show discontinued

Filter by a part of article name

☒ Use alphabetic characters in the sequence for this manufacturer, B, I, O, Q, S and Z will be skipped

Warranty

Purchase date

06/17/2024

☐ Warranty

months

Expires

Warranty code:

24

Show details

By default, discontinued items are filtered out. They can be included in the list when the "Show discontinued" option is selected.

In the **Filter** field, you can enter any part of the device name and all related items

will be displayed. In the Stock tree view, the search is conducted within the chosen Group and Supplier. In the Stock list view, the search is comprehensive and the output will include items from all Groups and Suppliers.

- To see additional fields, click "Show details".

The screenshot displays a software interface for item management. On the left, a 'Price' section contains a calculation table:

Price				
Purchase price		Discount on purchase		Net purchase price
\$46.69	-		=	\$46.69
		Basic profit		1.23%
Calc.		Sales price		\$47.26

On the right, an 'Item information' section lists various attributes:

- Article ID: 50264
- Supplier art. no.: GHB023
- Item number: (empty)
- Batch/Lot: 54116
- Battery: CP48
- Colour: WHITE
- Version: (empty)
- Label: (empty)
- Type: (empty)
- Interface connection: ☐

Your System Administrator can define whether the type is Serial number or Quantity controlled.

- When scanning any new item with the bar code reader, the system will open the Register for Stock dialog automatically. Once opened the Manufacturers that the manufacturer element of the barcode has been used for before will be highlighted in blue. The user must select either one of these or a another one if the item comes from a different manufacturer (*Note that due to HIMSA rules it is allowed for manufacturers to supply items as OEM to other manufacturers while retaining the original manufacturer's barcode*). If only one Manufacturer has been used previously with the manufacturer element of this barcode that(than?) Manufacturer will be preselected.
- If registering for stock using a bar code scanner, the **Group** and **Manufacturer** must be selected before scanning bar codes as the same **Manufacturer** could exist in multiple stock groups.
- Barcode reading can be done on serial numbers only. Users can scan just the serial number part of a barcode rather than the **Manufacturer** and **model (article)**. This allows users to search for the device using the barcode and to register the device when the manufacturer is already selected.
- When registering for stock the following fields can be filled in:

Type: Serial number

- Available articles of the selected group/manufacturer are listed together. Select the **Article** and **Stock type**, this is generally **Stock** or **In Stock**, depending what it has been called and enter the **Serial number** of the **Articles** that are being registered.
- A number of articles can be entered by separating the numbers with a comma, i.e. FG6 453678,BH1 678125 to register these two articles. Ensure that there are no spaces after the comma or it will be taken as a character.
- A series of numbers can be entered by separating the first number in the series and the last number in the series with a semicolon, i.e. 100;120 will add all serial numbers between 100 and 120. Ensure that there are no spaces after the semicolon or it will be

taken as a character. Certain letters can also be used in the sequence if enabled for that manufacturer, see the text on the dialog for details.

- The **Warranty** date can be added by selecting the **Warranty** check box and adding the number.
- The **Purchase price incl. vat** and **Sales price incl. vat** is automatically entered from the **Article** information. **Batch/lot** is taken from the barcode if it is included in the barcode. **Purchase price** and **batch/lot number** are manually adjustable if required. **Battery** and **Colour** are also automatically entered if they have been set up and can be changed.
- When registering a Serial Number controlled device to Stock, Users can select the Stock Category “Lent out to other” and register a device to the Employee’s name.
- **Save** the entry, and more can be added.

Type: Quantity

- The **Stock registration** window is opened and a list of available **Articles** is displayed. Select the **Article** and **Stock type**, this is generally **Stock** or **In Stock**, depending what it has been called and enter the number of **Articles** that are being registered. When registering for stock it is now possible to hide the discontinued stock; if you wish to show the discontinued stock then the button should be selected and the discontinued items will be shown.
- The **Purchase date** is automatically entered as the current date but can be changed manually if the user has the corresponding right granted.

13.18 Stock verification using a barcode reader

- **Navigation** -> **Stock verification** or press **Shift+Ctrl+V**.
- Specify the parameters needed in the **Session list** tab; choose which stock you would like to verify based on Locations, on categories of In stock, Repair and Lost, and on Stock Groups, Manufacturers, Articles and Stock types. Either one or all of each criterion must be selected. Selected criteria appear in the lower boxes.

Auditbase - [Stock verification]

File **Functions**

Detailed Quick Save Print list Import data Export data Export to Noah Log off Exit Auditbase

Search Stock verification Import/Export Client data Exit

Client **<T>T18765 MR JOHN SMITH** User **SYSTEM ADMINISTRATOR** All locations

Session list **Session details**

Stock verification sessions [Dropdown] **New** **Save** **Delete** **Print** **Export**

Comments

Created by **SYSTEM ADMINISTRATOR**

Stock to be verified

☒ All locations ☐ Categories ☐ All stock groups ☐ All manufacturers ☐ All articles ☐ All stock types

Test group 2

1 Location1
2 Location2
4 Test4

☒ In stock ☐ Repair ☐ Lost

G1
NHS HEARING AID
Service-Accessory
COMMERCIAL HE
EARMOULD ACCE

Auto created - 1
Auto created - 14
Auto created - 16
Auto created - 17
Auto created - 21

Lock stock for verification

Complete session **Completed by** [Text] **on** [Text]

Cancel and discard session

Summary of conditions

Verified [Text] **Not in Auditbase** [Text] **Other stock** [Text] **Not verified** [Text]

- Click on **Lock stock for verification** in order to prevent stock modification by other users while verifying.
- Now scan the barcodes one by one.

Auditbase - [Stock verification]

File Functions

Detailed Quick Save Print list Import data Export data Export to Noah Log off Exit Auditbase

Search Stock verification Import/Export Client data Exit

Client <T>T18765 MR JOHN SMITH User SYSTEM ADMINISTRATOR All locations

Session list Session details

Refresh Print

Select all New status Register for stock Change condition Delete Search in NOAH Add device

Serial No.	Group	Manufacturer	Article	StockType	Condition
99	COMM	PHONAK	PICO	Auto create	Not verifie
987654	COMM	PHONAK	PICO	STOCK - C	Not verifie
876543	COMM	PHONAK	PICO	STOCK - C	Not verifie
#TEMP#10	NHS H	NHS SUPPLI	BE19	Auto create	Not verifie
#TEMP#10	NHS H	NHS SUPPLI	BE34	Auto create	Not verifie
#TEMP#10	NHS H	NHS SUPPLI	BE101	Auto create	Not verifie
#TEMP#10	NHS H	NHS SUPPLI	BE38	Auto create	Not verifie
#TEMP#10	NHS H	NHS SUPPLI	BE38	Auto create	Not verifie
123456	COMM	WIDEX	LOGO	Auto create	Not verifie
#TEMP#10	NHS H	NHS SUPPLI	BE101	Auto create	Not verifie
32032	NHS H	NHS SUPPLI	BW84	STOCK - C	Not verifie
32041	NHS H	NHS SUPPLI	BW84	STOCK - C	Not verifie

Last scanned barcode

Stock group S/N Show in table

Manufacturer Stock type

Article Condition

Summary of conditions

Verified 0 Not in Auditbase 0 Other stock 0 Not verified 6827

- After each scan, the system recognizes the scanned barcode and searches for the scanned serial number on stock.
- Depending on the search result, the scanned articles are given a condition.
- The following conditions are possible:

Verified – the article is on stock and has been scanned

Not in Auditbase – the article has been scanned but is not available on stock neither in the stock that has been locked for verification nor in the stock that hasn't been locked

Other stock – the article has been scanned but it was found in the stock that hasn't been locked for verification

Not verified – the article is on stock but hasn't been scanned yet (this is the initial status for all articles on stock)

- During the scan, the Summary of conditions is shown.
- Once the conditions are shown, the statuses that are not satisfactory can be edited i.e. by moving the article to a different stock type with the **New status** button or using the **Register for stock button** to register those articles to stock that are **Not in Auditbase**. **Change condition** can be used to change the outcome of the verification manually.

*NOTE: Changes in device status create clinical actions. If you have attached them to appropriate clinical actions, they can be seen in the **Clinical actions** tab of the **Referral** module.*

- With **Add device** you can manually add a device, if for instance a barcode cannot be read. Once the session is saved, the system searches for the device and changes its condition.
- Once the verification is finalised, go back to the **Session list**-tab.
- You may add comments to the session, a note about the result or to a colleague who is working with you.
- You can now export the session data to a CSV file by clicking **Export**. The current date will be the 1st row, site name (which is retrieved from the system administration tool/General settings/Database site name) is the 2nd row, the number of detailed rows is the 3rd row and headers on the table columns on the Session details-tab is the 4th row. The destination file now contains the values that are visible on the Session details-tab.
- Click on **Complete session** to save the changes made and open up the stock for other users.

13.19 Requisition

The requisition window is for an audiologist to fill in, if a particular hearing instrument should be ordered for a client or for keeping stock level(s).

Ordering items for stock follows one or more steps involving **System requisition** and **Purchase orders**.

The screenshot shows the 'Requisitions' window with a 'New requisition' form and a 'Requisition list' table.

New requisition form:

- Date: 06/17/2024
- ☒ For selected client
- Client: MRS FIRSTNAME92 LASTNAME92
- User: John Smith
- Select article:
 - Group: C1
 - Quantity: 2
 - NHS HEARING AID (Serial No.)
 - SPECIAL TECH. AIDS (Quantity)
 - BATTERIES (Quantity-Accessory)
 - Service-Accessory
 - COMMERCIAL HEARING AID (Serial No.)
 - EARMOULD ACCESSORIES
 - ELBOWS
 - LEADS, RECEIVERS & SHOES
 - MISC. HA ACCESSORIES
 - SERVICES
 - TINNITUS DEVICES
- Manufacturer:
 - (1)Testmanu
 - (2)Testmanu
 - 123456789
 - NHS SUPPLIES
 - (3)TestManufacturer
- Article:
 - test group
 - ITE10ML
 - ITE11MR
 - ITE11ML
 - BE101
 - BE101B
 - BE101G
 - BE102HF
 - BE103
 - BE105
 - BE18
 - BE19
 - BE301
 - BE34
- Quantity: 1
- Colour:
- Audiogram: 4/5/2020, no. 1
- Initial registration to in-house - stock type:
 - ☐ To in stock
 - ☒ To lent out to employee
- Stock type: TEACHERS OF THE DEAF (Lent out to othe)
- Employee: John Smith
- Deliver by: 06/11/2024
- to arrive: 7 days before next appointment
- 6/18/2024, 1
- Buttons: Clear, Save

Requisition list:

Quantity	Article ID	Model description	Date	Deliver by	Colour	Deliver to	Hospital	NHS no.	Audiogram	Client name	Employee	Stock type	Ordered by
1	50146	NHS SUPPLIES, BE102HF	06/17/2024	06/11/2024		John Smith	T1106	5555554444	12/11/2018, no. 1	MRS FIRSTNAME106 LASTNAME106	John Smith	TEACHERS OF T	John Smith

Buttons: Export to CSV, New purchase order, Delete


To create a new requisition:

1. Choose whether an article(s) is due for **selected client** or **no client** using the check box at the top.
2. Select an article from **Group/Manufacturer/Article** going through the hierarchy as it is displayed in the Stock module.
3. Specify **quantity** (mandatory).
4. Define **colour** (optional).
5. Choose an **Audiogram** if it is needed on Order form for the manufacturer. This option is only available for **selected client** and defaults to the latest audiogram.
6. Select a **Stock type** for the initial registration of the article (within a session, this value is remembered inside the form). Opt for either of the following:
 - To in Stock
 - To Lent out to Employee (*Employee will default to the current user. When requisitioning for yourself, use this default as a fast option*).
7. Deliver by
 - When **selected client** is chosen, the next appointment appears. The 'Deliver by' date is set by the System Administrator for a specified number of days before the client's next appointment. This date can be altered manually.

- If the requisition is not created for a selected client, the 'Deliver by' date should be entered manually.
8. **Clear** removes all selections.
 9. On **Save**, the new requisition appears in the 'Requisition list' table below.
 - If more articles are required from the same manufacturer, clicking **Save** will clear the **Article**, **Quantity**, **Colour** and **Deliver by** fields which are then free to specify additional articles for the **Requisition list**.
 - *Note that **Group**, **Manufacturer** and **Stock type** will keep the information.*

On the *Requisition list* table, all the details of the Requisitions are shown (*Stock type*, *Deliver by date*, *Audiogram date*, *Patient identifier*, etc.):

- The table can be re-ordered as usual by selecting a column and moving it to the desired position. To save the modified table configuration on user level or site level, right-click anywhere on the table and choose the appropriate option.



- Yellow highlighted quantity is editable.

The Requisition list can be **exported to CSV**. An extended right in the Administration tool controls this, and the export is logged in the security log.


Delete an existing order form line (*done when ordered*) by clicking on it and then clicking **Delete**.

The **New purchase order** button will open a 'Purchase order' form for whichever requisition is selected in the table.

NOTE: The Requisitions window can be resized as needed. The modified size is retained after restarting Auditbase.

13.20 Purchase orders

The 'Purchase orders' dialog is used to order requested articles. To open the dialog, select **Functions -> Purchase orders** from the **Stock** module or click on 'Purchase orders' in the Navigation menu.



The dialog contains:

1. **Show orders list** button that opens the list of existing orders.
2. 'Order details' section where order information is entered.
3. 'Order status' section designed for order tracking.
4. 'Requisitions and articles' table listing requisitions that can be included in the order. For existing orders, the lower part of the dialog will show the 'Order details' table.
5. **Print**, **New**, **Save** and **Cancel** controls.

The screenshot shows the 'Purchase orders and deliveries' dialog box. It has a title bar with a close button. Below the title bar is a client selection field with 'MRS FIRSTNAME92 LASTNAME92' and buttons for 'Print', 'New', 'Save', and 'Cancel'. The main area is divided into three tabs: 'Create/Edit Purchase orders', 'Register deliveries', and 'Delivery status overview'. The 'Create/Edit Purchase orders' tab is active. It contains a 'Show orders list' button and a 'Order details' section. The 'Order details' section has fields for 'Supplier' (A&M HEARING LTD), 'Order ID', 'Your reference', 'Referring agent', 'Deliver to' (Location1), 'Delivery time' (Immediate), 'Hospital order no.', 'Order status' (Order approved, Order fully received), 'Order type', 'Delivery week', 'Terms of delivery', 'Packaging', 'Terms of payment' (30 days), 'Tender date', 'Tender no.', 'Printed', 'Note', 'Order date' (06/17/2024), 'VAT', 'T.P. number', 'Special instructions', 'Number of lines', and 'Batch no.'. Below the 'Order details' section is a table titled 'Requisitions and articles below order/warning-levels'. The table has columns: Quantity, Article ID, Supplier art. no., Model description, Deliver by, Colour, Unit price, Total price, Audiogram, Req. date, Next appointment date, Ordered by, Hospital, Client name, and NH. The first row of the table contains the following data: 1, 50284, GH8023, NHS SUPPLIES, BE101B, 06/11/2024, \$46.69, \$46.69, 4/5/2020, no. 1, 06/17/2024, 06/18/2024 11:45:00, John Smith, T192, MRS FIRSTNAME92 LASTNAME92, and NH.

13.20.1 Create/edit/print a purchase order

Create

To create an order:

1. Click **New** on the 'Purchase orders' dialog

Purchase orders and deliveries

Client: MRS FIRSTNAME92 LASTNAME92

Print New Save Cancel

Create/Edit Purchase orders Register deliveries Delivery status overview

Show orders list

Order details

Supplier: A&M HEARING LTD

Order ID:

Your reference:

Referring agent:

Deliver to: Location1

Delivery time: Immediate

Hospital order no.:

Order status: ☐ Order approved ☐ Order fully received

For selected client

Order type:

Delivery week:

Terms of delivery:

Packaging:

Terms of payment: 30 days

Tender date:

Tender no.:

Printed:

Note

Order date: 06/17/2024

VAT:

T.P. number:

Special instructions:

Number of lines:

Batch no.:

or **New purchase order** in the 'Requisition' form.

Requisition list

Export to CSV New purchase order Delete

Quantity	Article ID	Model description	Date	Deliver by	Colour	Deliver to	Hospital	NHS no.	Audiogram	Client name	Employee	Stock type	Ordered by
1	50264	NHS SUPPLIES, BE101B	06/17/2024	06/11/2024		John Smith	T192		4/5/2020, no. 1	MRS FIRSTNAME92 LASTNAME92	John Smith	TEACHERS OF T	John Smith
1	50146	NHS SUPPLIES, BE102HF	06/17/2024	06/11/2024		John Smith	T1106	5555554444	12/11/2018, no. 1	MRS FIRSTNAME106 LASTNAME106	John Smith	TEACHERS OF T	John Smith

- Select the required supplier from the drop-down list.
 - Coming from the Requisition form, the supplier and requisition will be preselected.
- Select the type of order (optional).
- 'For selected client' filter will display requisitions for that client only.
 - This filter is only available if the global client has been selected on the main screen.
- Specify order details in the 'Order details' section.
- Choose 'Deliver to' from the list of Locations.
- Click **Note** to enter any comments for the article.
- Highlight the requisitions to be ordered. Multiple requisitions can be highlighted by clicking and holding down **Ctrl** or **Shift**.
- Save. The order is now assigned a unique reference (DD-MM-YYYY, No.) and entered into the **Existing orders** list.
- On Save, the 'Order details' table is shown at the bottom of the 'Purchase orders' form. In the 'Order details' table, fields highlighted in yellow are editable (e.g., *Quantity*, *Received quantity*, *Requisition date*, *Colour*, *Deliver by*).
 - Change the number of articles and colour as required.
 - Changes can be made directly in the table by clicking the corresponding cell.
- Fill 'Received' to complete the receipt of the order without triggering *Stock Registration*.
- 'Order fully received' is ticked automatically when the received quantity matches the ordered quantity.

Edit

Existing orders can be updated.

To update an order:

1. Click the button **Show orders list**. This will open a separate pop-up with the list of orders.
2. Use filters to quickly find your order:
 - Choose *supplier* to show orders for a certain supplier.
 - Select the relevant *order type* to display orders only of this type.
 - To view all orders, select **Include fully received orders**. Fully received orders are excluded by default.
 - If necessary, use additional column filtering on table columns (*NOTE: All Order columns can be pre-filtered*).

Refresh  if some of the list content has changed (e.g., an order received a new status or more orders have been added).

Use the  icon to dock and undock the dialog within the 'Purchase orders' form.

3. Once the order has been selected and the relevant information loaded into the 'Purchase orders' form, you can make the needed changes to your order.
 - For instance, orders can be approved and marked as received by selecting the **Order status** check boxes. When the orders are received, the received quantity can be entered in the column next to the quantity ordered.

Print

To print an order, click **Print**.

You can choose a Standard printout template or you can configure a Word document template to be used for printing purchase orders. For more information on templates, refer to [Documents and attachments](#).

NOTE that your order must be patient-related to use Word templates.

To add a template to the 'Print pop-up menu'

1. Go to the Documents and attachments module.
2. Select your template in **Document type > All template documents**.
3. Go to **Functions > Properties**.
4. Tick **Available in module - Purchase order**.
5. Save.

To apply a new template

1. Go back to the **Purchase order** screen.
2. Select your order from the **Orders list** (*Navigate to the list using the Show orders list*

button).

- From the **Print** menu, choose the newly added template.

If you do not need a certain template to be shown in the 'Print pop-up menu', follow steps 1-3 from the procedure above and remove the selection from **Available in module - Purchase order**.

If the Purchase order has been printed out as a document, this document will be attached in the **Printed** area of the 'Order details' section of the 'Purchase order' form.

- You can **open** this order printout to make changes, or **detach** if it is no longer needed.

Purchase orders and deliveries

Client: MRS FIRSTNAME92 LASTNAME92

Print New Save Cancel

Create/Edit Purchase orders Register deliveries Delivery status overview

Show orders list

Order details

Supplier: A&M HEARING LTD

Order ID: 45

Your reference:

Referring agent:

Deliver to: Location1

Delivery time: Immediate

Hospital order no.:

Order status: ☒ Order approved ☐ Order fully received

Order type:

Delivery week:

Terms of delivery:

Packaging:

Terms of payment: 30 days

Tender date:

Tender no.:

For selected client

Note

Order date: 06/17/2024

VAT:

T.P. number:

Special instructions:

Number of lines:

Batch no.:

Printed

6/17/2024, Headed letter template

Open Detach

Quantity	Supplier art. no	Model description	Deliver by	Colour	Received	Unit price	Total price	Audiogram	Req. date	Next appointment date	Ordered by	Hospital	Client name	NP
1	GHB023	NHS SUPPLIES, BE101B	06/11/2024		0	\$46.69	\$46.69	4/5/2020, no. 1	06/17/2024	06/18/2024 11:45:00	John Smith	T192	MRS FIRSTNAME92 LASTNAME92	

13.20.2 Register deliveries

After devices have been received, they should be registered as delivered on order and registered to stock. To do so, go to the *Register deliveries* tab.

There are two ways to enter device information:

- With a barcode reader
- Manually

Purchase orders and deliveries

Client: MRS FIRSTNAME92 LASTNAME92

Cancel

Create/Edit Purchase orders | Register deliveries | Delivery status overview

Supplier: A&M HEARING LTD Requisition date from: 05/18/2024

Manufacturer: NHS HEARING AID (Serial No.), NHS SUPPLIES Article: BE101B

Register to stock

Filter by Client or Order ID: 45

Quantity	Supplier art. no	Model description	Received	Unit price	Total price	Stock type	Ordered by	Req. date	Colour	Hospital no.	NHS no.	Order ID	Deliver by	Delivered to	Client name
1	GHB023	NHS SUPPLIES, BE101B	0	\$46.69	\$46.69	TEACHERS OF THE DEAF (Lent out to other)	John Smith	06/17/2024		T192		45	06/11/2024	Location1	MRS FIRSTNAME92 LASTNAME92

Register delivered requisition items to stock

Serial number(s): RKG00248

Batch/Lot:

Initial registration to in-house - stock type: TEACHERS OF THE DEAF (Lent out to other)

Employee: John Smith

Lent out to patient - stock type: LOAN (Lent out to client)

Ear: ☐ R ☐ L ☒ N/A

Register to stock

To register, follow these steps:

1. Search an ordered requisition by selecting **Supplier**, **Manufacturer** and **Article**. When you scan the barcode with a reader, all these fields will be filled automatically.
2. Select a requisition
 - For faster selection, filter by Client or Order ID.
3. Enter a serial number of the delivered item. Several serial numbers need to be separated by commas without additional spacing. To separate a range of numbers, use a semicolon without additional spacing.
 - Each item needs to be registered separately.
 - When using a barcode reader, the serial number of the device is filled automatically.
4. Choose 'Initial registration to in-house - stock type' and employee if registered as 'Lent out to employee'
 - For patient-related items, additionally select 'Lent out to patient - stock type' and ear side.
5. Click **Register to stock**
 - Each stock transaction needs to be confirmed if this is configured in the administration tool.
 - Additionally, information on delivered items can be attached to patient appointments and registered in journal.

Stock transaction confirmation

You are going to issue (lent out - in case of lending out) the following stock article:
NHS SUPPLIES, BE101B, RKG00248

to the following client:
T192 MRS FIRSTNAME92 LASTNAME92

Details are the following:

New stock type:
LOAN (Lent out to client)

Side:
N/A

Date:
06/17/2024

Invoice type:

Invoice to:
Client: T192 MRS FIRSTNAME92 LASTNAME92

Price:
\$46.69

Return date:

Is information above correct?

Click Commit if correct (system will make stock transaction)

Click Skip to cancel the current stock transaction

Click Abort to return to "Purchase orders" dialog and change some information

Commit

Skip

Abort

13.20.3 Delivery status overview

The Delivery status overview can be used to review the status of existing deliveries (e.g., partial, missing, complete).

Users can filter results by:

- Supplier
- Delivery date
 - *'Delivery from ... to...'* can limit the number of orders by specifying the date range when these deliveries are expected.
- Whether only a part or the entire order is missing
 - *'Show not delivered only'* check box is selected by default to limit the list to outstanding deliveries. You may clear this selection to see old orders.
- Requisition date
 - *'Requisition date from'* defaults to the date ONE month from the current date. It is used to remove old irrelevant records from search results.

Purchase orders and deliveries															
Client MRS FIRSTNAME92 LASTNAME92														Cancel	
Create/Edit Purchase orders Register deliveries Delivery status overview															
Supplier A&M HEARING LTD										Requisition date from 05/18/2024					
Delivery from to										☐ Show not delivered only					
Quantity	Supplier art. no	Model description	Received	Unit price	Total price	Stock type	Ordered by	Req. date	Colour	Hospital no.	NHS no.	Order ID	Deliver by	Delivered to	Client name
1	GHB023	NHS SUPPLIES, BE101B	0	\$46.69	\$46.69	STOCK - GWH (In stock)	John Smith	06/17/2024				40	06/22/2024	Location1	
1	GHB023	NHS SUPPLIES, BE101B	1	\$46.69	\$46.69	STOCK - GWH (In stock)	John Smith	06/17/2024		T117575		44	06/11/2024	Location1	MST FIRSTNAME17575 LASTNAME
1	GHB023	NHS SUPPLIES, BE101B	1	\$46.69	\$46.69	TEACHERS OF THE DEAF (Lent out to other)	John Smith	06/17/2024		T192		45	06/11/2024	Location1	MRS FIRSTNAME92 LASTNAME92

© Auditdata – 2024, ID: 20.0040/35

302

13.21 Purchase statistics

In this window, statistics of article purchases is retrieved. To open the dialog, select **Statistics - > Purchase statistics** from the **Stock** module.

Purchase statistics for serial numbers

Print Export to CSV Close

Search parameters

Group

- G1
- NHS HEARING AID (Serial No.)
- Service-Accessory
- COMMERCIAL HEARING AID (S
- EARMOULD ACCESSORIES
- ELBOWS
- LEADS, RECEIVERS & SHOES
- MISC. HA ACCESSORIES
- SERVICES
- TINNITUS DEVICES

Manufacturer

NHS SUPPLIES

Period

From 14/01/2019

To 14/01/2020

Mode

☐ Summary of articles

☒ Summary of article groups

☐ Detailed

Show

Statistics

Manufacturer	Man. code	Article group	Article	Art. code	Quantity	Total Price
NHS SUPPLIES			BEA1 (BOOKLET)		1	£0.13

In total 1

Total price £0.13

Statistics are calculated based on registered devices in stock.

- Selecting **Group** lists the **Manufacturers** defined in this group.
- Selecting two and more groups selects all manufacturers of these groups and clears the list of manufacturers. Select or deselect a group by clicking on it in the list.
- If a single group is selected, one or more, or all, manufacturers from the list can be highlighted.
- Add or deselect manufacturer(s) by clicking in the list. Selecting none of the manufacturers implies selecting all.
- You can specify whether statistics should be done on **Summary of articles**, **Summary of article groups** or **Detailed**. **Summary** calculates totals per manufacturer/device, **Detailed** shows serial numbers.
- Specifying a purchase period in **From** and **To** limits statistics to the selected date range.
- Click **Show** to calculate the statistics. The results of the calculation are shown in the **Statistics** table. Below the table the total number of purchased devices and the total purchase price is shown.
- When statistics are calculated, you can print the results by clicking **Print**.
- Detailed statistics can be exported to a comma-separated (CSV) file by clicking **Export to CSV**.

13.22 Stock statistics

To open the dialog, select **Statistics -> Stock Statistics** from the **Stock** module. In this window statistics for activities in stock are retrieved.

Stock statistics

Statistic type **Serial numbers** Close

Filtering
Saved filters: New filter [Default] Save Save as... Delete Export to CSV Print Show

Group: Quantity 2, Serial No. Group 1, Service group 1, Stock group 1, Test Quantity Group, Test Serial No. Group, Test Service Group, NHS HEARING AID (Serial No.), SPECIAL TECH. AIDS (Quantity), TestArtemID, BATTERIES (Quantity-Accessory), PROCEDURES (Service), Service-Accessory

Manufacturer: ☐ Select all Manufacturer 1 test ☒ Select all Article Article 1, Article 2, Article 3, Article 4

New stock type: STOCK - DV BOX, STOCK - OUTREACH, STOCK - SAVERNAKE, To repair sample, From repair sample, Auto created - 14, Auto created - 16, Auto created - 17, Auto created - 21, Auto created - 22, Auto created - 24, Auto created - 28, Auto created - 7

Previous stock type: POSTAL BATTERIES (Issued bat), LOAN (Lent out to client), TEACHERS OF THE DEAF (Lent), SENT FOR REPAIR (Repair), DAMAGED (Lost), LOST, OBSOLETE (Lost), HOLDING STOCK, Louisa's sorting (In stock), RECONDITIONED (Issued), REPLACEMENT (Issued), STAFF DEMO'S (Lent out to other), STOCK - PAEDS (In stock->Issue)

Options and conditions
☒ In total ☐ Per item ☐ Recycled articles only
☐ Current status ☒ Transactions Date from 01/01/2022 to 11/16/2022 User All users
☒ Totals on articles ☐ Totals on article groups

New stock type	Manufacturer	Article	Qty.	Price	Article type
STOCK - GWH (In stock)	Manufacturer 1	Article 1	1	\$23.00	STAYE DRY TUBING
STOCK - GWH (In stock)	Manufacturer 1	Article 2	2	\$134.00	HA FITTING
STOCK - GWH (In stock)	Manufacturer 1	Article 4	1	\$0.00	REHABILITATION
BATTERIES IN STOCK (Batteries in stock)	Manufacturer 1	Article 3	1	\$0.00	PRESENTATION BOX

Average price \$31.40 Total transactions 5 Total price \$157.00

The leftmost list contains stock groups. Depending on the group selected, statistics are calculated for serial numbers, quantity-controlled articles or services.

It is possible to save all selections and options made on the *Stock statistics* dialog as a filter in order to run the same statistics when needed.

On the **Save filter** dialog, you can create a new filter, update and rename the current filter, or make your preferred filter the default.

Save filter ×

Save Close

☐ Save to the current filter <New filter>
☐ Rename the current filter
☒ Save as a new filter
☐ Save as the default filter

Name: Filter 10

13.22.1 Statistics for serial numbers

- Statistics for serial numbers can be calculated in total (summary statistics) or per item (detailed statistics) by selecting the corresponding option.
- Detailed statistics can be calculated with or without mention of a client by selecting or deselecting **Client reference**.
- Select **Recycled articles only** to calculate statistics for the recycled devices only. This can be calculated for current stock status or on the basis of transactions by selecting this option. If this option is selected, statistics can be restricted for a time range and user-performed transactions.
- One or more manufacturers can be selected by clicking in the **Manufacturer** list.
- All manufacturers can quickly be selected by checking the **Select all** box.
- Statistics will be filtered for the selected manufacturers.
- If a single manufacturer is selected, one or more articles of this manufacturer can be selected by clicking in the **Article** list.
- All articles can quickly be selected by checking the **Select all** box.
- Selecting more than one manufacturer implies selecting all the articles from these manufacturers.
- For **Current status** statistics, one or more stock types can be selected in the **Stock type** list.
- For statistics based on transactions, one or more stock types can be selected in the **New stock type** and **Previous stock type** lists.

13.22.2 Statistics for quantity-controlled articles

- Statistics for quantity-controlled articles can be calculated for current stock status or based on transactions by selecting the corresponding option.
- If the statistics are calculated based on transactions, statistics can be limited to time range and user-performed transactions.
- Individual transactions with client details can be shown by selecting **Per item with client reference**. The result will show the client's details alongside article information.
- One or more manufacturers can be selected by clicking in the **Manufacturer** list. All manufacturers can quickly be selected by checking the **Select all** box. Statistics will be filtered for the selected manufacturers.
- If a single manufacturer is selected, one or more articles of the manufacturer can be selected by clicking in the **Article** list. All articles can quickly be selected by checking the **Select all** box. Selecting more than one manufacturer implies selecting all articles from these manufacturers.
- For **Current status** statistics, one or more stock types can be selected in the **Stock type** list.
- For statistics based on transactions, one or more stock types can be selected in the **New stock type** and **Previous stock type** lists.

13.22.3 Statistics for services

- Statistics for services are calculated on the basis of transactions.
- Statistics can be limited to time range and user-performed transactions.
- One or more manufacturers can be selected by clicking in the **Manufacturer** list. All manufacturers can quickly be selected by checking the **Select all** box. Statistics will be filtered for the selected manufacturers.
- If a single manufacturer is selected, one or more articles of the manufacturer can be selected by clicking in the **Article** list. All articles can quickly be selected by checking the **Select all** box. Selecting more than one manufacturer implies selecting all the articles from those manufacturers;
- Invoiced services only can be included by selecting this check box.
- Clicking **Show** activates a search in the database and a listing on screen and the totals calculated are shown in the result table.
- The set of totals depends on the statistics type selected. Total quantity and total price are calculated for all statistics. For serial numbers statistics, the average device price is calculated and if client reference is checked, the average number of devices per client is also calculated.
- Click **Print** to print the listing.

13.22.4 Issue advanced statistics

This dialog is used to calculate the number of monaural and binaural hearing instrument issues using specified criteria. Note that the binaural issue is the issuing of hearing instruments to a client for both ears on the same day. Monaural issues are all other issues.

The dialog is called by selecting **Statistics -> Issue advanced statistics** from the **Stock** module.

Issue statistics advanced

Export to file

Calculate

Print

Close

Calculation criteria

Issue date:

14/01/2019

-

14/01/2020

Client age:

-

Client gender:

☒ Male

☒ Female

☐ Other

Issue type:

☐ Monaural

☒ Binaural

Result:

Client name	Hospital no.	Client secondary code
<Deleted client>		
testpat	T1200000	
testpat	T1200000	
first name first name last name last name	8888888888	0000001
first name first name last name last name	8888888888	0000001
FATHER FNAME221 SNAME12	T999999	999999
MR FIRSTNAME183 LASTNAME183	T1183	
MR FIRSTNAME183 LASTNAME183	T1183	
MRS FIRSTNAME83 LASTNAME83	T183	
Professor Test11111111111111111111111111111113 Test1111111111	E333333	

<

>

TOTAL: 10

- The **Calculation criteria** area is used to specify the parameters for the statistical calculation. The following parameters can be specified:
- **Date range:** hearing instrument issues falling into a specified range of dates will be included in the statistics. If the field is empty the interval is unlimited.
- **Age interval:** issues to clients with their age falling into a specified interval will be included in the statistics. No value in the range means unlimited interval.
- **Client gender:** Male, Female or Not specified. Check the boxes to include in the statistics, issues to a client of a chosen gender. At least one of boxes must be checked.
- **Issue type:** the statistics calculate Monaural and Binaural issues separately, so the required issue type must be selected before calculation.
- When all the criteria have been specified, press **Calculate** to calculate the statistics. The result is shown in the result table below and includes client name, personal number, issue date and total number of issues.
- Press **Print** to print the results.
- You can also export the results to a comma-separated (CSV) file. Click **Export to file** and select the target file in the file selection dialog.

13.23 Lent out Articles

- Select **Statistics** -> **Lent out items**.
- An empty dialog will appear.
- Chose a stock type in the **Stock type** select box and then press **Show**.

[illegible]

- The view can be filtered with respect to **User, Stock type** and price interval.
- If a line in the result is selected, you can print a recall letter to the client by clicking **Print letter**.
- The total list can be printed by clicking **Print list**.
- You can print a recall letter by selecting one item in the list and clicking **Print**.

13.24 Financial stock report

- Select **Statistics** -> **Financial Stock Report**.

This report is generated and printed based on a selection of **Location**, **Date interval**, **Stock Groups** and price limits.


Price limit	Stock group
☐	G1
☒	NHS HEARING AID (Serial No.)
☐	Service-Accessory
☒	COMMERCIAL HEARING AID (Serial No.)
☐	EARMOULD ACCESSORIES
☐	ELBOWS
☐	LEADS, RECEIVERS & SHOES
☐	MISC. HA ACCESSORIES
☐	SERVICES
☐	TINNITUS DEVICES

The report lists information such as:

- Issued articles in period
- Issued recycled articles in period
- Articles on stock
- Articles lost during a period of time
- Articles taken back during a period of time

13.25 Bar code print

When you have selected an item from stock which is controlled by serial number, a label with the item data can be printed. Go to **Functions -> Print bar code**.



The layout of the barcode print depends on the type of barcode to be used. This is defined by the System Administrator. The settings for type of barcode standard, prefix and suffix are also defined by the System Administrator.

13.26 Articles

The **Articles** dialogue is opened by selecting **Functions -> Settings -> Articles** from the **Stock** module. You can also double-click an article in the list.

The screenshot shows the 'Articles - NHS HEARING AID (Serial No.), NHS SUPPLIES' dialog box. It has a title bar with a close button (X). Below the title bar are buttons: 'Order levels', 'New', 'Save', 'Delete', and 'Close'. The main area is divided into three sections:

- Article list:** A list of articles under the heading 'NHS SUPPLIES'. The list includes: BE102H, ITE10MR, ITE10ML (highlighted), ITE11MR, ITE11ML, BE101, BE101B, BE101G, BE102HF, BE103, BE105, BE18, BE19, BE301, BE34, BE34BASEEFA, BE36, BE37, and BE37D.
- Article details:** A form for editing the selected article (ITE10ML). Fields include:
 - Article: ITE10ML
 - Article group: (dropdown)
 - Article type: MODULAR ITE
 - Supplier: NHS SUPPLIES
 - Supplier art. no.: GHB 106P
 - Article ID: 50143
 - NHS article no.: 11111111111123
 - Priority: 2
 - Battery: CP41
 - Colour: 11
 - Type: 22
 - Version: 33
 - Internal art. no.: (empty)
 - NHS price: (empty)
 - Article information: (text area)
- Warranty and Pricing:**
 - Warranty:** Checkboxes for 'Warranty' and 'Interface connection'. A 'months' field is next to 'Warranty'. A 'Discontinued' checkbox is also present.
 - Manufacturer ID barcode:** 1234567
 - Associated articles:** A list containing '260TM' with 'Add' and 'Delete' buttons.
 - Product ID bar code:** 54321
 - Price:**

Purchase price	Discount on purchase	Net. purchase price
£70.51	-	
Basic profit		1.23%
Sales price		£70.51

In this dialogue articles can be added to the list of the selected group or details of a selected article can be changed.

- To add a new article, click **New** and enter the information for the article.
- To edit an existing article, select it in the list and modify the record.
- The following information can be entered for an article:
- **Article:** the name of the article.
- **Article type:** the type of the article should be selected from the drop-down list.
- **Supplier:** select the supplier of the article from the drop-down list.
- **Supplier article number:** this can be the catalogue or part number of the Article.
- **Priority:** a priority can be assigned and Auditbase will list the articles by priority and then alphabetically.
- **NHS article no, Colour, Battery, Type, Version, and Internal article no:** these fields can be entered as any symbols.
- **Purchase price incl. vat, Discount on purchase, and Sales price incl. vat** can be added. This will help in stock taking if required. Sales price can be calculated based on article profit by pressing the **Calc.** button.
- **Warranty:** check this box and specify the number of months if the article has a warranty. A maximum of 999 months can be added.
- **Discontinued:** if this box is checked, the Article will not be listed.

- **Associated articles:** is a list of articles associated with the current article, for instance spare parts. Press **Add** to specify a new associated article, and select it in the opened dialogue (see Associate articles for details). Press **Delete** to remove the association with an article.
- **Manufacturer ID barcode:** the barcode for the specific manufacturer can be chosen here. Several barcodes might exist for the same manufacturer, if the manufacturer produces articles in different countries.
- **Product ID barcode:** a list of possible barcodes for the current article can be entered in this table. The format of the barcode is set by the system administrator. The system uses barcodes to identify articles via scanning with a scanner attached to the computer.
- **Article information:** this is a free text field for entering any required information about the Article.
- **Save** saves the current article.
- **Delete** deletes the selected article from the database.

13.26.1 Associated articles

In the **Associated article** dialogue, you can add a dependent article to an article being edited. To open the dialogue, click **Add** in the **Associated article** section in the **Article** dialogue.

Group	Manufacturer	Articles
G1	(1)Testmanu	260TM
Quantity 2	(2)Testmanu	BE101
NHS HEARING AID (Serial No.)	(3)TestManufacturer	BE101B
SPECIAL TECH. AIDS (Quantity	123456789	BE101G
BATTERIES (Quantity-Accesso	GNRESOUND	BE102H
PROCEDURES (Service)	NHS SUPPLIES	BE102HF
Service-Accessory		BE103
COMMERCIAL HEARING AID (S		BE105
EARMOULD ACCESSORIES		BE18
ELBOWS		BE19
LEADS, RECEIVERS & SHOES		BE201
		BE201B

- In the dialogue, select **Stock type**, **Manufacturer**, and **Article**.
- Click **OK** to add a selected article to the list of associated articles.

13.27 Edit groups of articles

You can set up groups of articles per manufacturer. This is useful if you for instance want to group articles with the same colour.

The dialog is opened by selecting **Functions -> Settings -> Edit groups of articles** from the **Stock** module.

Groups of articles list

NHS SUPPLIES

test group

Group: test group

Article type: [dropdown]

Supplier: NHS SUPPLIES

Supplier group no.: 1

Priority: 2

Battery: 3

NHS price: £4.00

Group information

Test info

Warranty

☒ Warranty 12 months

☐ Interface connection

☐ Discontinued

☐ Ear side defaults to N/A

Associated articles

260TM

Add

Delete

Price

Purchase price	Discount on purchase	Net purchase price
£6.00	- 7.00%	= £5.58
		Basic profit 1.23%
		Sales price £5.65

Calc.

- Give the group a name, type and supplier – mandatory in order to save.
- Enter other relevant information.
- Click **Save**.
- Once the group is saved it will show up in the main Stock window, when you select main group and manufacturer.
- Right-click the group to edit it directly from the main Stock window.

13.28 Manage articles in groups

When you have created a group of articles, you need to manage the articles in the group, which you do by selecting **Functions** -> **Settings** -> **Manage articles in groups**.

The screenshot shows a window titled "Manage articles in groups - NHS HEARING AID (Serial No.), NHS SUPPLIES". Inside, there's a sub-header "NHS SUPPLIES" with a "Close" button. Below this, an "Article group" dropdown is set to "test group", with an "Edit groups" button next to it. A checkbox labeled "Show discontinued" is present. The main area is split into two columns: "Articles not in groups" on the left and "Articles in selected group" on the right. The left column contains a list of article codes: BE102H, ITE10ML, ITE11MR, ITE11ML, BE101, BE101B, BE101G, BE102HF, BE103, BE105, BE18, BE19, BE301, BE34, BE34BASEEFA, BE36, BE37, BE37D, BE38, BE38B, BE39FX, BE52, BE54, and RF54D. The right column contains the code ITE10MR. Between the two columns are two arrow buttons: a right-pointing arrow and a left-pointing arrow.

- First choose the relevant article group from the drop-down list.
- If you want to edit groups of articles, click on **Edit Groups**.
- The list to the left contains all articles that haven't been put into a group.
- The list to the right contains the articles that are currently in the selected group.
- Choose an article and use the arrows in the middle to move it either into a group or out of a group.
- Changes are automatically saved.

13.29 Creating a new or modifying a service

Select the service and the type and open the **Services** dialogue by selecting **Functions** -> **Settings** -> **Services** from **Stock**.

In this dialogue services pertaining to a selected manufacturer can be defined. Services are defined by name and prioritised for the list order. Additional attributes can also be specified.

- To create a new service, press **New** and enter the name of the new service.
- To edit an existing service, select a service in the list. The service number (ID) is added automatically.
- If required, specify a priority for this service.
- **Article type** can be selected from the drop-down list. The entire list of types is defined in the dialogue opened by selecting **Functions** -> **Settings** -> **Article types**.
- Enter a sales price for the service and a comment if required.
- Click **Save** to save the new or modified information to the database.
- Click **Delete** to delete a selected service from the database.

13.30 Suppliers

From this menu item a window is displayed in which suppliers can be defined by name, address, contact person, supplier number, etc. In **Functions** -> **Settings** -> **Suppliers**:

- Select **New** and then enter the name of the supplier in **Selected supplier**.
- A **Priority** can be assigned and Auditbase will list the suppliers by priority and then alphabetically. Each supplier must have a unique **Supplier no** assigned to it.
- The supplier's address and contact details can be added to the appropriate fields.
- Click **Save** to save new or altered information to database.
- Select **Outdated** if you want to outdate a supplier.
- Click **Delete** to delete a defined supplier from database.

13.31 Manufacturers

In this dialog, you can define manufacturer with name, number and priority.

To open the dialog, select **Stock -> Settings -> Manufacturers** from the Stock module.

- To add a new manufacturer, click **New** and enter the name. The manufacturer number is added automatically.
- Specify a **Priority** for the manufacturer.
- To edit a manufacturer, click an existing manufacturer and make the required changes.
- A manufacturer can be configured to include alphabetic characters in all their serial numbers. Certain alphabetic characters are never used, (see text warning for list of these) this is done according to the system used by Phonak. This allows sequences of serial numbers to be created including alphabetic characters. A text note will appear on the **Register for stock** dialog when a manufacturer with this setting is selected. Even when only numbers are used for first and last serial numbers, the alphabetic characters will be used in between.
- To mark a manufacturer **outdated**, select the corresponding checkbox
- One or several barcodes can be specified for the manufacturer. If a manufacturer produces articles in different countries, it is necessary to register more than one barcode ID.

- The name of the barcode depends on the barcode type used. This is defined by the system administrator.
- Auditbase uses barcodes to recognize an item via scanning with a barcode scanner attached to the computer.
- Click **Save** to save the new or modified record.
- Click **Delete** if you want to delete a record.

13.32 Article types

In the Stock module, go to **Stock -> Settings -> Article types**. From this menu item a window is retrieved in which types of articles can be defined.

The screenshot shows the 'Article types' window. At the top, there's a title bar with a close button. Below it are four buttons: 'New', 'Save', 'Delete', and 'Close'. The window is split into two main sections. The left section, labeled 'Article types', contains a scrollable list of article types. 'BATTERY' is currently selected. The right section, labeled 'Article type', contains a text input field with 'BATTERY' and a 'Priority' field with the value '1'.

- Select **New** and then enter the name of the **Article type** in **Selected article**. A **Priority** can be assigned and Auditbase will list the types by priority and then alphabetically.
- Click **Save** to save a new or changed article type in the database.
- Click **Delete** to delete a defined article type from the database.
- Click **Cancel** to close definitions of article types.

13.33 Order levels

In the Stock module, go to **Stock -> Settings -> Order levels**. Select this function to type ordering levels for defined articles. Two levels can be typed, urgent level and an ordering level which is used at bulk purchasing or for the purchase of more than one article from the same supplier.

The screenshot shows a window titled "Order levels - NHS HEARING AID (Serial No.), NHS SUPPLIES". It has a "Save" button and a "Close" button. The window is divided into three main sections:

- Article:** A list of articles with "BE102H" selected. The list includes: BE102H, ITE10MR, ITE10ML, ITE11MR, ITE11ML, BE101, BE101B, BE101G, BE102HF, BE103, BE105, and BE18.
- Stock type:** A list of stock types with "BATTERIES IN STOCK" selected. The list includes: STOCK - GWH (In stock), BATTERIES IN STOCK, HOLDING STOCK, Louisa's sorting (In stock), STOCK - PAEDS (In stock), Sent to manufacturer (In stock), UNTRACEABLE (In Stock), STOCK - DV BOX, STOCK - OUTREACH, STOCK - SAVERNAKE, From repair sample, and Auto created - 1.
- Right side fields:**
 - Article ID:** 50388
 - Article:** BE102H
 - ☐ **Enable ordering level**
 - Point of ordering:** (empty field)
 - Point of warning:** (empty field)

- Select article and stock location for article.
- Type number in the fields **Point of ordering** and **Point of warning**.
- Click **Save** to save levels in the database.
- Click **Cancel** to close this function.

13.34 History

By activating this function all changes made in the field Stock type for a specific serial number are displayed. Select the specific item in **Stock** and go to **Functions -> History**.

History

×

Close

ArticleNHS SUPPLIES, BE101B, RKG00255, Batch/Lot: 54114

Date	Stock type from	Stock type to	Client	Note	User	Receiver
06/17/2024		STOCK - GWH (In stock)		Register for stock - NHS HEARING AID (Serial No.), NHS SUPPLIES	John Smith	
06/17/2024				Batch/Lot changed from 54115	John Smith	
06/17/2024	STOCK - GWH (In stock)	FITTED/EXCHANGED (Issued)	MST FIRSTNAME17575 LASTNAME17575		John Smith	T117575

Date of change, new stock type and client together with the option to add a note concerning changes is shown.

13.35 Fast accessories issue

The “Fast accessories issue” dialog allows users to quickly select several different accessories (quantity-controlled articles) of any quantity and issue them in one step. To enable fast selection of the articles we have the traditional Stock Group and Manufacturer route plus three new fast-to-access ways that accessories are grouped together.

Lists of accessories can be created including associated articles.

13.35.1 Creating lists of accessories

The “Frequently used accessories lists” are the third option for populating articles on the “Fast accessory issue” dialog. They enable users to select from lists of articles that you can construct based on what you have issued in the past or on articles that you add to the list manually. You can make different lists for different groups of users or patients such as one for Hearing Aid users and one for Cochlear Implant users.

Lists of accessories can be added in the **Stock** module from **Settings -> Frequently used accessories**.

Enter a name for the new list and set a **Location** and/or **Department** if required. Select **Save**. Once you have saved the list, you can add quantity-controlled items in two different ways and combine them, from those recently issued and by manual selection. Firstly:

1. (Optional) Create or recreate from recently issued items.

[illegible]

Choose a **Stock group** or groups and a date range for the most issued accessories. By default, the **Date from** is set to one year before the **to** date. You can choose the **Maximum rows in result**, this defaults to 20. By selecting **Populate**, the **Selection result** is filled.

The list will be populated based on the most issued articles in the period you choose. The system will scan through all issues in the period and then present the top according to how many you limit it to, therefore a long period will take longer to populate.

Search most issued accessories

Stock groups

Quantity 2

BATTERIES (Quantity-Acce

Service-Accessory

TINNITUS DEVICES

Date from

13/01/2010

to

13/01/2020

Maximum rows in result

20

Close

Populate

Selection result

☒ Select all

	Article name	No. of issues
☒	13	6265
☒	312	401
☒	675	274
☒	675 COCHLEAR IMPLANT	120
☒	10	17
☒	AA (MN1500)	11
☒	AAA (MN2400)	5
☐		
☐		
☐		
☐		
☐		
☐		
☐		
☐		

Recreate list

You can either **Select all** articles, which is the default setting, or select articles using the check boxes to the left of the **Article name**. Once you have selected the appropriate articles press the **Recreate list** button in the bottom right to populate or repopulate the accessory list.

Frequently used accessories

Accessory lists

Implant accessories

Test

Location 2 Location2

Department 2 Department2

Number of accessories 7

Accessories

13

312

675

675 COCHLEAR IMPLANT

10

AA (MN1500)

AAA (MN2400)

1. (Optional) Create or recreate from recently issued items

2. (Optional) Add items manually

Remove

Articles can also be added manually to the list using the second option.

2. (Optional) Add items manually.

This option opens a window where you can choose accessory articles from the stock module using the standard grouping hierarchy.

Select accessories

Add selected items Close

Stock group	Supplier	Article
Quantity 2	(5)Testmanu	13
BATTERIES (Quantity-Accessory)	(6)Testmanu	675
Service-Accessory	NHS SUPPLIES	675 COCHLEAR IMPLANT
TINNITUS DEVICES		312
		10
		AA (MN1500)
		AAA (MN2400)

Selected articles and article groups

675 COCHLEAR IMPLANT

Show discontinued Show discontinued

Select a **Stock group**, **Manufacturer** and **Article** and use the arrow to move the article to **Selected articles and article groups**. You can **Show discontinued** stock groups or articles by checking the appropriate box. **Add selected items** will add these articles to the previously selected list. **Close** will close the window without moving any articles and take you back to the **Frequently used accessories** window.

Once you have created your list, **Close** will close the window. **Delete** will remove the selected **Accessory list**. Another list can be created by selecting **New** and re-starting the process.

The up and down arrows in **Accessory list** and **Accessories** will move the lists and the articles in the list so that they are in your preferred order.

When articles are set as 'Discontinued' they will be removed from lists automatically but Article Groups will not, so they must be removed manually.

13.35.2 Opening 'Fast accessories issue'

Fast Accessory Issue dialog can be opened in a number of ways, the quickest is to press **Ctrl+F10** on your keyboard. There are also buttons in **Stock -> Functions -> Fast accessories issue** or **Device list -> Accessory issue** or **Client Information -> Devices tab -> Accessory issue**. Using these ways the same window will open with the same selection filter showing the previous **Accessories issued to the client, in date order**.

The **Issue details** on the right side of the window are similar to other stock new status functions and need to be set first. Select the **From stock type**; this selection will be remembered for the next time you issue accessories. The **To stock type** will default to the option selected in the stock type set up in the System Administration tool but can be changed manually by selecting from the drop-down list. The **Date** will default to today's date but can be adjusted if required. Select an **Invoice type** and **Reason to issue** if required and choose whether the **Invoice** should be assigned **to client** or **to customer**.

13.35.3 Filtering potential articles

Fast accessories issue

Client MR JOHN SMITH OK Close

Filter articles

- ☒ Accessories issued to the client, in date order
- ☐ Manufacturers of current devices and Accessories linked to current devices
- ☐ Limit to Stock group [dropdown]
- ☐ Frequently used accessories from list [dropdown]
- ☐ Select by Stock group and Manufacturer

Stock group BATTERIES (Quantity-Accessory) [dropdown] Manufacturer All [dropdown]

Accessories/Group	Accessory in Group	Eat	L/R	Qty.	[]	[]	Stock
NHS SUPPLIES, 675		☐	R				
NHS SUPPLIES, 13		☐	L				
		☐	N/A				
		Qty.					
		1 [up/down arrows]					
		[right arrow]					
		[left arrow]					
		<<					

Issue details

From stock type STOCK - GWH (In stock) [dropdown]
To stock type FITTED/EXCHANGED (Issued) [dropdown]

Date 13/01/2020 [text box]
User SYSTEM ADMINISTRATOR [dropdown]

Invoice type Invoice type 1 [dropdown]
Reason to issue [dropdown]

Invoice

- ☒ to client
- ☐ to customer

Populating: 2 Done

There are three other possible filters in the **Filter articles** area to get you to the accessories you need as quickly as possible.

- **Accessories issued to the client, in date order.** This will show a list of all the accessories that have been issued to the client previously so you can quickly reissue.
- **Manufacturers of current devices and Accessories linked to current devices.** Selecting this option will display:
 - All accessories from the Manufacturer of the client's current articles.
 - All the accessory articles which are linked, in the article set up, to devices that have been issued to the client.
- You can **Limit to Stock group** and select from the drop-down box which stock group the accessory list will be limited to. Sorting results will be in the order:
 - Accessories linked to articles
 - Article groups from suppliers
 - Articles from suppliers
- Articles that have been grouped will display the group name. If the group is expanded, the **Accessory in Group** is shown in the next column.

Accessory/Group	Accessory
  NHS SUPPLIES, TEST BATTERY GROUP	
	675
	312
NHS SUPPLIES, 13	
NHS SUPPLIES, 675 COCHLEAR IMPLANT	
NHS SUPPLIES, 10	
NHS SUPPLIES, AA (MN1500)	
NHS SUPPLIES, AAA (MN2400)	

- **Frequently used accessories from list.** Any lists of articles created in the **Frequently Used Articles** dialog will be shown in the drop-down menu and the contents of the one you select will be displayed in the **Accessory/Group** window.
- **Select by Stock group and Manufacturer.** This selection will default to **All groups** for **Stock groups** and **All** for **Manufacturers**. If you select one **Stock group** the **Manufacturer** defaults to **All in stock group** but you can also then filter on any one **Manufacturer** from that Stock Group. Sorting will be:
 - Manufacturer
 - Article group
 - Articles

13.35.4 Selecting the accessories to issue

Once you have selected the appropriate filter for the articles, they can be selected by highlighting the **Accessory/Group** or **Accessory in Group**, if an article has been grouped and

expanded, and using the right facing arrow or by double clicking, move the article to the right-hand side of the window. An **E**ar side can be selected before moving the article by checking the appropriate box, otherwise it will default to **N/A**.

The fastest way to select accessories to issue without side is just to double-click on as many as you need.


The number of articles can be adjusted by using the **Qty** selection before moving the article or after using the plus and minus buttons.

The article can be removed using the X button.

Accessory	L/R	Qty.				Stock
NHS SUPPLIES, 675 COCHLI	-	2	+	-	X	25
NHS SUPPLIES, 10	-	3	+	-	X	9
NHS SUPPLIES, AA (MN1500)	L	1	+	-	X	8

13.35.5 Stock level control


The number of articles in stock are shown in the **Stock** column. If there are no articles in stock, an information window will open.



Selecting **Yes** will enable you to change the article or number of articles being issued. The number selected will automatically change to the number of articles in stock. **No** will allow you to issue the article but will result in a negative number in the stock module and will be shown in red.

NHS SUPPLIES, 312	L	1	+	-	X	0

If Full inventory control is set for an article, an information window will warn you that the stock article cannot go below zero.



You will only have the option to **OK** and return to the **Fast accessories issues** window and select another article. You will need to register additional articles into the stock module before you can issue a **Full inventory control** article which is at zero stock.

Using the left facing arrow will remove an article from the list to be issued to the client. The double arrow will remove all articles in the list.

13.35.6 Completing the issue

OK will issue the selected accessories to the client with the chosen options. If an Automatic Journal Event is set for issuing stock, a single entry will be added to the Journal which just states **Article released to client**.

If **Show confirmation request on stock article issue** is switched on for a user, this will not display if a number of accessories are issued to a client using **Fast accessories issue**.

Close will close the window without saving any articles to the client.

13.35.7 Issuing accessories from Noah

Accessories can be issued directly from the Noah stock dialogue. If **Open 'Accessory issue' automatically** is checked, once the new status for a device has been changed and any automatic journal events have been added to the Journal, the **Fast accessories issue** window will open with the filter **Manufacturers of current devices and Accessories linked to current devices**.

Serial numbers found in NOAH							
Client		MR JOHN SMITH				Proceed	Close
☒ Open 'Accessory issue' automatically		☒ Open 'Device list' if another current device is found					
Serial number	Manufacturer	Article	Ear side	Stock type	Patient	Hospital no.	Action
0202			R	<<Not found>>			Register for stock, then New status

14 Journal

Click the button below to access our training materials.

eLearning

The Journal module is used to create and review client journal text. The main screen consists of an upper area that shows existing records and a lower area used for entering new records.

To view the **Journal** a client must first be selected. Some of the **Journal** entries are automatically entered and some must be entered manually.

Reading the complete **Journal** can be time consuming and some of the entries may not be relevant. This is where the **Search string** is used. By choosing an appropriate string, only the entries concerned with the relevant event are viewed. If all entries need to be viewed then **All** should be selected. Search strings (keywords) and date is typed for every entry made in the selected client's record to provide easy access to information and ensure that once information has been saved it cannot be changed.

To enter text manually into the **Journal**, type the required text into the **Input text** box. This text can then be formatted. When the text is formatted as required, click **Save**. Once the text has been saved it cannot be altered or deleted from the database for medico-legal reasons. If a mistake is made another entry explaining the mistake must be entered. The entered text will appear in the **Journal Text** window and is sorted by date either ascending or descending as required.

When entering text to the journal for a client, search strings should be selected so that the corresponding text is displayed in the upper part of the window while the new text is in the lower part.

Signature will indicate which employee is typing the text and can be changed here. The default is the logged in user.

Journal text formatting options are available from the top window bar or via right mouse clicking, when typing in text.

14.1 Journal overview, appearance and layouts

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- To open the module, go to **Navigation -> Journal** or press **Shift+Ctrl+J**.

The module is divided into four tabs: **View**, **List**, **Treatment summary**, and **Individual Management Plan**.

There are two tabs for journal text:

- The **View** tab shows a print layout view of the journal text.
- The **List** tab is a list of journal records ordered with time as well as date that you can select and edit, sign or delete. Unsigned journals will be deleted permanently. Signed journals will be marked deleted, but you can see the deleted signed journals by checking the deleted box. Unsigned entries appear in red. Records marked as **Deleted** are shown as crossed-out on the List tab or are marked with a text comment on the View tab.

Journal layout

In both tabs, you can toggle between the following layouts:

- **Normal** layout is used for viewing and editing journal text at the same time. With this layout, a larger section of the screen is available for existing records and a smaller section for editing.
- **Edit** layout is also intended for viewing and editing journal text at the same time, but with this layout a larger section of the screen is available for editing.
- **View** layout is used for viewing journal text only. With this layout, the screen contains no record editing area.

To toggle the layout, use the buttons in the upper right corner of the screen.

Zoom

The view of the journal on the screen is adjustable via the **Zoom** option. However, **Printing** the journal produces the layout of the screen without the zoom. You can change the default margins used for **Keywords** and **Text** in the **View to limit the paper consumption when printing journals**. This can be done by the System Administrator.

Filtering

In the **View** and **List** tabs you can filter the records by checking the following boxes:


- Unsigned
- Signed
- Deleted

Filtering can also be done per keyword, which is explained in the next chapter.

The **Show all (F11)** button on the View tab forces all journal records to be shown. The System Administrator can define the settings for the whole site to make Auditbase limit the number of records to be shown automatically on the **View** tab. This may be useful where clients have a very large number of entries that may take some time to load. However, the user can select his or her specific settings in the Administration tool as well. The **Show all** button overrules these settings.

Sorting

By choosing the **View** menu item, you can sort the journal text ascending or descending by date and time. Time can be viewed in the **List tab**, edit section.



Date

Auditbase automatically enters today's (system) date, but this can be manually altered if required.


Save window setup

- To save the window setup, choose **View -> Save window setup**.
- The saved settings are:
 - The current keyword group or keyword
 - The font on the current cursor
 - The zoom level

14.2 Keywords


You can select a keyword from the keyword drop-down list to view a specific type of journal entry. The keywords are set up by the System administrator. All entries will be linked to a keyword and you can then view journal entries of a specific type. Keywords are linked to different keyword groups in system settings. A keyword can be part of more than one keyword group.

In System Administration settings, the administrator can define user rights linked to specific keywords, for instance the right to enter journal keyword entries and read keyword entries or the right to sign and delete specific keyword entries. If a user does not have the right to read journal entries, the user can only see the keyword header, but not the journal text.



14.3 Use of hot-keys

- To speed up the process of entering text into a journal, you can make use of **Hotkeys**.
- Hotkeys can also be used in auto journal event pop-ups.
- If the system administrator has provided you with extended rights for this, the hot-keys are created in the **Journal** module for the whole site.
- Select **Use hot-keys** under the **Functions** menu.



- Once the feature is selected you can enter **Hot-key properties**.

The 'Hot key properties' dialog box contains a 'Print list' button and 'New', 'Save', 'Delete', and 'Close' buttons. It features a table of hot keys and a detailed view of the selected key.

Number	Name
01	Repair appt
02	Earmould booking in
03	Postal repair
04	Inappropriate C&B referral
05	Battery enquiry
06	Lost aid fee - paid
07	Replacement hearing aid
08	Lost aid on Ward funds trans
09	Lost aid fit
10	D.ref
11	AGR
12	Fitting
13	Follow up

Selected hot key

Number: 01
 Name: Repair appt

Text to insert

General info given : went over different programs today and how to clean the mould/corda. talked about adaption to amplification
Batteries:
Outcome: Appointment complete / Further appointment required.

Formatting buttons: B, I, U, and color selection (blue, red, black).

- Click on **New** to enter a new hot-key.
- First enter a **Number** for the hot-key – all numbers below 10 will have a 0 placed before them, i.e. 01, 02 etc.
- Enter a **Name** for the hot-key – not mandatory.
- Enter the **Text to insert**.
- Once you have created a whole list of hot-keys, you can print the list by clicking on **Print list** – this will give you easy access to all hot-keys instead of having to look them up in the system.


- Once back in the journal, the hot-keys are accessed by placing the cursor in the text field and pressing **Ctrl+Shift+[number]**.
- Example: For the hot-key created in the screen shot above, the short cut would be **Ctrl+Shift+03** (not just Ctrl+Shift+3).
- The text is then displayed in the text field.

14.4 Entering journal text

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation** -> **Journal** or press **Shift+Ctrl+J**.
- Select the **View** or **List** tab.
- Select an appropriate keyword from the drop-down list for the journal entry.
- Enter the required text in the text box.
 - Pasting copied content is also possible. However, the system prevents pasting images because they cannot be displayed correctly in the Journal.
- The text can be formatted to bold, italics, black, blue or red, and it can be aligned to the right, centre or left via the formatting buttons. Text font can be changed as well.
- The Users default font settings can be saved using the **View** -> **Save window setup** – make sure the font is selected in the **Edit** window beforehand.
- Click **Save unsigned** to save the entry unsigned. You can also lock the new record from being signed by checking the **Lock** box.

OR

- **Save signed** Sign as user drop-down list



- The **Date** and **Time** that a journal entry is saved is locked by default unless the user has the extended right to choose date/time of record.

*Your System Administrator decides whether or not you have the right to save a journal unsigned, so you may experience that the button **Save unsigned** is disabled if you do not have the extended user right to save unsigned.*

It is important to check the client's name regularly to make sure you are working with the correct client.

On PCs in slower networks your System Administrator can configure a checkmark to not 'Refresh Journal view after saving' to prevent you having to wait while the Journal refreshes.

14.5 Editing a journal entry

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- To open the module, go to **Navigation -> Journal** or press **Shift+Ctrl+J**.
- Select the **List** tab.
- Mark the check box for the record you wish to edit. Note that only unsigned records can be edited.
- Edit the text in the text box at the bottom of the screen.
- Click **Save unsigned** to save the entry unsigned. You can also lock the new record from being signed by checking the **Lock** box. If the journal record was created by another user, the system will overwrite the value of the **Created by** column with your name.

OR

- Click **Save signed** to both save and sign the entry at the same time. You may select user signature in **Sign as user** drop-down list (logged in user is selected by default). The system will put your name to the **Signed by** column of the list.

The screenshot shows the 'Auditbase - [Journal]' window. The top menu bar includes 'File', 'View', and 'Functions'. The 'Functions' bar contains icons for 'Add service to invoice', 'Show audiogram', 'Issue & review list', 'Use' (with a sub-menu 'Hot-Key...'), 'Properties', 'Use' (with a sub-menu 'Spell check'), 'On saving', 'Properties', and 'New task'. Below this is a status bar with 'Client' (T18765 MR JOHN SMITH), 'User' (SYSTEM ADMINISTRATOR), 'All locations', and 'All departments'. The main area has tabs for 'View', 'List', 'Treatment summary', and 'Individual management plan'. The 'List' tab is active, showing a table of journal entries with columns: Create date, Keyword, Created by, Signed by, and Lock. The table contains 12 rows, with the 6th row (10/01/2020 10:56 APPOINTMENTS) selected. Below the table, there are buttons for 'Sign', 'Delete', 'Print', and a 'Select all' checkbox. The 'Edit Journal' form at the bottom has fields for 'Keyword' (APPOINTMENTS), 'Date' (10/01/2020), 'Time' (10:56), 'Sign as user' (SYSTEM ADMINIS), and 'Zoom' (100%). The text area contains the entry: 'Appointment PHAC new patient mould- with Res109 on 10/01/2020 13:15 - 13:30 was moved to cancellation history having a status of Q/ Cancelled'. At the bottom of the form are buttons for 'Lock', 'Save unsigned', 'Save signed', and 'Cancel'.

	Create date	Keyword	Created by	Signed by	Lock
☐	13/01/2020 12:37	ADULT REHABILITATION	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☐	10/01/2020 17:05	ADULT REHABILITATION	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☐	10/01/2020 16:51	ADULT REHABILITATION	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☐	10/01/2020 11:25	APPOINTMENTS	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☐	10/01/2020 10:56	APPOINTMENTS	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☒	10/01/2020 10:56	APPOINTMENTS	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☐	10/01/2020 10:52	APPOINTMENTS	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☐	10/01/2020 10:50	APPOINTMENTS	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☐	10/01/2020 10:47	APPOINTMENTS	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	
☐	10/01/2020 09:20	APPOINTMENTS	iryna skladana	iryna skladana	
☐	10/01/2020 09:13	APPOINTMENTS	iryna skladana	iryna skladana	
☐	10/01/2020 08:51	APPOINTMENTS	iryna skladana	iryna skladana	
☐	09/01/2020 17:42	APPOINTMENTS	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	

1 row selected


Keyword: APPOINTMENTS Date: 10/01/2020 Time: 10:56 Sign as user: SYSTEM ADMINIS Zoom: 100%

Appointment PHAC new patient mould- with Res109 on 10/01/2020 13:15 - 13:30 was moved to cancellation history having a status of Q/ Cancelled


Buttons: Lock, Save unsigned, Save signed, Cancel

14.6 Use of spell checking

Another feature of the journal is the spell checking tool, activated while typing text to the input window. This works in a very similar manner to Word. Incorrectly spelt words will either be auto corrected if the word is already in the dictionary or will be highlighted. It will suggest spelling options when the highlighted word is right clicked. A window will appear giving spelling options to choose from. The misspelt word can be ignored or added to the spell check dictionary.




- Spell checking is disabled /enabled by right clicking and choosing **Disable spelling/Enable spelling** or via the **Functions** menu -> **Spell check** -> **Use**



14.6.1 Customising the spell check dictionary


- As well as adding words to the dictionary as you type, the dictionaries that are used by the spell check can be adjusted by using **Properties**. A window opens where the default dictionary can be edited if required. Words that have been added to the dictionary will be displayed in the default.dic.



- Selecting a dictionary and then **Edit dictionary** will open a note pad where the words in the dictionary can be edited or added to.

14.7 Signing a journal entry

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- To open the module, **Navigation -> Journal** or press **Shift+Ctrl+J**.
- Select the **List** tab.
- All journal records are either unsigned or signed.
- An unsigned record can be modified and is shown in red. A signed record cannot be modified. However, you can mark it as deleted. A signed record is shown in black.
- You can view the signed records, the unsigned records or both kinds by checking the



boxes **Unsigned** and **Signed** .

Signing the record also means saving it. If a mistake is made, another entry explaining the mistake must be entered.

- Check the boxes for the records you wish to sign. You can sign more than a single record at a time.
- The system automatically signs with the name of the logged in user, but this can be manually altered if required in the **Sign as user** drop-down list.
- Click **Sign**.
- The records are now shown as signed in black on the list.
- If unsigned journal text is included in a treatment summary, this text can be signed along with the summary, if this operation is allowed by the system administrator.

*Any unsigned journal record can be locked to avoid it being signed until the text is finalized. To lock a record, check the **Lock** box in the edit area and save it unsigned.*

14.8 Finding unsigned journal entries

- To find unsigned journal entries, go to **Navigation -> User Tasks -> Attention list** and choose the **Unsigned journal** tab.

Attention list					
☐ Do not show a warning message		D-Alert selection method		PAS alert	
				Print	Show in Journal
				Close	
Referrals	Journal	Unsigned journal	Unsigned summaries	Deceased alerts	Electronic submission
Unsigned journal records					
Date	Hospital no.	NHS no.	Client name	User	Keyword
11/11/2010	T146023		MR FIRSTNAME46023 LASTNAME46023	USER NAME88	ADULT REHABILITATION
26/11/2010	T11194		MR FIRSTNAME1194 LASTNAME1194	USER NAME11..	ADULT REHABILITATION
10/12/2010	T134576		MR FIRSTNAME34576 LASTNAME34576	USER NAME88	ADULT REHABILITATION
12/01/2011	T146604		MST FIRSTNAME46604 LASTNAME46604	USER NAME49..	PAED DIAGNOSTIC
20/01/2011	T13646		MR FIRSTNAME3646 LASTNAME3646	USER NAME89	ADULT REHABILITATION
25/01/2011	T146523		MRS FIRSTNAME46523 LASTNAME46523	Mårten	ADULT REHABILITATION
25/01/2011	T145198		MRS FIRSTNAME45198 LASTNAME45198	Mårten	ADULT REHABILITATION
26/01/2011	T146646		MRS FIRSTNAME46646 LASTNAME46646	USER NAME14	ADULT REHABILITATION
26/01/2011	T145288		MR. FIRSTNAME45288 LASTNAME45288	USER NAME89	ADULT REHABILITATION
26/01/2011	T15809		MRS FIRSTNAME5809 LASTNAME5809	USER NAME93	ADULT REHABILITATION
27/01/2011	T146183		MRS FIRSTNAME46183 LASTNAME46183	USER NAME71	ADULT REHABILITATION
27/01/2011	T146077		MRS FIRSTNAME46077 LASTNAME46077	USER NAME88	ADULT REHABILITATION
01/02/2011	T12569		MRS FIRSTNAME2569 LASTNAME2569	USER NAME29.	ADULT REHABILITATION
30/09/2013	T1106	5555554444	MRS FIRSTNAME106 LASTNAME106	full name tests???	ADULT REHABILITATION
30/09/2013	T1106	5555554444	MRS FIRSTNAME106 LASTNAME106	full name tests???	ADMIN
30/09/2013	T1106	5555554444	MRS FIRSTNAME106 LASTNAME106	full name tests???	ADMIN
02/10/2013	T1106	5555554444	MRS FIRSTNAME106 LASTNAME106	full name tests???	ADMIN
17/07/2014	T999911	1112222211	Father åæø2 åæø1	full name tests???	GENERAL

Populating: 674 / 31

14.9 Deleting a journal entry

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- To open the module, go to **Navigation -> Journal** or press **Shift+Ctrl+J**.
- Select the **List** tab.
- Mark the check boxes for the records you wish to delete. You can delete more than a single record at a time.
- Click **Delete**.
- Deleted text is shown by date of creation, with search string and an indication in RED by whom and the date and time when the text was deleted.
- On the **List** tab, signed deleted text is shown as crossed out.
- Unsigned deleted records can either be shown as crossed out, or disappear from the list. This depends on the rights defined by the system administrator.
- If deleted records were filtered out, they are not shown in the list.

*Note that only unsigned text can be physically deleted from the journal. Deletion of signed text only marks the text as deleted. Deleted signed text can be viewed again when you check the **Deleted** box.*

The system will not allow deleting signed text if the text is included in a treatment summary. To delete the text, exclude it from the summary first.

14.10 Printing and previewing the journal

To print or preview the entire journal for the client's:

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation** -> **Journal** or press **Shift+Ctrl+J**.
- Select the **View** tab.
- Select **File** -> **Print journal** to print a copy of the report on the default printer.
- Select **File** -> **Print preview** to display the report on the screen.

To print selected records only:

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation** -> **Journal** or press **Shift+Ctrl+J**.
- Select the **List** tab.
- Check the boxes for the records you wish to print and click **Print**.

Crystal Reports is the program presenting the preview and from here, the journal can be printed or exported in a selectable format and to the relevant path.

Closing down the preview on the screen is done by clicking **X** in the upper right corner returning to Auditbase Journal.

14.11 Issue & review checklist

This function displays a window where you can add more information about a fitting.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation** -> **Journal** or press **Shift+Ctrl+J**.
- Select **Functions** -> **Issue & review check list**.
- Click **New**.
- Clicking in the various fields will produce a Y, N or blank.
- Click **Save**.

Issue & review check list

New

Save

Delete

Cancel

Date	Mould comfort	Aid adjustment	Controls	Batteries	Fitting	Tubing	Maintenance	Progression of use	Use of telephone	Use of telecoil
13/01/2020	Y	Y	Y	N	Y	N	Y	N	N	Y

14.12 Individual Management Plan (IMP)

In the Journal module, there is a tab on which you can create an IMP for a client including **Needs, Actions** and **Outcomes**; which can be printed out and an automatic journal event created. A 'snapshot' of the IMP can be taken and stored for future reference.

Information documents can be easily printed from the IMP once they have been set up in **Documents and Attachments**. You can choose to store these information documents either as complete documents or by title only.

All columns in all of the tables on the IMP have configurable width set ups. Make adjustments to the column and then right click and **Save user view**. See Section 1.7 for further information.

Your System Administrator can set up the required default fields.

IMPs: 26/05/2020, HA issue Client name: COLONEL CHARLIE HARPER Refresh Cancel

Print and Store Print information documents New Save Delete

Selected IMP

Started on: 26/05/2020 At appointment:

IMP type: HA issue Created by: SYSTEM Admin Audiogram:

Referral: 12/06/2019, DR HAASSESS Treatment type: DR HA ASSESS Referral handling:

Agreed needs: ▲▼ Remove

#	Need	Categories	Outdated	Comment
1	Hear TV better	Personal,Public	☐	
2	Hear family better	Public	☐	
3	Hear phone better	Personal	☒	
4			☐	
5			☐	
6			☐	
7			☐	

Agreed and completed actions: ▲▼ Attach Detach Complete Un-complete Remove

Need	Action	Comment	Compl. date	Appointment
☐ 1	Fit two hearing aids		26/05/2020	20/05/2020, SWITCH ON
☐	Position TV better			
☐	Use assissive device			
☐				
☐				
☐				
☐				

Next appointment: Book Search and book Remove


Outcomes: Remove

Need	Outcome	Score	Date
1	All sorted	45	26/05/2020

☐ Shared with patient on: IMP finished and patient discharged on:

14.12.1 To create an IMP

- Choose a Referral using the  icon and click **Attach**.



Selected IMP

Started on: 13/01/2020  At appointment

IMP type: Hearing Aid - Adult  Created by

Referral: 18/06/2015, ++AUDIO REVIEW re:  Treatment type

Agreed needs:  

Need Comment

Attach

Detach

- The date that the IMP was **Started on** will default to today's date but can be changed manually.
- The **IMP type** will use the default type set by the System Administrator. This can be changed using the drop-down list.
- Created by** will show the logged-on user. This can be changed, only if the user has the extended user right.
- An **Audiogram** for the IMP can be attached by selecting from the icon . Once the audiogram is attached, it can be shown by selecting the preview icon.
- The appointment that the IMP was started on will be shown in the **At appointment** field. If no appointment is shown in this field, one can be added in the same way as adding a referral above. If the appointment is not attached to a referral or attached to a different referral, you will see an information window asking if you wish to link the appointment to the IMP rather than the selected referral.
- Agreed needs** will default to those set by your System Administrator.

Agreed needs:   Remove

#	Need	Categories	Outdated	Comment
1	Hear TV better		☐	
2	Hear family better		☐	
3	Hear phone better		☐	
4			☐	
5			☐	
6			☐	
7			☐	

< >

- Further needs can be added by either:
- Clicking in the **Need** column and selecting from the drop-down menu.

OR

- Clicking in the **Need** column and typing in free text.
- A category for the **Need** can be selected from the **Categories** drop-down menu. Multiple categories can be used by selecting the **Multiple categories...** option. A window opens where you can **Select IMP category**.

Select IMP category ×

Select Cancel

	Name
☒	Personal
☒	Public
☐	

- Check the appropriate categories and then **Select**. The categories will be shown separated by a comma.


Categories
Personal,Public

- The **Need** can be outdated if it is no longer required by selecting the **Outdated** check box. Outdated Needs remain in the list, but they are greyed out.
- A free text **Comment** can be added to Needs by clicking in the **Comment** column and adding text.
- The order of **Needs** can be altered by highlighting an item and using the up and down arrows to move it.
- Needs are linked to actions by clicking in the **Need** column of the **Agreed and completed actions** table and selecting the appropriate need number.

Agreed and completed actions: ▲ ▼

	Need	Action
☐	1 ▼	Fit two hearing aids
☐		Position TV better
☐		Use assisstive device
☐		

- If the **Need** in the **Agreed needs** table is re-prioritised, then the **Need** in the Actions table will automatically re-number.
- To remove a **Need**, highlight the text and click **Remove**.
- Actions are added in same way as **Needs**.
- To remove an **Action**, ensure the **Action** is highlighted with the box on the left side checked and then click **Remove**.
- To complete an **Action**, ensure that the box on the left side of the **Action** is checked. Select **Complete** and an information message will ask if you wish to complete the action. Select **Yes**. Selecting **No** will cancel the operation.



Once an **Action** has been completed, it will be highlighted in green text. The date of completion defaults to the current date, but can be edited by clicking in the **Compl. date** column and typing in the required date.

Agreed and completed actions:					Attach	Detach	Complete	Un-complete	Remove
Need	Action	Comment	Compl. date	Appointment					
☒ 1	Fit two hearing aids		26/05/2020	20/05/2020, SWITCH ON	BERTA				
☐	Position TV better								
☐	Use assisitive device								
☐									

- If only one appointment occurs for the client that day, and the appointment start time is earlier than the current time, then the action will be attached to that appointment. If this is not the correct appointment, it can be removed by checking the relevant box and selecting the **Detach** button. The correct appointment can be added by selecting **Attach** and choosing the correct appointment. If the appointment is attached to a referral, the **Referral** field will be filled in automatically.
- If the incorrect Action was completed, select **Un-complete** to remove the Action from the **Completed actions** table.

The next appointment can be booked using the **Book** or **Search and Book** facilities in the same way as for Referrals. See Section 3 for further details.

If a future appointment exists, this will be shown in the **Next appointment** window.

Next appointment	16/01/2020, SAV ENT audio	Book	Search and book

14.12.2 To add Outcomes to an IMP

- Choose a **Need** number.

Outcomes:				Remove
Need	Outcome	Score	Date	
1				
2				
3				

- Input any outcome text by clicking in the **Outcome** column.
- Click in the **Score** column to add a free text score. The limits for the score are set by the System Administrator.

- Double-click in the **Date** column to add the current date. This can be edited if required.
- Click in the **Need status** column and select from the drop-down menu of pre-defined need statuses.
- If an **Outcome** should be removed, highlight the **Outcome** and select **Remove**.

Outcomes:

Need	Outcome	Date	Need status
2	Bin fir 6070	14/01/2020	Met partially

Once the IMP has been completed, it can be printed. A snapshot of the IMP can be taken at any time. Both of these actions are performed by selecting **Print and Store**.

Print and Store Print information documents

Selected IMP

Started on: 13/01/2020

IMP type: Hearing Aid - Adult ▼

Referral: 18/06/2015, ++AUDIO REVIEW re: ...

- Once **Print and Store** has been selected, a window opens giving you three options.
- **Print** – Will print the full IMP.
- **Snapshot and AJE** – Will take a snapshot of the IMP as it is on the current day. A snapshot is a locked version of the IMP taken on that date, so that the current IMP can be compared to what the earlier state was. The information from the snapshot can be added to the **Journal** as an Automatic Journal Event (AJE) if this is set up by the System Administrator.
- **at appointment** – you can attach the snapshot to an appointment by clicking the button to the right of the field. The button will be disabled if you have not selected **Snapshot and AJE**.
- **IMP has been Shared with patient on (date)** – This will indicate on the main IMP page that the IMP has been shared with the client. The text for this is configurable by the System Administrator.

Print and Store IMP [X]

OK Cancel

☒ Print

☒ Snapshot and AJE

at appointment

☒ IMP has been Shared with patient on 26/05/2020

Attach
Detach

- Check or un-check the relevant boxes to choose which action to undertake.
- If a snapshot is taken, the IMP can be seen in the **IMPs** list as a folder item with the snapshot attached to it. The folder icon indicates that an IMP has attached snapshots. If the snapshot is attached to an appointment, it appears under the appointment it is attached to, but not under the appointment the original IMP is linked to.
- If **Print and Store** is selected for a snapshot, only the **Print** option will be active.

Client T122729 MRS FIRSTNAME22729 LASTNAME22729

View List Treatment summary Individual management plan

IMPs: 12/03/2020, Hearing Aid - Adult

Print and Store Print information documents

- Information documents can be printed out for the client by selecting the **Print information documents** button.
- A window will open with a list of the available documents. These are set by the System Administrator.

Print information documents

☒ Select all Print Cancel

	Title
☒	test letter template 02/09/2013
☐	
☐	
☐	
☐	
☐	
☐	
☐	
☐	
☐	
☐	

Only MS Word documents can be printed, so only those are shown

- All the documents can be selected by checking the **Select all** box. Individual documents can be selected by un-checking this box and checking the box of the relevant document.
- **Print** will send the document to your default printer.
- **Cancel** will close the window without printing.

Once the IMP is completed, the date of this can be added to the **IMP finished and patient discharged on (date)** field. Double clicking in the box will add the current date or the calendar can be used to add another date.

14.12.3 Adding IMP to offline databases

IMPs are copied to the laptop database. However, referrals are not copied, and not all appointments are copied.


An IMP appears in the offline database as not attached to a referral, and potentially not attached to the appointment it was started at.

Similarly, IMP completed actions can be detached from appointments during copying to the offline database.

However, for IMP snapshots copied to the laptop database, appointment information is copied as well.

14.13 Searching the Journal text

The text in a Journal can be searched using the  icon in the upper window or by right clicking in the lower window. A box will open where you can insert the text to be searched.



A screenshot of a 'Find' dialog box. It has a title bar with 'Find' and a close button. Inside, there is a 'Find what:' label followed by a text input field. Below the input field are two checkboxes: 'Match whole words only' and 'Match case'. To the right of the input field are two buttons: 'Find Next' and 'Cancel'.

Depending on which are you are searching, the box will be labeled **Find in upper text** or **Find in lower text**. There are two choices which are selected by checking the box; **Match whole words only** or **Match case**. **Find Next** will search the journal and highlight the searched for word.

APPOINTMENTS - SYSTEM ADMINISTRATOR


The appointment was movedClient appointment moved: Date: 10/01/2020; Booking resource(s): Charlie (start time: 14:00 - end time: 15:15; Symbol: PHAC.new patient mould~)

APPOINTMENTS - SYSTEM ADMINISTRATOR

Appointment PHAC new patient mould~ status of Q/ Cancelled

APPOINTMENTS - SYSTEM ADMINISTRATOR

The appointment was movedClient appointment moved: Date: 10/01/2020; Booking resource(s): Charlie (start time: 14:00 - end time: 15:15; Symbol: PHAC.new patient mould~)



A screenshot of the 'Find' dialog box overlaid on the appointment text. The 'Find what:' field contains the word 'booking'. The 'Match whole words only' checkbox is checked. The 'Find Next' button is highlighted.

Cancel will close the box.

15 Treatment summary

Click the button below to access our training materials.

eLearning

To view treatment summaries for a client, select the client, select the **Journal module** and click the **Treatment summary** tab.

Treatment summary consists of two sections. The upper section is a list of existing client's summaries. The lower section is for viewing and entering details about a specific treatment summary.

The lower section can be in either brief or extended form, i.e. showing standard or extended data. This can be toggled on/off by the **View -> Extended treatment summary** menu.

As for journal text, treatment summary can be signed or unsigned. A signed summary cannot be changed, whereas an unsigned summary can be edited. Signed summaries are shown in black in the upper table; unsigned summaries are shown in red.


Be aware: *Before proceeding, please make sure the correct client is selected to avoid making an incorrect summary.*

15.1 Treatment summary overview

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- **Navigation** -> **Journal** or press **Shift+Ctrl+J**.
- Select the **Treatment summary** tab.
- A shortcut is available in the menu bar. This can be selected from any module .

A treatment summary can contain links to the following data for the client:

- Observations
- Hearing instruments and earmoulds
- Journal text
- Audiogram
- Referrals
- Waiting list entries
- Appointments
- Clinical history
- Tympanometry information



Auditbase - [Journal]

File View Functions

Client <T>T18765 MR JOHN SMITH User SYSTEM ADMINISTRATOR All locations All departments

View List Treatment summary Individual management plan

Create date	No.	Type	Created by	Signed by	Review status
☒ 21/08/2019	3	Default summary type	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	Draft
☐ 21/08/2019	2	Default summary type	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	Draft
☐ 21/08/2019	1	Default summary type	SYSTEM ADMINISTRATOR	SYSTEM ADMINISTRATOR	Draft
☐ 22/06/2015	1	Default summary type	full name tests???	full name tests???	Draft

New Print/Send Sending status Sign Delete Save unsigned Save signed

Create date 21/08/2019 No. 3 Review status Draft

Client observations Add Remove

Obs no.	Date	Add	S	Text	Comment
☐ 127	24/03/2015			Test observation	

Hearing instruments / Earmoulds Add Remove

Modified	Description
☐ 22/06/2015	R: A&M, SELECTRA, 23223

Journal text Show text (F7) Add Remove

Create date	Keyword	Created by	Signed by
☐ 16/08/2019	GENERAL	SYSTEM ADMI	SYSTEM ADMI

Audiogram 11/03/2019, no. 1, Aided

Hearing test outcome

R. SRT: L. SRT: R. DS%: L. DS%: DS Noise: R.: L.:

Appointment 01/03/2019, tttttt1

Referral 22/06/2015, ++DIRECT REFERRAL / Audio

Standard summary

Since a summary contains only links, adding information in the summary only creates a link, and removing information from the summary only deletes a link, but not the information itself.

A summary can be signed or unsigned. Only unsigned summaries can be modified or deleted.

Unsigned summaries are shown in red in the upper table of the summary window; signed summaries are shown in black.

A treatment summary cannot be signed when it contains no journal text, or unsigned journal text, or an unsigned audiogram, or any data in extra details.

The **Preview** and **Print** buttons will take you to a selection window, where you chose which recipient to preview or print the summary for.

The lower part of the window contains details of the summary selected using the check box. This lower part is intended for the creation and/or editing of summary details.

The detailed part consequently consists of two further parts. The upper part stores observations, Hearing Instruments and earmoulds, journal text and audiogram.

The extra part is visible when **View -> Extended treatment summary** menu is flagged from the menu item **View -> Extended treatment summary**, and contains the tabs **Contact history**, **Clinical history** and **Tympanometry information**.

Auditbase - [Journal]

File View Functions

Sort by Extended treatment summary Save window setup

Client Extended treatment summary STNAME106 User SYSTEM ADMINISTRATOR All locations All departments

View List Treatment summary Individual management plan

Create date	No.	Type	Created by	Signed by	Review status
15/06/2015	1	Default summary type	full name tests???	full name tests???	Draft
28/05/2015	1	Default summary type	full name tests???	full name tests???	Draft
01/05/2015	1	Default summary type	full name tests???	full name tests???	Draft
30/04/2015	1	Default summary type	full name tests???	UNSIGNED	Draft

New Print/Send Sending status Sign Delete Save unsigned Save signed

Create date 01/05/2015 No. 1 Review status Draft

Client observations Add Remove

Obs no.	Date	Add	S	Text	Comment
125	30/09/2013	2	R	Presbycusis LEFT Right	
126	30/09/2013	1	L	Otosclerosis OCCUPATIONAL Left	
125	16/05/2014	2	L	Presbycusis LEFT Left	11A/E0,T:

Hearing instruments / Earmoulds Add Remove

Modified	Description
01/12/2014	L: EM 2101 - SOLID-ACRYLIC HARD, R: EM
17/07/2014	L: EM 0350 - SPECIAL EARMOULD ~ SEE S
15/04/2014	L: EM 2101 - SOLID-ACRYLIC HARD, R: EM
14/04/2014	L: EM 0350 - SPECIAL EARMOULD ~ SEE S

Journal text Show text (F7) Add Remove

Create date	Keyword	Created by	Signed by
01/05/2015	ADULT DIAGN	full name test	full name test
01/05/2015	ADMIN	full name test	full name test

Audiogram 29/04/2015, no. 8 List Remove

Hearing test outcome

R. SRT:
L. SRT:
R. DS%:
L. DS%:
DS Noise:
R.:
L.:

Appointment


Standard summary

NUM

Under **Contact history** you will find referrals, waiting list entries and appointments. The Clinical history will show medical history and questionnaires. **Tympanometry** includes tympanograms with values.

15.2 Creating a summary

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation->Journal** or press **Shift+Ctrl+J**.
- Select the **Treatment summary** tab.
- Click **New**.
- In the opened window, click either **Open blank summary** or **Create summary of type** and select a type in the drop-down list.



- Click **OK**.
- The system shows a blank summary or one filled with some details independent of the above selection.

OR

- From any module, click the  toolbar button. The system will create a summary pre-filled with details as configured by the system administrator. The automatically filled details for a new summary can be modified as required.

In the summary details area:

- In both cases the system assigns a number for a new summary and shows any pre-filled summary details in the lower part of the screen, where the details may be modified if required to add client observations or procedures, click **Add** above the table.
- To add client hearing instruments and/or earmoulds, click **Add** above the table.
- To add journal entries, click **Add** above the table.
- To add an audiogram, click **List** above the table.
- In the corresponding windows, select the entry to add.
- In Treatment summary, click **Save unsigned**.

OR

- Click **Save signed** to both save and sign.

*Please note that lower screen section view may show standard or extended details depending on the setting in **View -> Show extended treatment summary** (checked/unchecked).*

15.3 Editing a summary

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Journal** or press **Shift+Ctrl+J**.
- Select the **Treatment summary** tab.
- Mark the check box for the summary you wish to edit.

In the summary details area:

- Modify the summary date if required.
- To add a client observation or procedure, click **Add** above the table. To remove an observation or procedure, click **Remove**.
- To add a client's hearing instruments and/or earmoulds, click **Add** above the table. To remove an instrument or earmould, click **Remove**.
- To add a journal text, click **Add** above the table. To remove a journal text, click **Remove**.
- To review journal text included in a summary, select the records you want to see in the **Journal text** table by checking the box, and press **Show text**. The system shows a dialog where the text is seen.
- To add an audiogram, click **List** above the graph. To remove an audiogram, click **Remove**.
- To include referrals, check the **Show referrals** box.
- To include waiting list entries, check the **Show waiting list entries** box.
- To include appointments, enter Number of appointments in the past and Number of future appointments.
- Click **Save unsigned**.

Or

- Click **Save signed** to both save and sign.

Note that only one audiogram can be included in a summary, whereas more than one observation, hearing instrument, earmould and journal record is allowed.

Extended summary details can include the client's referrals, waiting list entries and appointments.

The summary contains references to already existing data for the client. Therefore, when adding a record to a summary, for instance an observation or procedure or hearing instrument, only a link to the existing data is established, but no new data is created. Likewise, removing a record from a summary only removes the link.

Changes made to a summary detail remain only on the screen until the summary is saved.

15.4 Signing a summary

Signing means "locking" a summary and protecting it from changes.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Journal** or press **Shift+Ctrl+J**.
- Select the **Treatment summary** tab.
- Check the boxes for the unsigned summaries you wish to sign. You can sign multiple summaries at the same time.
- If defined by the system administrator, any unsigned journal text included in the summary may be signed along with the summary.
- Click **Sign**.
- The selected summaries will become signed and show in black in the table.

15.5 Deleting a summary

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Journal** or press **Shift+Ctrl+J**.
- Select the **Treatment summary** tab.
- Check the boxes for the summaries you wish to delete. You can delete multiple summaries at the same time.
- Click **Delete**.
- The selected summaries will disappear from the table.

15.6 Printing or previewing a summary

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Journal** or press **Shift+Ctrl+J**.
- Select the **Treatment summary** tab.
- There are two ways of printing a summary:
- Select one or more summaries in the upper table and press **Print**.
- If you just want to print one summary, press the **Print** button below the details area.
- Either way, the **Print summary** dialog opens. In the dialog you can select who the summary should be printed for and the number of copies.
- You can preview the print layout before printing. Please note that the layout for a single summary only can be previewed.
- To preview, select a summary by checking the mark in upper table and press **Preview**. The **Print summary** dialog opens and you can define the recipients.

Print summary

Add recipient

Print

Preview

Send electronically

Close

Summary recipients

	Name	Copies
☒	GP	1
☒	DR AALLEN, 3 VALE AVENUE, WANTAGE, OXON, PC:6376	1
☒	Client	1
☒	CF ANDERSON, MERCHISTON SURGERY, HIGHWORTH ROAD, STRA	1
☐	ENT	1
☐	DRASH, KINGSWOOD SURGERY, KINGSWOOD AVENUE, PARK NOR	0
☐	Journal	2

☐ Print to other recipient

Copies

1

Name

Postcode

Address

Please note that a summary print layout can depend on the summary type. This is defined by the system administrator. The system administrator can also define that an unsigned treatment summary is marked with additional text on the print layout.

15.7 Sending status of summary review

There is a possibility of sending the status of the treatment summary electronically instead of printing it:

1. Make sure that the necessary client is selected.
2. Open the **Journal** module and go to the **Treatment summary** tab.
3. In the list of treatment summaries, double-click the summary to open it.
4. Under the audiogram, select the appropriate summary review status.
5. Under the treatment summary list, click the **Print** button.
6. In the **Print summary** dialogue box, select the necessary recipients and click **Send electronically**.

The system will collect submitted summaries and will reflect the acknowledgement status in the treatment summary list.

To review the submission status of the treatment summary, please follow these steps:

1. In the treatment summary list, double-click the necessary summary to open it.
2. Under the treatment summary list, click the **Sending status** button.
3. The **Treatment summary submission status** dialogue box opens. Use the **Edit** and **Delete** buttons to edit or delete the treatment summary status correspondingly.

16 Invoice

The invoice module is divided into two tabs; **Postings** and **Invoice**. Postings are orders which are not yet invoiced. When you open the invoice module the postings view is shown by default.

The top part of the screen is a filter. You can use a user defined filter or use filter criteria such as date interval, customer, for instance an insurance company, or invoice type.

Auditbase - [Invoice]

File View Functions

Client T1106 MRS FIRSTNAME106 LASTNAME106 User SYSTEM ADMINISTRATOR All locations All departments

Navigation

Postings Invoice

Filter [Dropdown]

Search

Cust. group [Dropdown] Invoice type [Dropdown]

Customer [Dropdown] User [Dropdown]

Date from [Text] to [Text] Show postings Not invoiced [Dropdown]

Save Refresh

☐ Select all No rows selected Invoice Delete Copy Regenerate Edit

Client	Date	Serial No	Group	Manufacturer	Article	Side	Hospital no.	NHS no.	Invoice type	Customer	
	10/03/2020		PROCEDURES (Service)	ADULT	1		T1106		Invoice type 1		Oleksand
	10/03/2020		PROCEDURES (Service)	ADULT	1		T1106		Invoice type 1		Oleksand
	18/02/2020	908765432101234	NHS HEARING AID (Serial No.)	NHS SUPPLIES	ITE10ML	L	T1106		Invoice type 1	BRISTOL PCT	SYSTEM /
	21/10/2016		PROCEDURES	ADULT	PTA1		T1106		Invoice type 1		full name
	21/10/2016		PROCEDURES	ADULT	1		T1106		Invoice type 1		full name
	21/10/2016		PROCEDURES	ADULT	2		T1106		Invoice type 1		full name
	21/10/2016		PROCEDURES	ADULT	1		T1106		Invoice type 1		full name
	18/10/2016		PROCEDURES	ADULT	PTA1		T1106		Invoice type 1		full name
	18/10/2016	925104	NHS HEARING AID	NHS SUPPLIES	ITE10ML	-	T1106		Invoice type 1	SWINDON PCT	full name
	18/10/2016		PROCEDURES	ADULT	2		T1106		Invoice type 1		full name
	18/10/2016		PROCEDURES	ADULT	1		T1106		Invoice type 1		full name
	18/10/2016		PROCEDURES	ADULT	10		T1106		Invoice type 1	SWINDON PCT	full name
	18/10/2016		PROCEDURES	ADULT	1		T1106		Invoice type 1		full name
	06/07/2016		PROCEDURES	PAEDIATRIC	COMMUNITY		T1106		Invoice type 1	SWINDON PCT	full name
	05/03/2016		BATTERIES	NHS SUPPLIES	13	-	T1106		Invoice type 1	UNKNOWN PCT	full name
	05/03/2016		BATTERIES	NHS SUPPLIES	13	-	T1106		Invoice type 1	UNKNOWN PCT	full name

Click to so

Total price: 1,042.82

Postings count: 43

NUM

16.1 Symbols



Invoice, in the list



Credit note, in the list



At least one invoice has been credited



All of the invoices have been credited



Invoice, in the Invoice window



Credit note, in the Credit note window

16.2 Set up filters

You can apply a filter to the list of postings or invoices.

Two filters are pre-defined for both **Postings** and **Invoices**, **Client** and **All**. These filters are shown and accessed via buttons above the table containing the list of postings and invoices. By default, when entering the invoice module, all postings and invoices for the selected client are listed. If you change the client, the list is updated. If you check the **All** button, all postings or invoices are listed.

You can also create more complex filtering criteria such as pre-defined date range or a specific customer, by setting up a user-defined filter.

If you want to use an existing filter, the filter can be applied by selecting the Filter from the drop-down list.

If you want to create a new filter, first create the filter parameters in the section **Search**. You can filter the list by customer, customer group, date range, payment method, invoice type or the user who created the posting or invoice. Note that you can leave one of the date fields empty. If you leave the **From** field empty, the date interval indicates less than or equal.

The screenshot shows a 'Setup filters' dialog box. At the top, there's a title bar with a close button. Below it are four buttons: 'New', 'Save', 'Delete', and 'Close'. The main area is split into two panes. The left pane, titled 'Filters', has two radio buttons: 'Posting filter' (which is selected) and 'Invoice and credit filter'. Below these is a list box containing 'Filter 1' and 'Filter 2', with up and down arrow buttons to its right. The right pane, titled 'Filter info', has a label 'Name' followed by an empty text input field.

For invoices, two more criteria are available. If you wish to see invoices as well as credit notes select both in the **View** drop-down list. Otherwise, select either invoice or credit note. You can also specify invoice number.

Next, save the defined filter by pressing **Save**. In the opened **Setup filters** dialog, select a filter type, **Posting** or **Invoice** and enter a name for the new filter. If you want to overwrite an existing filter, select its name in the list and press **Save**.

From now on the new filter can be applied by selecting in the **Filter** drop-down list.

Alternatively, you can start by creating a name for the new filter in the **Filter setup** dialog. Then, specify parameters and save the filter.

16.3 Creating an invoice

An invoice is created from postings. A posting is a row describing a number of articles of the same type which have been issued to a client.

The screenshot shows the 'Invoice' window in the Auditbase application. The 'Postings' tab is active, displaying a table of transactions. One transaction is selected: 16/04/2014, ITE10MR, NHS SUPPLIES, tests, T1106, Qty 1, Unit price 99.00, Discount 0.00%, Total ex. vat 99.00. The 'Invoice' tab is active, showing fields for 'Information' (Number, Date of invoice: 13/01/2020, User: SYSTEM ADMINISTRATOR, Payment account: Audiology dept., Invoice type: Invoice type 1) and 'Send to' (Customer group: Customer, Name: FIRSTNAME106 LASTNAME106, Address: 9 XXX XXXXX, XXXXXXXXX, XXXXXXXX). The 'Total price ex. VAT' is 99.00 and 'Total price inc. VAT' is 99.99. A 'Comments' field is at the bottom.

- Select **Modules** -> **Invoice** or press **Shift+Ctrl+I**.
- From the stock module, you can access the invoice module directly by clicking the invoice button.
- Select the **Postings** tab.
- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Postings for the selected **Client** are displayed or select postings for **All**.
- Choose the posting(s) and click on the **Invoice** button. You can only select one type of posting.
- Specify the payment accounts and submit the invoice by clicking **Invoice**.
- The invoice module creates and saves the invoice.
- The postings are transferred to one single line with the same invoice number and are no longer listed in the postings tab.
- The Invoice module returns and displays the remaining postings.
- If the invoice addressee is a customer or group, the system requires customer code.
- Depending on the setting made by the System Administrator, if the customer has no code specified, the system either show a warning or prohibits the invoice saving.

16.4 Payment accounts

- Select **Functions -> Payment accounts** to view accounts listed.

Payment account

New Save Delete Close

Accounts:

- Audiology dept.
- General treatment

Information

Name:

Number:

Description:

☐ Default

- Press **New** to initiate the creation of a new account.
- Enter **Name**, **Number** and **Description** of a new payment account.
- Set the default payment account by checking the default box.
- Press **Save** to save the account.
- To edit an account, select the account in the list and modify the details. Then press **Save**.
- Press **Delete** to delete an account selected in list.

Note that the system does not allow for deleting an account referenced by an invoice.

16.5 Customer groups

Creating a Customer or Customer group has now been moved to the Administration portion of Auditbase and is now an extended right for users.

Information on how this is done can be found in the Administration User Guide.

16.6 Creating a credit note

A credit note is created from the invoice view in the invoice module.

- Go to **Navigation** -> **Invoice** or press **Shift+Ctrl+I**.
- Select the **Invoice** tab.
- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Invoices for the selected client are displayed. You can also select invoices for **All**.
- Double-click on the invoice. If the invoice contains several postings, select the invoice(s) you wish to credit and click on **Credit note**.

OR:

- Select the invoice and click **Credit note** from the invoice tab.
- Click **Yes** on the appeared warning.
- Click **Print** to print the credit note.

Only users who have been granted rights to create notes can create the credit notes.

You cannot cancel a credit note when you have pressed the credit note button.

The screenshot shows the 'Invoice' module interface. At the top, there are tabs for 'Postings' and 'Invoice'. Below the tabs, there is a search area with fields for 'Filter', 'Cust. group', 'Customer', 'Invoice type', 'User', 'Date from', 'to', 'View', and 'No.'. There are 'Save' and 'Refresh' buttons. Below the search area, there are buttons for 'Credit note', 'Open', and 'Cancel invoice'. A table of invoices is displayed with columns: Client, All, Date, Number, Invoice type, Receiver type, Rec, User, C/L, Hospital no., and NHS no. Two invoices are visible: one dated 27/03/2015 with number 15, and another with number 16. A warning dialog box is overlaid on the table, titled 'Invoice', with a yellow warning icon and the text: 'Remember to make any relevant stock transactions, for postings included in this credit note.' The dialog has an 'OK' button.

Client	All	Date	Number	Invoice type	Receiver type	Rec	User	C/L	Hospital no.	NHS no.
		27/03/2015	15	OTHER	Client	SMITH	ame tests???	L	T18765	88888888
		27/03/2015	16	OTHER	Client	SMITH	ame tests???	L	T18765	88888888

16.7 Editing postings

Sometimes you need to modify a posting before invoicing, e.g. change customer or price.

- Go to **Navigation** -> **Invoice** or press **Shift+Ctrl+I**.
- Select the **Postings** tab.
- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Postings for the selected client are displayed or select postings for **All**.
- Highlight the posting and click **Edit** button.

In the opened **Edit posting** dialog, the following data can be modified:

- **Invoice type** may be selected in the drop-down list.
- Price.
- Invoice payer.
- The “**to customer**” option must be selected along with **Customer** in the drop-down list if the payer is a customer.
- An **Invoice without client reference** can be made by selecting the corresponding check box.
- The “**to client**” option must be selected if the payer is a client.
- Click **Save** or **Cancel** to close without saving.

Edit posting: ADULT, 1

Receipts | Label | Print | Save | Cancel

Client: MR JOHN SMITH

Date: 13/01/2020

Referral: ...

Price: £0.00

Invoice type: Invoice type 2

Invoice:

☐ to customer

☒ to client

Annual card number:

Annual card date due:

Preferred payment method: Card payment

Receipt ID:

Card request status:

Transaction submission status:

Transaction ID:

- If **Visit charge features** are enabled in the Administration tool there will be a section in the bottom of the dialog referring to visit charges. Here you can read or enter **Annual card number**, **Annual card date due**, **Preferred Payment method**, **Receipt ID**, **Card request status**, **Transaction submission status** and **Transaction ID** which are options that refer to managing visit charges, primarily used in Sweden.

In this case you will also see a **Receipts** key in the top part of the dialog. **Receipts** allows the user to select and print one or more of the following documents: Anonymous number, Roadmap or route directions from present location to selected waiting room, and Payment receipt.

16.8 Deleting postings


- Go to **Navigation -> Invoice** or press **Shift+Ctrl+I**.
- Select the **Postings** tab.
- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Postings for the selected client are displayed, or select postings for **All**.
- Select one or more postings and click on the **Delete** button.

User rights to perform this action are set up by the System Administrator.

16.9 Regenerating postings

Postings can only be regenerated if they have been created from services, not from stock articles. This is set by the System Administrator.

- Go to **Navigation -> Invoice** or press **Shift+Ctrl+I**.
- Select the **Postings** tab.
- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Postings for the selected client are displayed, or select postings for **All**.
- Select one or more postings by clicking on the far-left hand box and click on the **Regenerate** button. An information box will appear asking for permission to continue.



- The postings will then be copied but one year will be added to the date of the postings.

Postings Invoice

Filter Filter 1

Search

Cust. group

Customer

Date from to

Payment method

Invoice type

User

Show postings Not invoiced

Save Refresh


☐ Select all 1 row selected

Invoice Delete Copy Regenerate Edit

Client	All									
Date	Serial No	Group	Manufacturer	Article	Side	Hospital no.	NHS no.	Invoice type		Cus ^
10/01/2022		PROCEDURES (Service)	ADULT	DAV		T18765	88888888	Invoice type 1		
10/01/2022		PROCEDURES (Service)	ADULT	3		T18765	88888888	Invoice type 2		
10/01/2022		PROCEDURES (Service)	ADULT	3		T18765	88888888	Invoice type 2		
10/01/2021		PROCEDURES (Service)	ADULT	TYMP		T18765	88888888	Invoice type 1		
10/01/2021		PROCEDURES (Service)	ADULT	2		T18765	88888888	Invoice type 2		
10/01/2021		PROCEDURES (Service)	ADULT	2		T18765	88888888	Invoice type 2		

16.10 Export invoices to CSV file


A list of invoices can be exported to a CSV file by selecting **Functions -> Export to CSV file** from the **Invoice** tab.



- In the opened dialog, select a delimiter to use from the drop-down list. Semicolon is the default setting.
- Choose a file name by pressing the '...' button near the **Save as** field or enter a file name manually.
- Check **Include column headers in CSV file** if the data should be created with headers.
- Check **Open file after creation** if you want to view or edit the file after creation.
- **Save** performs the export.

16.11 Cancelling an invoice

- Go to **Navigation** -> **Invoice** or press **Shift+Ctrl+I**.
- Select the **Invoice** tab.
- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Invoices for the selected client are displayed, or select invoices for **All**.
- Select the invoice and click on the **Cancel invoice** button.
- The system asks the user to confirm the invoice cancellation.
- Once an invoice has been cancelled, an Automatic Journal Event can be created if this has been set up by your System Administrator.



- To view cancelled invoices, select **View** -> **Show cancelled invoices**.

Note: Only users who have been granted rights to cancel invoices can perform the cancel action.

It is only possible to cancel one invoice at a time.

17 Repair

The repair module keeps track of on-going and closed repair tasks in a hearing clinic. The main screen in the repair module shows a list of on-going and closed repair tasks.

When the module is opened, the number of displayed tasks is limited by the system administrator. Click on the **More** button to show all tasks. The actual task is described in a repair task.

The repair task contains a description of the task to be conducted and elements and parts (articles) used to fulfil the task. The repair task will automatically calculate the repair price and update stock, based on elements and parts used. Each repair task is linked to a client or a stock item. The repair task is identified by a unique number, and holds information about how it is handled in the clinic work process.

The repair task is divided into a description of the work to be done (the **Order** tab) and a list of actual parts and services used to do the job (the **Workflow** tab).

The screenshot shows the 'Auditbase - [Repair list]' window. At the top, there's a menu bar with 'File' and 'Functions'. Below it, a toolbar shows 'Client' (set to '<T>T18765 MR JOHN SMITH'), 'User' (set to 'SYSTEM ADMINISTRATOR'), 'All locations', and 'All departments'. There are also icons for settings and help.

Below the toolbar, there are two sections for creating new tasks:

- New repair task by serial number:** Includes a 'Serial No.' input field and a 'New' button.
- New repair task for current client:** Includes a 'Selected client' dropdown (set to 'JOHN SMITH') and a 'New' button.

Below these, there's a 'Quick select repair task' section with 'Order No.' and 'Serial No.' input fields and a 'Find' button.

The main section is the 'Repair task list'. It has a 'Filter' dropdown set to '<All active tasks>', and buttons for 'Filter', 'More ...', and 'Show all (F11)'. There are also 'Open' and 'Print' buttons.

Order No.	Serial No.	Created	Completed	Client name	Postcode	Order type	Status	Assigned to	Additional not
12	414697	08/10/2015		MRSå BANG1å BENG123å	ABC 1234	Sample order type	Assigned	USER NAME44.	
15	2221	28/10/2015		MRS FIRSTNAME106 LASTNAME106	PC:4347	Test order 2	Assigned	USER NAME32	
16	1121	28/10/2015		MRS FIRSTNAME106 LASTNAME106	PC:4347	Test order	Invoicing	USER NAME32	
17		22/05/2018		MISS FIRSTNAME23089 LASTNAME23089	PC:3192	Sample order type	Registered		
18		07/06/2018		Dr. Test 5 Test 5	111	Sample order type	Registered		
19		07/06/2018		MISS FIRSTNAME23089 LASTNAME23089	PC:3192	Test order 2	Registered		
20		07/06/2018		MISS FIRSTNAME23089 LASTNAME23089	PC:3192	Sample order type	Registered		
21		07/06/2018		Dr. Test 5 Test 5	111	Sample order type	Registered		
22		07/06/2018		Dr. Test 5 Test 5	111	Sample order type	Registered		
23		07/06/2018		Dr. Test 5 Test 5	111	Sample order type	Registered		
24		07/06/2018		Dr. Test 5 Test 5	111	Sample order type	Registered		
25		11/06/2018		MRSå BANG1å BENG123å	ABC 1234	Sample order type	Registered		
26		02/07/2018		MISS FIRSTNAME23089 LASTNAME23089	PC:3192	Test order 2	Registered		
27		04/07/2018		MRS FIRSTNAME106 LASTNAME106	PC:4347	Test order 2	Registered		
28		04/07/2018		MRS FIRSTNAME106 LASTNAME106	PC:4347	Sample order type	Registered		
29		22/11/2019		Professor 20-111FIRSTNAME32991 15-LASTNAME32991	PC:2861	Test order 2	Registered		
30		22/11/2019		Professor 20-111FIRSTNAME32991 15-LASTNAME32991	PC:2861	Sample order type	Registered		

At the bottom right of the table, it says 'Total tasks: 17'.


The Repair Task list can be printed out.

- Click **Print** or select **File -> Print list**.

17.1 Repair task list filter


You can apply a filter to the list of repair orders.

- To modify criteria of an existing filter, select the filter from the **Filter** drop-down list and click **Filter**.



The screenshot shows a 'Repair task list' window. At the top, there is a 'Filter' dropdown menu currently set to '<All active tasks>' and a 'Filter' button. Below this, a table of repair orders is visible. The first row is highlighted in blue and shows 'Order N' as '<All active tasks>'. The second row shows '12' as the order number, 'New Filter' as the description, and 'MRSå BANG' as the client name. The third row shows '15' as the order number, 'New Filter1' as the description, and 'MRS FIRSTN' as the client name.

- If you need a new filter, select **Functions -> Search**, or with '<All active tasks>' selected in the **Filter** drop-down list, click **Filter**.



The screenshot shows the 'Filter - New Filter' dialog box. It has a title bar with a close button (X). Below the title bar are four buttons: 'New', 'Delete', 'Search', and 'Close'. The dialog is divided into two main sections: 'Search parameters' and 'Filter parameters'. The 'Search parameters' section has two text input fields: 'Order No.' and 'Serial No.'. The 'Filter parameters' section is divided into two columns. The left column contains several dropdown menus: 'Order type' (set to 'Sample order type'), 'Technician', 'User', 'Workshop' (set to 'Internal workshop'), 'Status' (set to 'Registered'), 'Sub-status', and 'Warranty expired?' (set to 'Yes'). Below these are two checkboxes: 'Show only the current client's tasks' and 'Show deleted tasks'. At the bottom left are two date range selectors: 'Create date' and 'Completed date', each with 'From' and 'To' input fields. The right column contains two radio button options: 'Invoiced to' (with 'Customer' selected) and 'Client'. Below these are two dropdown menus: 'Delivered by' (set to 'Client') and 'After repair'. At the bottom right is a 'Save filter' section with a 'Filter name:' input field (set to 'New Filter'), a 'Make this filter available for:' section with two radio buttons ('Current user only' and 'All users', with 'All users' selected), and two radio buttons: 'Save as new' and 'Save as current' (selected). A 'Save' button is at the bottom right of the dialog.

- Enter criteria for a new filter. You can combine the filter criteria in many different ways, using repair task status and label, date, workshop used, warranty, etc.

- Enter a filter name and decide whether this filter should be available for all users or only for the current user.
- Click **Save**.

The filter is now saved and available from the drop-down list in the Repair task list on the main screen in the repair module.

You can then edit the user-defined repair list filter.

- Select a filter to be edited in the **Filter** drop-down list, and click on the **Filter** button or select **Functions -> Search**.
- Modify the criteria you wish to use for this specific filter.
- Modify the filter name if required.
- Select the **Save as current** option.
- Click **Save**.

17.2 Repair order

The repair module is designed to handle different types of orders. The repair orders are defined by the system administrator. Each order has three subcategories. Two repair order types could be Repair and Service issue.

Repair

The order type Repair is used for physical repairs of hearing instruments and other serial number controlled items. This repair takes place in the hearing clinic or the item is sent for repair to an external workshop.

Service issue

The order type Service issue is used for service tasks and repairs of items without a serial number. A Service issue could be a repair or installation of hearing accessories in the home of the hearing impaired.

17.3 Creating a new repair task

A new repair task is created from the main screen in the repair module. Either the repair task is created for the selected client or the repair task will be created based on a hearing instrument serial number.

- Go to **Navigation** -> **Repair list** or press **Shift+Ctrl+R**.
- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Click on **New** or select **Functions** -> **New repair task** -> **Create for current client**.

OR:

- **Create new repair task by serial number.** Enter the serial number of the hearing instrument and click on **New** or select **Functions** -> **New repair task** -> **Create by article s/n**. To create a new repair task by serial number; the article must be on stock.
- Select order type from the drop-down list and select details in **Breakages description**. Group is linked to **Type** in **Order information** (pre-defined by the administrator), whereas **Details** and **Second details** are articles in stock.

Once you have selected Type, you cannot undo or change the record.

The Order types are defined by your System Administrator. Additionally, some types require selection of a device to be repaired. Each order type has three sub-categories: Group, Details and Second details.

Update repair task

Label

Print

Save

Close

Order

Workflow

Information

Client

Test 5 Test 5

Hospital no.

\$432516

Device list

Repair log

Audiogram

01/06/2018, 5, Aided, AuditBase audiogram

Show

Deleted

Order information

Type

Sample order type

Order No.

18

Create date

07/06/2018

Status

Invoicing

Invoice to

Customer

SWINDON PCT

Client

No client reference

Customer

Delivered by

Client

After repair

Post to client

Internal

User

SYSTEM ADMINISTRATOR

Workshop

Internal workshop

Message

Breakages description

Details

Group

BATTERIES (Quantity-Accessory)

Details

(5)Testmanu

(6)Testmanu

NHS SUPPLIES

Second details

312

10

AA(MN1500)

AAA(MN2400)

Show discontinued

Units

1

Repair type

Note

Add

Headline	Details	Second details	Units	Repair type	Note
BATTERIES (Quantity-Accessory)	NHS SUPPLIES	675 COCHLEAR IMPLANT	1		
BATTERIES (Quantity-Accessory)	NHS SUPPLIES	312	1		
BATTERIES (Quantity-Accessory)	NHS SUPPLIES	AA(MN1500)	1		

Delete

Additional notes

- The repair task identifier number is automatically generated by the repair module. You can type the number manually, e.g. a number that reflects the year and the month.
- Select who to send the **Invoice to**. The clients default customer is defined in the client module. The customer can be a person or an organisation pre-defined by the administrator.
- Enter **Customer** and **Internal data** or select from the drop-down lists.
- Enter the appropriate data or select from the drop-down list **Delivered by**.
- Enter the appropriate data or select from the drop-down list **After repair**. Note that the content of the **After repair** list is defined by the system administrator.
- If you wish, select the **Workshop** to perform the repair and write a message to that particular workshop, e.g. internal workshop, cleaning. The workshops are predefined by your System Administrator, who can also configure the order they appear in the drop-down menu and a default workshop.
- Click the **Device list** button. Select the device that needs to be repaired. The **Device list** shows all devices restricted to a specific client divided into serial number controlled articles, amount controlled articles and ear moulds.
- If a hearing instrument is not listed in the device list, click the **Add external article** button, select the device and **Save**. You typically need to add a hearing instrument to the device list if a client has been provided with the instrument from another hospital.
- When accessing the device list outside the repair module, the list will also contain a list of the clients pending and closed work orders.
- By default, only not discontinued articles will be shown. To also show discontinued articles tick the **Show discontinued** checkbox.
- **Save** the repair order.
- If the warranty has expired, the warranty date will turn red.
- You can now print the repair task by clicking the **Print** button.
- **Close** the repair order.

*NOTE: Creating a repair task creates a clinical action. If you attach it to an appropriate appointment. it will be seen in the **Clinical actions** tab of the **Referral** module.*

17.4 Finding a repair task

You can find a repair task either by entering the serial no. of a hearing instrument or by entering the task no. of the repair order.

17.4.1 Find by article

- Go to **Navigation** -> **Repair** list or press **Shift+Ctrl+R**.
- Enter Serial No. in the Quick select repair task field.
- Click on **Find** or select **Functions** - > **Find repair task** -> **Find by article s/n**.

17.4.2 Find by Repair task number

- Go to **Navigation** -> **Repair** list or press **Shift+Ctrl+R**.
- Enter Repair task no. in the Quick select repair task field.
- Click on **Find** or select **Functions** -> **Find repair task** -> **Find by repair task number**.

17.5 Repair task status

The status of the repair task is either **Registered**, **Assigned**, **Invoicing**, or **Completed**.

Registered - When an order is created and saved, it will automatically be set to the status Registered. You can change the status manually to **Assigned** or the repair task can stay as **Registered** until **Completed**.

Assigned - If the repair cannot be performed now, you can set the status manually to Assigned. Use a repair task status label to specify why the task is not completed, for instance waiting for spare parts or external repair. The Assigned status is used together with a status label to detail the repair process.

Assigned and all further statuses require a technician to be specified for order.

Invoicing - Set task status to Invoicing when the repair of a device is completed, but the task cannot be closed yet because third parties have not yet issued invoices.

Completed - When the repair task is completed, set the status to Completed manually. An invoice will be issued and stock will be updated. If the repair price is set to 0, the system will ask if you wish to issue an invoice

Note: The system administrator can configure the system to automatically set the Completed status for a task right after creation. This may be useful for tasks requiring no action.

Repair task status label

The Repair task sub-status provides additional details for the repair task status. Each repair task status can have different user-defined additional sub-statuses.

An assigned task could for instance have the sub-status **waiting for spare parts**. The repair task sub-statuses are predefined by the system administrator.

17.6 Handling a repair task

- Go to **Navigation** -> **Repair** list or press **Shift+Ctrl+R**.
- Find the repair task.
- You can use the **Quick select repair task**. Enter either the **Repair task no.** or the **Serial no.** of the hearing instrument and click the **Find** button.
- Or find a repair task by Article or by Repair task number – See earlier chapter **Finding a repair task**.

[illegible]

- Choose the **Workflow** tab. Your system administrator can setup what tab will be default for each work order type.
- The **Technician** on the **Workflow** tab can be filled out with the logged in user as default – contact your System Administrator.
- Enter work date, status and sub-status. The work date is set by default to the current date, but you can change the date if you wish. Status is set by default to **Registered**.
- Select the article(s) you have used to perform the repair task by clicking on **Type**, **Component** and **Detail**.
- To reduce the number of articles and faster find the one you are looking for you can also enter part of the **Supplier article no.** or **Article name** in these two fields and press the **Apply filter** button.

OR:

- Click on the **Articles shortcut** button to select from a list of the 10 most often used components. The 10 shortcuts are pre-defined by the administrator.
- Open up the article's information by right clicking on the article under **Details**.
- Specify **Repair type** (pre-defined by system administrator) and number of units.
- Adding a **Repair type** can be made mandatory by your System Administrator.
- Click on **Add**.
- Once the article has been added, you can also open up the article's information by right clicking on the article in the bottom table.
- Complete the repair task by changing the **Status** to **Completed** and click **Save**.
A dialog box stating the price is shown. You now have the possibility to change the price of the invoice. If the total price of the invoice is zero, you will be prompted to accept or reject the invoice.
- Once the repair task has been saved, stock is immediately updated.
- You can now **Print** the repair task.
- **Close** the repair task.
- When a repair task is completed an invoice will be generated based on the articles used to perform the repair.
- The repair module generates postings to the invoice module.

Workflow article

Workflow articles are items used during a repair process. The article is either a part of a hearing instrument or a device to be repaired/changed, such as a microphone or a job to be done, such as cleaning up and final assembling of the device. Based on the workflow article used in the repair process, stock will be updated and a repair price will be calculated automatically.

By default, only not discontinued articles will be shown. To also show discontinued articles, tick the **Show discontinued** checkbox.

Repair type

The repair type details how the Workflow article will be used. This could be a used spare part (article) to be exchanged or cleaned. The repair types are predefined by the administrator, for instance exchange, cleaning or used part.

Each repair type can be marked under stock control, i.e. under full stock control or amount controlled, see Repair task status. If a repair type with stock control is selected for a Workflow article, the stock is updated (reduced) with the parts used for the repair.

The repair type factor is pre-defined by the administrator e.g. a cleaning could be defined as 30% of the full price.

18 Questionnaires

Click the button below to access our training materials.

eLearning

A number of questionnaires are available from Auditbase. They are all accessible from anywhere in Auditbase System via **Navigation -> Questionnaires**. When working with questionnaires, a client should be selected.

When the required information has been entered, you can save the questionnaire with the client's record and view it later.

18.1 HI satisfaction questionnaire

The **HI satisfaction questionnaire** window is called via **Navigation -> HI satisfaction questionnaire**. The window handles and processes HI satisfaction questionnaires automatically generated by the system.

The window consists of two parts: one for searching for a questionnaire, and one for editing the retrieved and selected questionnaire.

18.1.1 Search

The following search criteria are available:

Label. You can search for a specific questionnaire by entering its label number.

Client. You can search for all questionnaires for a specific client by entering the Client number.

For selected client. You can mark this check box to copy the number of the current global client into the Client number.

You can also perform a search without specifying any criteria, but the system will issue a warning that the search result can be large.

- Press **Find** to search using the specified criteria. Questionnaires meeting the criteria will be filled into the **Found** drop-down list.
- Once questionnaires have been retrieved, you can select any of the questionnaires in the **Found** drop-down list.
- The system shows details of the selected questionnaire in the **HI satisfaction questionnaire** area, and changes a global client to one the selected questionnaire belongs to.

18.1.2 Edit

The following data can be reviewed and/or changed:

- Client name, personal number, questionnaire label number and creation date are shown in read-only mode.
- **Questionnaire sent** check box and **Date**: Reflects whether the questionnaire is sent to a client. You cannot check this box manually; you can un-check it if you want to resend the questionnaire.
- **Questionnaire received** check box and **Date**: This is used to register a client's reply to a questionnaire.
- **Questionnaire cancelled** check box and **Date**: Used to register if a questionnaire has been cancelled.
- Press **Save** to save the changes made to the questionnaire.
- **Send** initiates the window for storing unsent questionnaires in a file. See [Send questionnaire](#) for details.

Send questionnaire

- Click **Send** from **HI satisfaction questionnaire** to open this window. This window produces a list of unsent and un-cancelled questionnaires to a file according to parameters specified in the window.
- In **Send questionnaire registered not later ... days ago** specify the minimum age of questionnaire to be included into a file. **Age** is specified in days. The default value for this parameter is defined by the system administrator. When creating the list, the system calculates the questionnaire age from the creation date.
- In **Limited or unlimited number of questionnaires per file** specify whether the file should include an unlimited number of questionnaires, or limit the amount to a specified number.
- In **File name** enter the name of the file to be created.
- Click **Send** to start the scanning of the database for questionnaires meeting the entered age criteria and creation of the file.
- For each questionnaire included in the file, the system sets a send date. Note that only one questionnaire per client is included, and if a questionnaire for a client is included in the file, the system cancels all other questionnaires for that client.

18.2 Medical History Questionnaire

The Medical History questionnaire window is called via **Navigation -> Medical History questionnaire**.

- For details, refer to the Section below ([19. Medical History](#)).

18.3 Completing a Glasgow Hearing Aid Benefit Profile

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Click **Navigation -> Questionnaires**, and then click **Glasgow Hearing Aid Benefit Profile**.
- Fill in **First part date**. To enter the current date, double-click.
- Fill in **First part user**. To enter the current user, double-click.
- Special buttons are available for attaching the questionnaire parts to or detaching them from appointments. The buttons have a picture which reflects the state of the questionnaire part: either attached () or not attached (). In addition, the buttons have a tooltip that displays detailed information about the questionnaire linking.
- Click **Before Fitting**.
- If you want the client to consider additional situations, click **Yes**.
- Select answers to the questions.
- When the client considers his own situations, type these in and click **Finish** to ask about these situations.
- Click **OK** when the questionnaire window is complete.
- Click **Show stats**.
- To view the results, click **OK** and view **Raw scores** and **Percentiles** as required.

Glasgow Hearing Aid Questionnaire - GHABP

Questionnaires

First part date
 First part user

Second part date
 Second part user

Situation	Exists	Q1	Q2	Q3	Q4	Q5	Q6
Listening to the television with other family or friends when the volume is adjusted to suit other people	☒						
Having a conversation with one other person when there is no background noise	☒						
Carrying on a conversation in a busy street or shop	☒						
Having a conversation with several people in a group	☒						
	☐						
	☐						
	☐						
	☐						

Does this situation happen in your life?

- The Glasgow Hearing Aid Questionnaire can also be used offline.
- The questionnaire can be started in the main mode and completed in the laptop mode. For more information, see [Glasgow and COSI questionnaires in laptop mode](#).

18.4 Dizziness Handicap Inventory

The Dizziness Handicap Inventory (DHI) can be completed and saved for a client. To access the DHI, select a client and then select **Navigation** -> **Questionnaires** -> **Dizziness Handicap Inventory**.

- A **New** DHI can be created.
- **History** will show all previous DHI for the selected client.
- The date the DHI was completed is shown in the Date field.
- Special buttons are available for attaching the questionnaire parts to or detaching them from appointments. The buttons have a picture which reflects the state of the questionnaire part: either attached () or not attached (). In addition, the buttons have a tooltip that displays detailed information about the questionnaire linking.
- **Phase** can be selected from the drop-down list.
- As each **Answer** (Yes, No, Sometimes) is selected, the **Total score for questions** is completed automatically.
- The DHI can be saved or printed by selecting the appropriate button.
- **Delete** will remove the selected DHI from the database.
- Once changes have been made, **Close** will shut the page.

Dizziness Handicap Inventory
×

Client FIRSTNAME106 LASTNAME106
Print
New
Save
Delete
Close

History
Date 13/01/2020
Phase

NN	Question	Answer
P1	Does looking up worsen your balance problem?	
E2	Because of your balance do you feel frustrated?	
F3	Because of your balance problem do you restrict travel for business or recreation?	
P4	Does walking down the aisle of a supermarket increase your balance problem?	
F5	Because of your balance problem do you have difficulty getting into or out of your bed?	
F6	Does your balance problem significantly restrict your participation in social activities?	
F7	Because of your balance problem do you have difficulty reading?	
P8	Does performing activities like sports, dancing, household chores such as sweeping or putting dishes away make your balance problem worse?	
E9	Because of your balance problem are you afraid to leave home without having someone accompany you?	
E10	Because of your balance problem do you feel embarrassed in front of others?	
P11	Do quick movements of your head increase your balance problem?	
F12	Because of your balance problem, do you avoid heights?	
P13	Does turning over in bed worsen your balance problem?	
F14	Because of your balance problem is it difficult for you to do strenuous work around the house or garden?	
E15	Because of your balance problem are you afraid people might think you are drunk?	
F16	Because of your balance problem, is it difficult for you to go for a walk by yourself?	
P17	Does walking down the pavement increase your balance problem?	
E18	Because of your balance problem is it difficult to concentrate?	
F19	Because of your balance problem is it difficult for you to walk around the house in the dark?	
E20	Because of your balance problem are you afraid to stay home alone?	
E21	Because of your balance problem do you feel handicapped?	
E22	Has your balance problem placed stress on your relationships with your family or friends?	
E23	Because of your balance problem are you depressed?	
F24	Does your balance problem interfere with your job or household responsibilities?	
P25	Does bending over increase your balance problem?	

Total score for questions

Total score for Physical (P) questions		/28
Total score for Emotional (E) questions		/36
Total score for Functional (F) questions		/36
Total score for all questions		/100

18.5 Custom questionnaires

Auditbase users can create their own customized questionnaires using this feature found in Auditbase rather than the System Administration tool. No additional user rights are required to save the questionnaire for a client, but there is a required extended user right to be able to create or edit questionnaires. The questionnaire that is created can become a clinical action and can be seen on the **Client Pathway Overview**. Questionnaires that have been designed or saved for a client can be found in **Navigation -> Questionnaires -> Custom Questionnaires**. They can be moved to **Favourites** in the usual way.

18.5.1 Questionnaire design

Select **Navigation -> Questionnaires -> Custom questionnaires -> Questionnaires design**.

Questionnaires: Test Questionnaire [New] [Copy] [Save] [Delete] [Export] [Import] [Preview]

Selected questionnaire

Name: Test Questionnaire

ID (internal): 12 ☐ Available for attaching to Implant forms ☐ Outdated

Attributes

ID (internal)	Name	Type	Value(s)
108	Date2	Date on Pathway	
130	New attribute2	Text	
109	Number2	Number	-10...10
110	slider2	Slider	-10...10
111	text2	Text	
112	drop-down list2	Drop-down list	New value3;New value2;New value1
113	radio buttons2	Radio buttons	New value1;New value4;New value2
114	Checkbox2	Checkbox	
115	Multiselection list2	Multi-selection list	New value1;New value6;New value2;New value
116	Fixed text2	Fixed comment text	

Selected attribute

Type: Date ☐ Value is mandatory ☒ Use this date in Client pathway view

Name: Date2

Prompt: prompt2

☐ Include result in Implant test summary

☒ Enable 'Compare results' over time

Short result name: number

Previously designed questionnaires are shown in the drop-down menu labelled **Questionnaires**. Selecting a previously designed will allow it to be edited.

To create a new questionnaire, select **New** and give the questionnaire a **Name**. Once the questionnaire has been saved, an **ID (internal)** number will be automatically created which will be needed when designing a Crystal Report.

If the questionnaire is to be attached to forms in the Implant module, the **Available for attaching to implant forms** box should be checked.

A questionnaire can be hidden from view by checking the **Outdated** box.

A copy of a current questionnaire can be made by selecting a questionnaire and then select **Copy**. You will be asked if you want to make a copy of the selected questionnaire. Select **Yes** and the name of the questionnaire will have - **Copy** added to the end of it. This can then be edited.

Questionnaires can be saved or deleted by selecting the appropriate button. In each case you will be asked for confirmation. Deletion is only permitted if no questionnaires have been completed for clients, in that case outdating should be used.

The design of a particular questionnaire can be exported by selecting a questionnaire from the drop-down menu and then **Export**. The **Save file** window will open and you can select where to save the resultant XML file.

The design of a questionnaire can be imported from a file using the **Import** button. Once this has been selected, a **Save file** window opens where you can navigate to where the file has been stored. Select the **File name** and click **Open**. The new questionnaire will then be saved if the name of the questionnaire does not match any you have already saved.


A questionnaire can be previewed at any stage by selecting the **Preview** button. This will show the questionnaire as a user will see it.

The components of the questionnaire are known as **Attributes** and can be added, removed, copied and re-ordered. To create a new attribute, select  and a **New attribute** will appear in the **Attributes** window. To remove an attribute, select  and you will be asked if you want to save the questionnaire. Select **Yes** and you will then be asked to confirm that you want to delete the selected attribute. The order that attributes appear can be changed using the up and down arrows  . Highlight an attribute then use these arrows to change the position of the attribute in the questionnaire.

The **Name** of the attribute is displayed as well as the **Type** of attribute and any **Value(s)** associated with that **Type**.

There are a number of different predefined attributes that can be added to a questionnaire. Selecting different attributes from the **Type** drop down menu will show information relevant to that attribute. The system will request you to save the design between making each attribute.

Text can be formatted using the format icons at the end of each line. Additional parameters can be shown by selecting the double arrow icon. This will display a box labelled **Height** (px) where the height of the attribute box can be changed. This is the number of pixels in height for the attribute box. The system attempts to auto-size each control to fit the content, but you can fine tune it with this feature.



Each questionnaire must have one Date attribute which is mandatory for displaying on the **Client Pathway View**. One such field will be created automatically with each questionnaire

Date - This attribute will display a date and can be made mandatory by checking the box **Value is mandatory**. If you want to see the date in the **Client Pathway View**, check the box labelled **Use this date in Client pathway view**. A Name can be given to the date and text to Prompt the user can be added.

Number - This attribute will display number values and can be made mandatory by checking the box **Value is mandatory**. The **Name** for the new attribute will default to **New attribute**, but this can be changed. As with the **Date** attribute, text can be added to **Prompt** the user and the text can be formatted. A **Numerical** value range can be added to restrict the numbers that can be entered. Entering the **From** value and the **To** value means that users will only be able to enter values between these two numbers. If the result needs to be shown in the Implant module test summary, the **Include result in Implant test summary** box needs to be checked. Once a number of questionnaires have been saved for a client, you can compare the results over a time period by selecting the box **Enable 'Compare results' over time**. This will enable a further box where you can add a **Short result name** which will appear in the compare results.

Slider - This attribute will display a sliding scale and can be made mandatory by checking the box **Value is mandatory**. The **Name** for the new attribute will default to **New attribute**, but this can be changed. As with the Date attribute, text can be added to **Prompt** the user and the text can be formatted. A **Numerical value range** must be added to display the numbers that can be entered. Entering the **From** value and the **To** value means that users will only be able to move

the slide between these two numbers. If the result needs to be shown in the Implant module test summary, the **Include result in Implant test summary** box needs to be checked. Once a number of questionnaires have been saved for a client, you can compare the results over a time period by selecting the box **Enable 'Compare results' over time**. This will enable a further box where you can add a **Short result name** which will appear in the compare results.

The screenshot shows the 'Selected attribute' form for a 'Slider' attribute. The 'Type' is set to 'Slider'. The 'Name' field contains 'New attribute'. The 'Prompt' field is empty. The 'Numerical value range' section has 'From' set to -10 and 'To' set to 10. The 'Value is mandatory' checkbox is unchecked. The 'Include result in Implant test summary' checkbox is checked. The 'Enable 'Compare results' over time' checkbox is checked. The 'Short result name' field contains 'slider'.

Text - This attribute will display a box where free text can be added and can be made mandatory by checking the box **Value is mandatory**. The **Name** for the new attribute will default to **New attribute**, but this can be changed. As with the Date attribute, text can be added to **Prompt** the user and the text can be formatted. If the result needs to be shown in the Implant module test summary, the **Include result in Implant test summary** box needs to be checked. This will enable a further box where you can add a **Short result name** which will appear in the compare results.

The screenshot shows the 'Selected attribute' form for a 'Number' attribute. The 'Type' is set to 'Number'. The 'Name' field contains 'Number of ears'. The 'Prompt' field is empty. The 'Numerical value range' section has 'From' and 'To' fields empty. The 'Value is mandatory' checkbox is unchecked. The 'Include result in Implant test summary' checkbox is checked. The 'Enable 'Compare results' over time' checkbox is checked. The 'Short result name' field contains 'Ears'.

Drop-down list - This attribute will display a drop-down list of items that can be added and can be made mandatory by checking the box **Value is mandatory**. The **Name** for the new attribute will default to **New attribute**, but this can be changed. As with the Date attribute, text can be added to **Prompt** the user and the text can be formatted. **Option values** are added using + sign and removed using -. Selecting + will create a **New value** which will be highlighted. This value can be edited and more added to build up the list. The position of each value can be adjusted using the up and down arrows. If the result needs to be shown in the Implant module test summary, the **Include result in Implant test summary** box needs to be checked. This will enable a further box where you can add a **Short result name** which will appear in the compare results.

Selected attribute

Type: Drop-down list ☒ Value is mandatory >>

Name: New attribute B / U A Blue Red Black >>

Prompt: B / U A Blue Red Black >>

Option values

▲ ▼ + -

ID (internal)	Value
514	Red
515	White
516	Blue

☒ Include result in Implant test summary

☐ Enable 'Compare results' over time

Short result name:

Radio buttons - This attribute will display a series of radio buttons. This attribute cannot be made mandatory as it will default to the value at the top of the list. If a negative response is required then a list item called “Not responded” or “Not answered” can be added as the first item in the list which will then be the default. The **Name** for the new attribute will default to **New attribute**, but this can be changed. As with the Date attribute, text can be added to **Prompt** the user and the text can be formatted. **Option values** are added using + sign and removed using -. Selecting + will create a **New value** which will be highlighted. This value can be edited and more added to build up the list. The position of each value can be adjusted using the up and down arrows. If the result needs to be shown in the Implant module test summary, the **Include result in Implant test summary** box needs to be checked. This will enable a further box where you can add a **Short result name** which will appear in the compare results.

Selected attribute

Type: Radio buttons >>

Name: New attribute B / U A Blue Red Black >>

Prompt: B / U A Blue Red Black >>

Option values

▲ ▼ + -

ID (internal)	Value
	Left
	Right
	Both

☒ Include result in Implant test summary

☐ Enable 'Compare results' over time

Short result name:

Checkbox - This attribute will display a check box. Checkboxes cannot be made mandatory as the desired option could be unchecked. The **Name** for the new attribute will default to **New attribute**, but this can be changed. As with the Date attribute, text can be added to Prompt the user and the text can be formatted. If the result needs to be shown in the Implant module test summary, the **Include result in Implant test summary** box needs to be checked. This will

enable a further box where you can add a **Short result name** which will appear in the compare results.

The screenshot shows the 'Selected attribute' configuration window. The 'Type' is set to 'Checkbox'. The 'Name' field contains 'New attribute'. The 'Prompt' field is empty. There are formatting buttons (B, I, U, A) and color selection buttons (blue, red, black). A checkbox labeled 'Include result in Implant test summary' is checked. Below it, an unchecked checkbox is labeled 'Enable 'Compare results' over time'. At the bottom, there is a 'Short result name' field.

Multi-selection list - This attribute will display a box from which a series of options can be selected and can be made mandatory by checking the box **Value is mandatory**. The **Name** for the new attribute will default to **New attribute**, but this can be changed. As with the Date attribute, text can be added to **Prompt** the user and the text can be formatted. Option values are added using + sign and removed using - sign. Selecting + will create a **New value** which will be highlighted. This value can be edited and more added to build up the list. The position of each value can be adjusted using the up and down arrows. If the result needs to be shown in the Implant module test summary, the **Include result in Implant test summary** box needs to be checked. This will enable a further box where you can add a **Short result name** which will appear in the compare results.

The screenshot shows the 'Selected attribute' configuration window for a 'Multi-selection list' type attribute. The 'Type' is set to 'Multi-selection list' and the 'Value is mandatory' checkbox is unchecked. The 'Name' field contains 'New attribute'. The 'Prompt' field is empty. There are formatting buttons (B, I, U, A) and color selection buttons (blue, red, black). Below the 'Prompt' field, there is an 'Option values' section with a table. The table has two columns: 'ID (internal)' and 'Value'. The table contains five rows of data. To the right of the table, there is a checkbox labeled 'Include result in Implant test summary' which is checked. Below it, an unchecked checkbox is labeled 'Enable 'Compare results' over time'. At the bottom, there is a 'Short result name' field.

ID (internal)	Value
521	New value1
522	New value6
523	New value2
524	New value3
525	New value4
526	New value5

Fixed comment text - This attribute will display a box where fixed text is displayed and cannot be edited by the user. The **Name** for the new attribute will default to **New attribute**, but this can be changed and formatted as before.


The screenshot shows the 'Selected attribute' configuration window for a 'Fixed comment text' type attribute. The 'Type' is set to 'Fixed comment text'. The 'Name' field contains 'Multi-select'. There are formatting buttons (B, I, U, A) and color selection buttons (blue, red, black).

Separator line – Inserts a line into the questionnaire to separate sections. No formatting or editing can be performed.

Once the questionnaire has been created, it can be previewed so that you can see the attributes with their values.

The screenshot shows a window titled "Test quest" with a close button (X) in the top right corner. The window contains a form for creating or editing a questionnaire. At the top, there is a "Client" field and buttons for "New", "Save", "Delete", and "Close". Below this, there are fields for "Questionnaires" (a dropdown), "Created by" (set to "SYSTEM ADMINISTRATOR"), "Date" (set to "13/01/2020"), "Age at test" (set to "0y 0m"), a plus icon, and "Referral stage" (set to "Not linked to appointment"). The main area of the form is divided into sections for different attributes: "New attribute" (a text input), "New attribute1" (a dropdown), "New attribute2" (a group of four radio buttons labeled "New value1", "New value2", "New value3", and "New value4", with "New value1" selected), "New attribute 4" (a range slider with the value "2" and left/right arrow buttons), "New attribute 5" (a section with "Available items:" showing a list of "1", "2", "3" and a set of left/right arrow buttons), and "This is fixed text" (a text input). At the bottom of the "New attribute 5" section, there are "Add All" and "Remove All" buttons. Below the "This is fixed text" section, there is a checkbox labeled "New attribute 3".

A re-start of Auditbase is required to display the newly created questionnaires in the Navigation window.



18.5.2 Questionnaires export to csv

Once information has been entered into a questionnaire for a number of clients, the data can be extracted by selecting **Navigation -> Custom Questionnaires -> Questionnaires export to csv**. A window will open where the required Type or name of the questionnaire can be selected. A **Date range** can be selected by typing in a date in the format dd/mm/yy or by right clicking and choosing a date from the calendar. A delimiter can be chosen by selecting one of the options from the **Choose delimiter** drop down menu. Semicolon or comma are commonly used for this field. The location to save the file can be selected by typing in the path in the **Save as ...** box or by using  at the end of the field. This will open a Windows explorer window and the save location can be browsed for.

If you want to view the file that is created, check Open file after creation and Microsoft Excel will open and will display the data from the questionnaire.

A	B	C	D	E	F	G	H	I	J	K	L	M	N
Hosp No.	NHS No.	First name	Last name	Customer code	Customer name	Date	Number	Slider	Text box	A drop down	Shoe side		Multiselect
3		EVELYN	HARPER			13/10/2014	24	51		Red	Both shoes		1
T000002		KAROLINA	PAC	7HG2	WEST COUNTY	13/10/2014	25	61		White	Left shoe		2
T000007		TEDDY	TED			13/10/2014	67	99		White	Both shoes		1;2;3

18.6 Glasgow and COSI questionnaires in laptop mode

An audiologist can complete part of a Glasgow (GHABP, GHDHP, HDHP MHAS) or COSI questionnaire online and the rest offline during a home visit. Then, the part filled out offline can be synchronised with the main database. It is also possible to create a new questionnaire in offline mode.

Synchronising questionnaires

- When changes are made to a questionnaire offline, the central database records will be overwritten.
- A user can create the initial part of a questionnaire directly in the central database while maintaining another instance in an offline database.
- If a patient is in the offline database and the user opens an existing questionnaire instance from the offline database, a warning appears in the central database: *“This patient is on an offline database. If the questionnaire record in the offline db is changed then any changes you make in this central database will be overwritten.”*

Deleting a questionnaire

When a user attempts to delete a questionnaire, the system checks its origin.

- If the questionnaire was created during the current offline session, deletion is allowed.
- If the questionnaire was imported from the central database to an offline session, deletion is prohibited. A warning message explains why the questionnaire cannot be deleted.

19 Medical History

Medical History is now available as a separate module that may contain the current medical data of the client and/or the client's history of medical issues, including:

- Otoscopy, Audiometry
- Ear disease, Surgery
- Balance, Hearing
- Ext.History, Aetiology
- Tinnitus, Other history
- Lifestyle and Communication
- Outcome and Other data

The Medical History window is called from the **Navigation pane**. If it has been added to **Favourites**, it can be accessed from the *Favourites* section.

The **Copy** option allows reusing Medical History questionnaires. An existing instance of the Medical History can be saved with a new date.

The copied questionnaire becomes available when the Medical History window is called again. Users can then apply and save the required changes.

The screenshot shows the Auditbase [Booking] window. The navigation pane on the left has 'Medical history' selected under 'Individual client'. The main window displays the 'Medical history' form for patient 'FIRSTNAME30763 LASTNAME30763' on 'Monday 09/03/2020'. The form includes sections for 'OTOSCOPY' and 'AUDIOMETRY' with various input fields and checkboxes. A 'Copy' button is visible in the top right of the form area.

The Medical History questionnaire can also be printed by employing the corresponding controls.

20 Other Features

20.1 Client's entries

Click the button below to access our training materials.

eLearning

Client's entries presents an overview of a client's appointments and waiting list entries.

Client's appointments and waiting lists

Client MR JOHN SMITH

Close

Appointments list - 42 item(s)

History of changes

Attached actions

Delete from history

Show in appt book

Date	Time	Loc.	Dept.	Appt.	Status	Resource	Reason	SMS1	SMS2	Declined offer	Symbol
13/01/2020	11:15			1	*	Res46					from1
13/01/2020	09:00			2	*	Charlie					2
10/01/2020	09:00			1	*	Charlie					1
09/01/2020	16:30			5	A	Stassy					GWH 1 st
09/01/2020	13:45			6	*	Stassy					PHAC new patient
09/01/2020	13:15	3	3	1	*	Res54					1
09/01/2020	13:15	3	3	6	*	Res109	++GP direct referral				PHAC new patient
09/01/2020	12:45			6	A	Travy					PHAC new patient

<

>

Waiting list entries - 7 item(s)


Add

Edit

Show in waiting list

Wait time	Date	Waiting list	Information
-186	18/06	TGW - PHA	
8	06/03	TGW - AUD	
-14	06/03	TGW - CAL	
-21	16/08	TGW - Audi	
9	16/08	TGW - CAL	
13	09/01	TGW - DOM	
20	09/01	TGW - CAL	

- Go to **Navigation-> Client's entries** or press **Shift+Ctrl+Q** or from the **Booking** screen **Functions -> Client's entries**.
- If in the Booking module, click **Show in appt. book** to go directly to the appointment in the appointment book.
- If a clinic view has been applied to the Booking screen and the appointment you want to look at is not available due to this filter, you will receive a message that you will need to change the clinic filter before you can view the appointment.



- Select **Yes** and you will be taken to the appropriate date. Once the clinic filter has been changed, the required appointment will be highlighted.
- **No** will return you to Client's entries
- To view any clinical actions, documents or IMPs attached to the appointment, click the **Attached actions** button. A list of attached clinical and other actions will open in a separate dialogue box where you can detach them from the appointment if needed.
- You can **Add** and **Edit** waiting list entries directly from here and jump to the Waiting list module by pressing **Show in waiting list**.
- To delete cancelled actions—they appear in grey—from the history, select them in the list and click the **Delete from history** button.
- Navigate fast between the two lists by using TAB or the keyboard shortcuts **Alt+p** for Appointments and **Alt+t** for Waiting list entries. Use the keyboard arrows to navigate inside the list.

20.2 Day view

Day view represents an overview of a booking day. The default setting of the Day view is today's date, but you can change the date manually if you wish to see a list of appointments for another day.

- Go to **Navigation** -> **Day view** or press **Shift+Ctrl+F3**.

The system updates the view automatically with the timeout set by the System Administrator.

You can filter the day view by:

- **View:** All appointments, client bookings, reservations or workflow (see below for more information).
- **Date**
- **Symbol:** If you only wish to view appointments with a specific symbol including outdated symbols.
- **Status:** If you only wish to view appointments with a specific appointment status e.g. DNA, Finished. The statuses can be selected by clicking on the ... icon at the end of the field and then checking the box next to the required status. Multiple statuses can be selected by checking multiple boxes. **Select** will then filter the view showing the selected appointment statuses. The selection can be cleared by clicking on **Reset**. If multiple selections are chosen, their code will display in the **Status** field. The full description of the status can be seen resting the mouse cursor on the Status field and a tool tip will display the code and description for the appointment statuses.
- **Resource:** If you only wish to view appointments associated with a specific resource.
- You can navigate between the filters by using the TAB button and select specific filters by using the keyboard arrows or the mouse wheel.
- You can choose to view appointments for all locations and departments, individual locations/departments or several specific locations/departments.
- Right-clicking on an appointment initiates the **Booking information** window where you can modify e.g. the appointment Information or enter Outcome status.
- Double-clicking on an appointment initiates the **Edit booking** window, so you can edit the booking directly from Day view.
- Clicking on the **Save window setup** button saves the currently selected view plus column order, columns width and the table sort order. The next time you run the **Day view** window, the saved table configuration will automatically be used.
- The system refreshes the **Day view** with the data currently present in the database. The interval is defined by the System Administrator.

20.2.1 Appointments / Reservation view

- Select the **View** drop-down list.
- Select either **All appointments**, **Client bookings**, **Workflow** or **Reservations**.

[illegible]

- The appointments of the selected type are shown in the table.
- Select an appointment by highlighting it.
- If you right-click anywhere in the appointment, the **Booking information** opens up, where you can edit appointment status and outcome status.

[illegible]

- If you double click on the appointment, the **Edit booking** window opens up, so you can edit the appointment directly from Day view.

20.2.2 Workflow view

- Select the **View** drop-down list.
- Select **Workflow**.

This view is used for tracking client appointments flow via observation and changing of appointment stage conditions.

The table shows client appointments and their stages.

- A grey square means that the appointment does not include a specific stage.
- Red square means that the appointment includes a stage but no condition has been set yet.
- Right-click on the stage cell to set a condition for the stage.

Auditbase - [Day view]

File View Edit

Client **<T>T18765 MR JOHN SMITH** User **SYSTEM ADMINISTRATOR** All locations All departments

Save window setup Restore default layout Print

View Date Symbol Status Resource

Workflow 10/01/2020 All All All

Information	Time	Symbol	Stage 1	Stage 2	Stage 3	Stage 4	Referenced by	Location	Department	Booking code	Waiting room
	15:47	1						All	All	2310	
	15:00	1						All	All	3208	
	17:39	PHAC new patient mould						All	All		

Context Menu:

- Pending
- In Process
- Completed
- Clear stage condition

20.3 Device list

Use this module to review devices, accessories, earmoulds and repair tasks for a client.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation** -> **Device list** or press **Shift+Ctrl+D**.
- Only Serial number controlled articles are shown on the **Devices** tab. Quantity controlled articles can be shown on the **Accessories** tab, if configured so by your System Administrator.
- For **Devices** and **Accessories** the current situation or the historical situation can be shown by clicking **Present** or **History**.
- Devices are listed with stock type, the date when the device entered this stock type, the name of the device, quantity, status of left/right along with the signature of the user logged in to the system when the new status was given to the device. Left/right status is presented by symbols defined by the system administrator.
- Accessories are listed with **Created date** (the date the article was first added to the client's device list), **Latest issue date** (showing the last time one of these articles were added to the device list), Stock type and Stock Group, the Article name, status of left/right and quantity along with the signature of the user logged in to the system when the new status was given to the accessory. When this information is viewed in **Client Information**, **Devices** tab, only the **Created date** is shown NOT the **Latest issue date**. This is for performance reasons.
- Devices and accessories can be attached to or detached from an appointment by clicking **Attach** or **Detach**, respectively.
- The Device tab also shows the serial number of the device and a version number.
- Item information is shown where it has been added for a particular article.
- You can change the status of an item marked in the listing by clicking **New status** or **Alt+N**.

*NOTE: Changes in device status create clinical actions. If you have attached them to appropriate appointments, they can be seen on the **Clinical actions** tab of the **Referral** module.*

- For devices, you can view the selected device in the **Stock** module by pressing **Show in stock**, or **Alt+S**, or show information for a device by pressing **Information** or **Alt+I**. You can view the **History** of a particular Serial number controlled article by pressing the **History** button or pressing **Alt+T**.
- **Earmoulds** list shows the date of impression, date of sending to manufacturer, ready date, types of left and right mould and comments.
- **Repair list** shows which devices are being repaired. The information shown is the information from the Order tab in the Repair module. Depending on how the **Order type** has been set up by the System Administrator, breakage details can be shown over several lines.
- Double-click on a post to open the post.
- Click **Print** to get the listing on paper.

- You can print a receipt from the Device list by selecting one or more articles and pressing **Print receipt**.

Device list

New status Information Show in stock History Print receipt Client MRS FIRSTNAME106 LASTNAME106 Print Close

Devices Accessories Repair list Earmoulds Requested

Present History Accessory issue Attach Detach Select all 1 entry selected

	Modified date	Stock type to	Article	L/R	User	Serial number	Batch/Lot	Item information	Version	Reason to issue	Appointment
☒	02/10/2017	SENT FOR REPAIR (Repair)	NHS SUPPLIES, BE101		Oleksandr Pushchalo	546456B		test info	56		* 12/28/2018, MALMESBURY ENT audi
☐	10/18/2016	REPLACEMENT (Issued)	NHS SUPPLIES, ITE10ML	-	full name tests???	925104					* 10/18/2016, from1
☐	11/25/2015	SENT FOR REPAIR (Repair)	NHS SUPPLIES, ITE10MR		SYSTEM ADMINISTRATOR	P0890909			3		
☐	06/26/2015	RECONDITIONED (Issued)	Test man 2, Test article 1	L	full name tests???	2221			7		
☒	05/14/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE10MR	R	full name tests???	1121			1		* 5/14/2015, ENT new patient mould~
☐	05/08/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE10MR	L	full name tests???	123123	1		3		* 5/27/2015, GWH Audio review~
☒	05/08/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE11ML	L	full name tests???	12121	1		1		* 5/27/2015, GWH Audio review~
☐	05/08/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE10MR	L	full name tests???	1123	3		3		* 5/27/2015, GWH Audio review~
☐	05/01/2015	FITTED/EXCHANGED (Issued)	Test man, Test article 1	R	full name tests???	2222			7		* 5/27/2015, GWH Audio review~
☐	04/28/2015	FITTED/EXCHANGED (Issued)	Test man, Test article 1	R	full name tests???	123213			7		* 4/28/2015, ENT new patient mould~
☐	04/21/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE11MR	L	full name tests???	444					A 4/21/2015, SAV ENT audio
☐	04/21/2015	RECONDITIONED (Issued)	NHS SUPPLIES, ITE11MR	R	full name tests???	443					A 4/21/2015, SAV ENT audio
☐	04/21/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE11MR	L	full name tests???	4445					A 4/21/2015, SAV ENT audio
☐	02/22/2015	SENT FOR REPAIR (Repair)	Test man, Test article 1		full name tests???	11122			7		A 2/23/2015, GWH 1 st

- An appointment associated with when an article was modified can be attached to the Device list by selecting **Attach**. This will display all the client's appointments. The appropriate appointment can be selected by highlighting it and selecting **Attach**. **Close** will shut the window without selecting. If the clinical action for issuing an article is set up by your System Administrator, an appointment on the same day as a modified article event will automatically link the event with that appointment, if the appointment start time is earlier than the current time. The appointment can be unlinked from the event by selecting the article in the list and choosing **Detach**.

Attach appointment to stock transaction

Attach Close

Date	Symbol	Description	Resource	Status
11/03/2015	2	2	Charlie	*
10/30/2015	SAV ENT au	Travy		*
10/26/2015	2	2	Travy	*
10/22/2015	SAV ENT au	Charlie		*
10/22/2015	SAV ENT au	Charlie		*
06/18/2015	2	2	Stassy	A
06/15/2015	ENT new pa	Travy		*
06/08/2015	ENT new pa	Charlie		*

Device list

New status Information Show in stock History Print receipt Client MRS FIRSTNAME106 LASTNAME106 Print Close

Devices Accessories Repair list Earmoulds Requested

Present History Accessory issue Attach Detach Select all 1 entry selected

	Modified date	Stock type to	Article	L/R	User	Serial number	Batch/Lot	Item information	Version	Reason to issue	Appointment
☒	02/10/2017	SENT FOR REPAIR (Repair)	NHS SUPPLIES, BE101		Oleksandr Pushchalo	546456B		test info	56		* 12/28/2018, MALMESBURY ENT audi
☐	10/18/2016	REPLACEMENT (Issued)	NHS SUPPLIES, ITE10ML	-	full name tests???	925104					* 10/18/2016, from1
☐	11/26/2015	SENT FOR REPAIR (Repair)	NHS SUPPLIES, ITE10MR		SYSTEM ADMINISTRATOR	P0890909			3		* 11/3/2015, 2
☐	06/26/2015	RECONDITIONED (Issued)	Test man 2, Test article 1	L	full name tests???	2221			7		
☒	05/14/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE10MR	R	full name tests???	1121			1		* 5/14/2015, ENT new patient mould~
☐	05/08/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE10MR	L	full name tests???	123123	1		3		* 5/27/2015, GWH Audio review~
☒	05/08/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE11ML	L	full name tests???	12121	1		1		* 5/27/2015, GWH Audio review~
☐	05/08/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE10MR	L	full name tests???	1123	3		3		* 5/27/2015, GWH Audio review~
☐	05/01/2015	FITTED/EXCHANGED (Issued)	Test man, Test article 1	R	full name tests???	2222			7		* 5/27/2015, GWH Audio review~
☐	04/28/2015	FITTED/EXCHANGED (Issued)	Test man, Test article 1	R	full name tests???	123213			7		* 4/28/2015, ENT new patient mould~
☐	04/21/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE11MR	L	full name tests???	444					A 4/21/2015, SAV ENT audio
☐	04/21/2015	RECONDITIONED (Issued)	NHS SUPPLIES, ITE11MR	R	full name tests???	443					A 4/21/2015, SAV ENT audio
☐	04/21/2015	FITTED/EXCHANGED (Issued)	NHS SUPPLIES, ITE11MR	L	full name tests???	4445					A 4/21/2015, SAV ENT audio
☐	02/22/2015	SENT FOR REPAIR (Repair)	Test man, Test article 1		full name tests???	11122			7		A 2/23/2015, GWH 1 st

- On the **Requested** tab, the system displays all requisitions for the patient along with their order numbers (IDs). If the order number is empty, it indicates that the requisition has not been included in an order yet. Only undelivered items are shown on this tab. Delivered items appear on the **Devices** tab.

Device list

New statusInformationShow in stockHistoryPrint receipt

ClientMRS FIRSTNAME106 LASTNAME106

PrintClose

DevicesAccessoriesRepair listEarmouldsRequested

Req. date	Accepted	Quantity	Deliver by	Delivered to	Order ID	Colour	Ordered by	Supplier	Supplier art. no	Stock type	Order type	Audiogram	Employee	Article ID	Unit price	Total price	Next appointment date
06/15/2024	☒	1	06/11/2024	Location1	33	SILVER	John Smith	STARKEY	GHB022		NHS ORDER	12/11/2018, no. 1		50252	\$32.07	\$32.07	06/18/2024 12:00:00
06/15/2024	☐	1	06/20/2024	All (no location)			John Smith		GHE600	type1		12/11/2018, no. 1		50273	\$0.15	\$0.15	06/18/2024 12:00:00
06/15/2024	☐	1	06/20/2024	All (no location)		WHITE	John Smith		GHB 106P	STOCK - GWH (In stock)		12/11/2018, no. 1		50143	\$70.51	\$70.51	06/18/2024 12:00:00

NOTE: The ‘Device List’ window can be resized if necessary. The modified size is retained after restarting Auditbase.

20.4 Client observations and procedures

Click the button below to access our training materials.

eLearning

Use this function to add a predefined observation or procedure to a client.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Observations and procedures**.

Observations and procedures

Add to client Save Delete Close

Observation list In location and department: ☐ Current ☒ All ☐ Observations ☐ Procedures

Obs no.	ICD10 code	SNOMED code	Add.	Text
125	125			Presbycusis
126	126			Otosclerosis
127	127			Test observation
128	128			Test procedure

Client observations Attach appointment Detach appointment

Obs no.	ICD10 code	SNOMED code	Date	Add.	S	Side	Text	Comment
127	127		09/01/2020				Test observation	
125	125		09/01/2020				Presbycusis	
127	127		09/01/2020				Test observation	
125	125		01/05/2015	1	r	Right	Presbycusis OCCUPATIONAL Right	123abc#%\$%123abc123abc#%\$%123abc123abc#%\$%123abc123abc
125	125		21/04/2015	1	L	Left	Presbycusis OCCUPATIONAL Left	2
128	128		22/02/2015	1	R	Bilateral	Test procedure code no 4 bilateral	

- Select the **Current** or **All** location to filter the observations.
- Select **Observations** and/or **Procedures** to filter the observations.
- To add an observation or procedure to a client record, highlight the observation or procedure in the upper table and click **Add to client** or double-click. Repeat this process until all required observations/procedures are displayed in the lower table. Click **Save**.

Be aware: Be careful when adding observations and procedures; ensure the Client is correct. Entering an incorrect observation or procedure can cause incorrect treatment.

- To remove an observation or procedure from a client record, highlight it in the lower table and click **Delete**.
- In the lower table, you can type in a number in the **Add.** column (Additional code) and a preconfigured text created by your system administrator is added to the **Text** field.
- Enter L, R or B in the **S** column for left, right and bilateral or use the **Side** box to select it.
- To edit the **Comment** column, double-click in the lower table and the **Edit client's observations and procedures** window appears.

Edit client's observations and procedures

Date: 09/01/2020

Observation or procedure: 125, Presbyacusis

ICD10 code: 125

Add. code:

Side:

Comments: Some comments

- Enter your comments and click **Save**.
- You can also add a comment to the observation directly in the list by clicking in the Comment's field and entering your comment.

Observations and procedures

Observation list In location and department: ☐ Current ☒ All ☐ Observations ☐ Procedures

Obs no.	ICD10 code	SNOMED code	Add.	Text
125	125			Presbyacusis
126	126			Otoscleros
127	127			Test observation
128	128			Test procedure

Client observations

Obs no.	ICD10 code	SNOMED code	Date	Add.	S	Side	Text	Comment	Appt.	Appt.date	Appt.name
125	125		13/01/2020				Presbyacusis	Some comments			

- Once saved, you can also attach the observation or procedure to an appointment by selecting the observation or procedure in the lower table and click **Attach appointment**.

Attach observation or procedure to appointment

Date	Symbol	Description	Resource	Status
28/12/2018		MALMESBUf Alan		*
28/12/2018		MALMESBUf Charlie		*
28/12/2018		MALMESBUf Res70		*
10/12/2018		SAV ENT au Charlie		*
10/12/2018		PHAC new p Alan		*
05/07/2018	1	1	Travy	*

- Choose an appointment from the list of appointments and click **Attach**.
- If you wish to detach the observation or procedure from an appointment, you simply select the observation or procedure in the lower table and click **Detach appointment**.

If you choose to detach the observation or procedure from the appointment, it will still remain on the client's record.

- Once an observation or procedure is attached to an appointment, it will show up on the **Booking information** dialogue box, from where an observation or procedure can also be attached, edited or deleted.

Booking information

Client: MRS FIRSTNAME106 LASTNAME106

Time: 28/12/2018 08:00 - 08:30

Attached actions

Close

Appointment

MALMESBURY ENT AUDIO

Location

All (no location)

Letter:

Timetable

2

Department

All (no department)

Verbal: X

Made by:

YULIAMAUKHA

on 28/12/2018

Attn. with

Resource(s):

ALAN

Status

[no status]

* Appt arranged

Q, Cancelled

A, Arrived

B, Being seen

Referenced by

Reason

Outcome status

Current outcome

Appointment not linked to referral

Linked Waiting list

Details

Hospital no.: T1106; NHS no.: 555554444

MRS FIRSTNAME106 LASTNAME106

9 XXX XXXXX

XXXXXXXXXX

XXXXXXXXXX

Stages condition:

Status change

* Appt arranged 28/12/2018 14:38

Delete

Information

History of changes

Client observation or procedure

Add / Edit / Delete

Edit

Delete

Obs no.	SNOMED code	ICD10 code	Date	Add.	S	Text	Comment
125		125	13/01/2020			Presbycusis	Some comments

- Back in the **Observations and procedures** window, everything from the observation or procedure will be written to the journal when you save, including full text and comments as well as appointment information if the observation or procedure was attached to an appointment.
- You will also find the observation or procedure in the Referral module with the option of editing the observation or procedure from the Referral module.
- Further, all changes are reflected in the Paediatric module on the Clinical information tab.

20.5 Hearing Therapist

The Hearing Therapist module contains a number of check boxes and free text fields used to store specific Hearing Therapy data for the selected client.

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Hearing Therapist**.
- Previous reports can be viewed by selecting the required date from the **Therapist Reports** drop-down list.
- When a previous report is selected, the button **Progress report** becomes active and brief comments on specific areas of Therapy can be added such as date and note to training, visits, etc., to get an overview of the client's progress.
- Comments can be added and saved with the signature of the Auditbase System user logged in at the time.
- **New** clears the details so a new report can be added.
- Click **Save**.
- **Print** the report if required.

Hearing Therapist

Progress report New Save Delete Print Close

Therapist reports 1, 04/07/2016

Client MRS FIRSTNAME106 LASTNAME106

Progress report

Signature full name tests???

Save Cancel

	Date	Note
Hearing instrument adj.	04/07/2016	
Functional training	04/07/2016	2
Training	04/07/2016	344
Hearing damage treatment		
Intensive course		
Education		
Home visit		

Comments

Comments

Hearing Therapist

Progress report

NewSaveDeletePrintClose

Therapist reports

1, 04/07/2016

Client

MRS FIRSTNAME106 LASTNAME106

Date

04/07/2016

User

full name tests???

☐ Pocket

☐ BTE

☐ ITE

☐ Canal

Previous hearing aid?

☐ Yes

☐ No

☐ Difficulty walking

☐ Sight damage

Manufacturer

☒ Serious HNS

Work/phone no.

Technical aids:

Acoustic signal

☐ door

☐ phone

Optic signal

☐ door

☐ phone

☐ at TV

TV/radio

☐ telecoil room

☐ telecoil chair

☐ HP-set

Other

☐ wake up call

other

Technical aids at work

☒ Yes

☐ No

Mould handling

☒ Good

☐ Medium

☐ Bad

Previous contact with therapist

☐ Yes

☒ No

☐ Advised

Audiologist's notes

20.6 Direct Referral HI (adult)

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Direct referral HA (adult)**.
- **GP** and **ENT** are selected from lists using the button at the end of the fields.
- Choose reason for ENT referral from the drop-down lists if required.
- You can right-click on the drop-down boxes to edit the list of reasons for ENT referral.
- Choose **Priority of referral** from the drop-down list.
- Click **Save**.

When this referral page is completed the Direct Referral box in the Details tab of the Client Information module is automatically checked.

This referral form is a shorter version of the **Direct Referral – Medical/audiological history – DR-Med** questionnaire covering the TTSA guidelines for Direct Referral.

Direct Referral HA (Adult) ×

Delete

Save

Cancel

GP

DR S RATNANDAN, NORTHLANDS SURGERY, T...

...

ENT

MRS ANNAN, 222 STR, HOME CITY

...

Date referral received

Referral correct?

☒ Yes ☐ No

Date of DR clinic visit

Clear of wax?

☐ Yes ☒ No

ENT referral advised?

☐ Yes ☒ No

If yes, reason(s)

Priority of referral?

Impression(s) for hearing aid provision?

☐ Yes ☐ No

Referral for advice/counselling?

☐ Yes ☐ No

20.7 Tinnitus

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Tinnitus**.
- Fill in the required details using the tabs to view each screen.
- The **Audiogram list** will show a list of the client's audiograms. Double-click the date of the audiogram to view it; no adjustments can be made to the audiogram.
- Click **New** to create a new form for tinnitus analysis and type in the relevant information.
- **Save** the report when finished.

The **Tinnitus Analysis** drop-down field lists any previous tinnitus reports for the selected client.

You can also delete a tinnitus report and print the reports using the buttons at the top of the page.

- Under **Inventory**, you can either manually enter the percentage score from a pre, post or current Tinnitus Handicap Inventory questionnaire or you can attach a score from a questionnaire by clicking the **Browse** button next to the percentage field and choosing from a list of questionnaires.

20.8 Run an external application

- Go to **Navigation->Run an external application**.

The external application configured by your Administrator will be launched with the parameters configured.

20.9 Attention list

Click the button below to access our training materials.

eLearning

When opening the **Attention list** the system will check the database for issues requiring special attention. The **Attention list** consists of several lists, including - **Referrals, Journal, Unsigned journal, Unsigned summaries, Deceased alerts, Electronic submission, Interface notifications**. Each time you open the **Attention list**, the system automatically generates the list. Progress is shown at the bottom of the window. You can start to work on the top rows while others are populating. To cancel this, just select another tab. The text below the tab names describes the reason why clients are shown.

If a user has a **Location** or **Multiple locations** selected, the results will be further filtered by the client's **Location** and they will not see all records.

When location is selected globally, a corresponding message will appear informing that *"The List is filtered by Client's Location"*.

Attention list

☐ Do not show a warning message D-Alert selection method: PAS alert Print Show in Journal Close

Referrals | Journal | Unsigned journal | Unsigned summaries | Deceased alerts | Electronic submission | Unsubmitted postings | Interface notifications

Active referrals (not Closed or Nullified) that have not been booked or put on the Waiting list - The list is filtered by clients' location

Date	Number	Hospital no.	NHS no.	Client name	Treatment type
3/7/2000	30700	T12639		MISS FIRSTNAME2639 LASTNAME2639	SWINDON EARLY SUPPORT
3/8/2000	282	T19296		MR FIRSTNAME9296 LASTNAME9296	++DIRECT REFERRAL /Audio assessment
4/17/2000	30701	T13758		MISS FIRSTNAME3758 LASTNAME3758	
5/19/2000	30704	T14118		FIRSTNAME4118 LASTNAME4118	
5/19/2000	30705	T14119		FIRSTNAME4119 LASTNAME4119	
5/19/2000	30706	T14109		MISS FIRSTNAME4109 LASTNAME4109	HASSAN
5/23/2000	30707	T14132		FIRSTNAME4132 LASTNAME4132	SWINDON EARLY SUPPORT
5/23/2000	30708	T14131		FIRSTNAME4131 LASTNAME4131	SWINDON EARLY SUPPORT
6/2/2000	30709	T12094		MST FIRSTNAME2094 LASTNAME2094	HASSAN
6/2/2000	30710	T14179		FIRSTNAME4179 LASTNAME4179	Health Visitor
6/14/2000	30711	T14405		MISS FIRSTNAME4405 LASTNAME4405	DR ZENGEYA
6/14/2000	30712	T14116		FIRSTNAME4116 LASTNAME4116	DR ZENGEYA
6/14/2000	30714	T14389		MISS FIRSTNAME4389 LASTNAME4389	SWINDON EARLY SUPPORT
6/14/2000	30715	T14628		MISS FIRSTNAME4628 LASTNAME4628	SWINDON EARLY SUPPORT
6/16/2000	30716	T14441		MISS FIRSTNAME4441 LASTNAME4441	DR ZENGEYA
6/16/2000	30718	T1466		MISS FIRSTNAME466 LASTNAME466	
6/16/2000	30719	T14470		MST FIRSTNAME4470 LASTNAME4470	PAEDIATRICS

Populating: - /30 ⚠ The list is filtered by clients' location NUM

If they want to see all clients, they should change to **All Locations**. There will be a message to users on the first time they do this which they can then check to prevent it showing again.

Attention list						
☐ Do not show a warning message D-Alert selection method PAS alert Print Show in Journal Close						
Referrals	Journal	Unsigned journal	Unsigned summaries	Deceased alerts	Electronic submission	Unsubmitted postings
Interface notifications						
Active referrals (not Closed or Nullified) that have not been booked or put on the Waiting list						
Date	Number	Hospital no.	NHS no.	Client name	Treatment type	
3/7/2000	30700	T12639		MISS FIRSTNAME2639 LASTNAME2639		SWINDON EARLY SUPPOR
3/8/2000	282	T19296		MR FIRSTNAME9296 LASTNAME9296	++DIRECT REFERRAL / Audio assessment	DR MILEUSNIC Z , THE KI
4/17/2000	30701	T13758		MISS FIRSTNAME3758 LASTNAME3758		
5/19/2000	30702	T14181		MST FIRSTNAME4181 LASTNAME4181		
5/19/2000	30704	T14118		FIRSTNAME4118 LASTNAME4118		
5/19/2000	30705	T14119		FIRSTNAME4119 LASTNAME4119		
5/19/2000	30706	T14109		MISS FIRSTNAME4109 LASTNAME4109		HASSAN
5/23/2000	30707	T14132		FIRSTNAME4132 LASTNAME4132		SWINDON EARLY SUPPOR
5/23/2000	30708	T14131		FIRSTNAME4131 LASTNAME4131		SWINDON EARLY SUPPOR
6/2/2000	30709	T12094		MST FIRSTNAME2094 LASTNAME2094		HASSAN
6/2/2000	30710	T14179		FIRSTNAME4179 LASTNAME4179		Health Visitor
6/14/2000	30711	T14405		MISS FIRSTNAME4405 LASTNAME4405		DR ZENGEYA
6/14/2000	30712	T14116		FIRSTNAME4116 LASTNAME4116		DR ZENGEYA
6/14/2000	30713	T14122		MISS FIRSTNAME4122 LASTNAME4122		SWINDON EARLY SUPPOR
6/14/2000	30714	T14389		MISS FIRSTNAME4389 LASTNAME4389		SWINDON EARLY SUPPOR
6/14/2000	30715	T14628		MISS FIRSTNAME4628 LASTNAME4628		SWINDON EARLY SUPPOR
6/16/2000	30716	T14441		MISS FIRSTNAME4441 LASTNAME4441		DR ZENGEYA

Populating: - /31

NUM

If configured in Auditbase Administration (General settings > Options), the warning on changing the global client will be applied.

Change of client

 Do you wish to change client?

Yes No

Referrals

Lists all clients with a referral which has not been followed up by an appointment or put on a waiting list from the referral page. This list makes sure that no referred clients are left without attention. It is possible to see the Referral Treatment Type on the list of Referrals:

Attention list						
☐ Do not show a warning message D-Alert selection method PAS alert Print Show in Journal Close						
Referrals	Journal	Unsigned journal	Unsigned summaries	Deceased alerts	Electronic submission	Unsubmitted postings
Interface notifications						
Active referrals (not Closed or Nullified) that have not been booked or put on the Waiting list						
Date	Number	Hospital no.	NHS no.	Client name	Treatment type	
3/7/2000	30700	T12639		MISS FIRSTNAME2639 LASTNAME2639		SWINDON EARLY SUPPOR
3/8/2000	282	T19296		MR FIRSTNAME9296 LASTNAME9296	++DIRECT REFERRAL / Audio assessment	DR MILEUSNIC Z , THE KI
4/17/2000	30701	T13758		MISS FIRSTNAME3758 LASTNAME3758		
5/19/2000	30702	T14181		MST FIRSTNAME4181 LASTNAME4181		
5/19/2000	30704	T14118		FIRSTNAME4118 LASTNAME4118		
5/19/2000	30705	T14119		FIRSTNAME4119 LASTNAME4119		
5/19/2000	30706	T14109		MISS FIRSTNAME4109 LASTNAME4109		HASSAN
5/23/2000	30707	T14132		FIRSTNAME4132 LASTNAME4132		SWINDON EARLY SUPPOR
5/23/2000	30708	T14131		FIRSTNAME4131 LASTNAME4131		SWINDON EARLY SUPPOR
6/2/2000	30709	T12094		MST FIRSTNAME2094 LASTNAME2094		HASSAN

Journal

Lists all client appointments which have not been followed up by journal entries during the last month. This list makes sure that there is a journal entry for each appointment.

Unsigned journal

Lists all clients with journal texts which have been saved unsigned. This list makes sure that no journal text is left unsigned.

To select a client, click on the row in the list. The client now becomes the global selected client. When you have taken care of the issue, the client is automatically removed from the list.

The columns in the list can be sorted by clicking on the column header.

Unsigned summaries

Lists all clients with unsigned treatment summaries. This list makes sure that no summary is left unsigned.

- To select a client, click on the row in the list. The client now becomes the global selected client.
When you have taken care of the summary, the client is automatically removed from the list.

The columns in the list can be sorted by clicking on the column header.

Deceased alert


Lists uncompleted activities for clients with Deceased alert. Separate tabs show each kind of open record that a deceased client could have. The text below the tabs describes why a client is shown on that particular tab.

- To select a client, click on the row in the list. The client now becomes the global selected client.
When you have taken care of the issue, the client is automatically removed from the list.

The columns in the list can be sorted by clicking on the column header.

Deceased alerts can be searched for in two separate places to make the results populate quicker. The user must select either **PAS alert** or **Alert** in the **D-Alert Selection method** drop down list depending how deceased alerts are normally entered.

Auditbase will retain the **D-Alert Selection method** chosen by the user for any future lists to be populated. Any subsequent change to the selection method will be retained for the user.



A warning is shown when there are a lot of deceased records. If the user does not wish to see the message each time the Deceased attention tab is selected the box **Don't show this message again** can be checked to disable the message.

Within the Deceased attention tab there are further tabs to identify clients with a Deceased alert whose Referrals are not closed, are still on a Waiting list, have Appointments booked in the future, have unsigned journal entries and have unsigned treatment summaries.

In the bottom left corner of the Attention list is an indication the current state of the search and once populated will indicate how many records are specific to the tab selected.

Electronic submission

This is intended for reviewing all **Electronic Submission events** and for dealing with **Treatment Summary submissions**. These could be for optional interfaces of clinical documents with Hospital Electronic Patient Record Systems or of appointment details for patient arrival or Hospital appointment systems.

Depending on the option set in Administration under **Event Settings-> General settings** some of the controls may not be available. If the option is checked to not show Treatment Summary submission controls then only the **Data type** filter will be available and should be set to **All** or to one of the configured event types. In the case of event driven automatic Electronic Submission events will only be shown in the list between the action being performed on the client and the regular scanning work of the server components. Users have the ability to Show data to show a Treatment Summary, Audiogram or Document (document Properties dialog) whose submission was rejected. The **Delete** button can be used with supporter assistance in the case of serious failure but the event will not then be resent.

Treatment Summary electronic submissions will remain in the list after they are actively submitted by a user. The following filtering options are available for displaying Treatment Summary electronic submissions:

- Data type
- Detail type - shows the sub-type of the event
- Ready for submission
- Submitted
- Rejected
- Signed not submitted
- Status date. A range of dates can be added. Double clicking in the field will add today's date. The Status date is only relevant for Treatment Summaries where the record of Submitted is kept.

When an option changes, you have to press the **Refresh** button to update the list of electronic submissions.

Attention list

☐ Do not show a warning message D-Alert selection method: PAS alert Edit recipient Edit Delete Print Show data Close

Referrals Journal Unsigned journal Unsigned summaries Deceased alerts **Electronic submission** Unsubmitted postings Interface notifications

List of electronically submitted documents

Filter

Data type: Treatment summary ☒ Ready for submission ☒ Rejected Status date:

Detail type: All ☒ Submitted ☒ Signed not submitted

Date created	Data type	Detail type	Hospital no.	NHS no.	Client name	Recipient	Status	Stat
9/6/2013	Treatment summary	Default summary type	T135815		MRS FIRSTNAME35815 LASTNAME35815			09/06/
4/10/2014	Treatment summary	Default summary type	T18777	11-	MR FIRSTNAME8777 LASTNAME8777			04/10/
4/10/2014	Treatment summary	Default summary type	T1381		MISS FIRSTNAME381 LASTNAME381			04/10/
4/10/2014	Treatment summary	Default summary type	T18767		MR FIRSTNAME8767 LASTNAME8767			04/10/
4/10/2014	Treatment summary	Default summary type	T18768		MR FIRSTNAME8768 LASTNAME8768			04/10/
10/2/2013	Treatment summary		T1106		MRS FIRSTNAME106 LASTNAME106			04/11/
4/14/2014	Treatment summary	Default summary type	010100A003J	1112-222222	MRSå BANG1å BENG123å			04/14/
4/16/2014	Treatment summary	Private summary type	010100A003J	1112-222222	MRSå BANG1å BENG123å			04/16/
4/16/2014	Treatment summary	Default summary type	010100A003J	1112-222222	MRSå BANG1å BENG123å			04/16/
5/14/2014	Treatment summary	Default summary type	T1106		MRS FIRSTNAME106 LASTNAME106			05/14/
7/18/2014	Treatment summary	Default summary type	T1106		MRS FIRSTNAME106 LASTNAME106			07/18/
10/24/2014	Treatment summary	Default summary type	T1106		MRS FIRSTNAME106 LASTNAME106			10/24/
12/23/2014	Treatment summary	Private summary type	T1106		MRS FIRSTNAME106 LASTNAME106			12/23/
2/23/2015	Treatment summary		T11		FATHER FIRSTNAME11 LASTNAME11			02/23/

Populating: 53 / 23 NUM

Unsubmitted postings

This list is shown if Visit charge features are enabled in System administration. It shows the postings which should have been submitted to the Swedish online reimbursement system eFrikort, but have not been.

The list can be filtered by creation date to e.g. only show those created this week. After editing the date range, press the Refresh button to update the list.

[illegible]

Interface notifications

When an HL7 message is received from the hospital system informing of the need to merge two patients in Auditbase, an email (not containing Patient Identifiable Information) will be sent informing about it, and an entry will be added to the 'Interface Merge Notifications' Tab in the Attention list.

Identifying information is displayed for both major and minor patients:

- Users with the corresponding Extended Right can open the Client merge screen from here with the Major and Minor clients preselected.
- The Major client is selected as the Global client after the successful merge, and the notification about the merge record is then removed from the list.

[illegible]

Merge clients

Major client for merge

Hospital no

V339007

Select

NHS no.

2018-733307

First name

WOUT1

Last name

VAN ART TEST

Gender

Male

Birthdate

03/17/1994

<< Merge <<

Minor client to be merged with major client

Hospital no.

V339006

Select

NHS no.

2018-733306

First name

WOUT

Last name

VAN ART

Gender

Male

Birthdate

03/17/1994

Detected merge problems

There are no conflicts detected. Clients can be merged.

Information

Clients merged successfully

OK

20.10 Location and Department handling

Location and **Department** are found in the upper right part of the toolbar.

Filter information

You can use locations to filter information in Auditbase. The **Location** and **Department** can be seen and selected in the upper right part of the toolbar.

The selected location will filter:

- Resources, symbols and appointment stages in Appointment book
- Day view in Appointment book
- Letters in Appointment book
- Document types
- Waiting lists
- Stock types in Stock
- Earmould delivery address on the printout
- Stock types and requisitions list on Requisitions
- Ordered requisitions on Purchase orders (filter by 'Deliver to' location)

Location

A location can be a physical location, such as a satellite clinic or a department. It could also be a separate functional area within the clinic, such as an ENT clinic, Paediatric services.

Department

Departments are virtual groupings such as Adult, Paediatric or Implant which could have activity at more than one location.

Creation of Location and Department

Locations are created in the System Administration tool.

Default Location and Department

A user or a workstation can be assigned to a specific location i.e. this location will be selected by default when logging in.

Resources

Resources can be associated with more than one location so that they can be seen and booked from any of their associated locations.

Locations that the user is allowed to access are shown in black on the drop-down lists; Locations that the user has restricted access to are greyed out. If a user selects a greyed-out

location, it won't select, but will return the user to the last selected one. If a user has the extended user right of overruling the client access restriction, they can move a patient from a Location they are not allowed to normally access, but that action is logged in the Security log.

20.11 Visit charge management

In Sweden, everyone is entitled to receive financial aid once you have surpassed a specific amount used on hospital, dentist and doctor bills for the year. This makes you eligible for an annual card on which the rest of the health care visits will be charged. As a patient, your visits are free of charge for the remainder of the year.


In Auditbase, you can register details such as the annual card number, payment method and whether or not the client is eligible for free of charge visits. In order for these functions to be enabled, your System Administrator needs to do the following settings in the System administration tool:

- Under **Invoice definitions** -> **Preferences**, check the box **Enable visit charge features** on invoice events and postings.
- Under **Event definitions** -> **Event settings**, make sure the event number **1921, Add services on appointment status change**, is enabled (checked) and set up correctly (choose the service associated with visit charges and check the box **Prompt for user input**).
- Under **Appointment definitions** -> **Appointment statuses**, make sure the appropriate status (usually Arrived) is associated with invoice event 1921 (choose the status in the list and check **Associate with invoice event 1921**).

[illegible]

- Here you can enter the client's **Annual card number**, **Date due**, **Payment method** and whether or not the visit is **Free of charge**.
- You have two options for printing:

- Full page receipt (size A4)
- Receipt as label (only possible if you have a label printer set up to your computer)
- The selection you choose for printing will be saved per workstation.
- The **Free of charge** option will not take effect, if the **Date due** has been surpassed and therefore the client is not eligible for the visit to be free of charge. Change the date in order for the **Free of charge** option to take effect again (the **Total price** will be zero when the visit is free of charge).
- If the visit is not free of charge, choose the **Payment method** being either Cash or Credit card.
- If Visit charge features are enabled in System administration it is possible to let the system automatically set the patient to free of charge status depending on age (e.g. if younger than 19 or older than 85).
- All this information will be saved on the Client information screen, under the tab **Visit charge**. The data on the Client information screen is always the most recent.



The screenshot shows the 'Visit charge' tab selected in a client information interface. The tab bar at the top includes 'Contacts', 'Details', 'Lists/Photo', 'Devices', 'Implant', 'Visit charge' (active), 'Paediatric', and 'PPP'. The form contains the following fields and options:

- Annual card number:** A text input field.
- Annual card date due:** A date selection field.
- Preferred payment method:** A dropdown menu.
- Free of charge:** A checkbox.
- Protected identity:** A checkbox.
- Prohibit self check-in:** A checkbox.

- You can also change the default information for the client here.
 - Free of charge, shows if the patient receives services free of charge.
 - Protected identity, shows if the patient has protected identity.
 - Prohibit Self-check-in, shows if self-check-in is allowed for the patient. Can be pre-filled based on symbol or locked if the patient has protected identity.

21 Documents and attachments

Click the button below to access our training materials.

eLearning

You can write and store ad hoc documents, general letters and reports or set up templates for these documents. The documents can be saved in the database under the client's registration number instead of in separate files.

There is an optional extended licence for this module called File attachments, which enables you to create file types as well as upload and download documents of any format.

The user access to the document types is defined by the settings for the individual user in the system administration. The rights are Read, Create and Update/Delete.

A separate document database can be specified by the System Administrator.

21.1 How to handle Documents and attachments

- Press **F3** to search for the client or **Ctrl+F3** to make a quick search.
- Go to **Navigation -> Documents and attachments** or use the shortcut **Shift+Ctrl+U**.
- Your System Administrator configures what rights you have within this module. You either have rights to Read, Create and/or Update/Delete per document type. For that reason, some of the features might not be available to you.
- While you have a document open, you are still able to browse through other Auditbase screens.
- When editing only one document can be open at a time.

*Note: with the extended license **File attachments**, you are able to upload documents of any format type such as .jpg, .pdf and .bmp files, and you will be able to filter documents on File type.*

The screenshot shows the Auditbase - [Documents and letters] window. The interface includes a menu bar (File, Functions), a client selection dropdown (Client: <T>T18765 MR JOHN SMITH), a user dropdown (User: SYSTEM ADMINISTRATOR), and filters for locations and departments. The document type is set to 'Letter templates'. Below this, there's a 'File type' dropdown set to 'All' with 'Upload' and 'Download' buttons. The main area displays a table of documents with columns: Created, Sent, No., Modified, Name / Comments, File type, Appointment, Recipients, and Site name. The table lists various documents, including 'Expedite enquiry reply', 'test template', 'test template2', '19/02/2015 all variables', 'Monitoring report', 'Sample.pdf', 'test template 27/04/2015', 'test 30/04/2015', 'testr', '01AudVars', 'Postcode and Location address', '1 Address', '2address', and 'audiograms and address'. Below the document list, there's a section titled 'Recipients of the highlighted document' with a table showing recipient types (Client, All rels. and other contacts marked as CC, All professional contacts) and their names.

Created	Sent	No.	Modified	Name / Comments	File type	Appointment	Recipients	Site name
02/09/2013		2		Expedite enquiry reply	MS Word document			
23/12/2014		1	16/12/2019	test template	MS Word document			
23/12/2014		2		test template2	MS Word document			
19/02/2015		1	21/04/2015	19/02/2015 all variables	MS Word document			
05/03/2015		1	05/03/2015	Monitoring report	MS Word document			
01/04/2015		1		Sample.pdf	Adobe PDF			
27/04/2015		1		test template 27/04/2015	MS Word document			
30/04/2015		1		test 30/04/2015	MS Word document			
22/06/2015		1		testr	MS Word document			
28/09/2015		1		01AudVars	MS Word document			
29/09/2015		1		Postcode and Location address	MS Word document			
29/09/2015		2		1 Address	MS Word document			
29/09/2015		3		2address	MS Word document			
22/10/2015		1	22/10/2015	audiograms and address	MS Word document			

Type	Name
Client	
All rels. and other contacts marked as CC	
All professional contacts	

Document types


All documents are divided into Patient related documents or Templates. The specific document types are set up in System Administration. A document can also be saved with a patient record. Patient related document types can be a letter type or a document and attachment type.

Templates can also be either a letter template or a document and attachment template. All of this is set up by your system administrator.

If the **Location and Department Filtering** option is licensed then **Document Types** can be filtered by **Location** and/or **Department** with Location groups and the multiple locations options.

A **Document Template** can have a **Location** and/or **Department** which is used for filtering only in the **Letters** dialog.

Document types are identified by an icon:



-  Patient related documents
-  Letter templates
-  Document templates, not letters

Filters

- The documents listed are the currently available templates or patient related documents and saved letters.
- You can filter on **Document type** (patient related or template) and on **Letters** or **Docs and attachments**.
- You can also filter on **File type** if you have the extended license for **File attachments**.
- You can save a default filter, so you only view the documents relevant to you when opening the module. Choose relevant **Document type**, whether to view Docs and attachments, Letters or All, **File type**, if applicable, and press **Save filter**. This will be your default view when opening **Documents and attachments** in the future.
- Filters are included to view **All client's documents** or **All template documents**, regardless of their **Document Type**.

Icons and columns in the document list table

	Indicates if the document is a letter.
	Indicates if the document has content.
	Indicates if the document can be edited.
	Indicates if the document is read-only.
<i>Date created</i>	The date on which the document was first saved
<i>Date sent</i>	Will be filled automatically for letters with the date sent where the sent date is recorded. For documents that are generated in the Documents module and not as a letter, this can be added to the document by opening Properties and entering a date.
<i>Date modified</i>	The date on which the document was last changed. If the document was saved from a letter about an appointment, that appointment is the one that appears here. If the document was saved from the Documents module, then any appointment that happened that same day is the one that appears here.
<i>Appointment</i>	If only one appointment occurs for the client that day, and the appointment start time is earlier than the current time, then the action will be attached to that appointment. If the doc was saved from the Documents module but no appointment happened that day, then no appointment will appear here. You can link the document to an appointment by opening its properties and selecting the browse button and Attach .
<i>Name/Comments</i>	Enter name and/or comments directly in the table by clicking in the field, which will open up an editable text area

Recipients

You can see who have received the highlighted document in the lower table. Highlight a letter or document in the selected patient's letters and the table 'Recipients of highlighted document' at the bottom of the screen will display all those recipients the letter/document was sent to. The relevant icon will be marked, denoting whether the letter/document was posted or emailed.

Edit the properties of a document.

21.1.1 Create and edit document templates

- To create a new document template, first select a template document type as your filter and click on **New**.
- To edit a template, choose the document in the list and click on **Edit template**. Enter a **Name** and/or add **Comments** for your template.
- Set up the document as you need with variables and layout.

- You can insert variables in the Word template in 3 ways:
- Place the cursor at the required position in the document and double-click on the variable
- Place the cursor inside the document and click on **Insert variable**
- Click and drag the variable into the required position in the document – it is important that you hold the mouse still above the variable before you click and drag the variable into the required position
- If the **Clinical action** for documents has been activated by your System Administrator and there is only one appointment on that day, the attachment will be made automatically. If there is no appointment or more than one then a box will appear asking you to **Attach** the document to an appointment. Select the required appointment and click **Attach**. If it is not relevant to attach an appointment, click **Close** to close the window without attaching.

MR JOHN SMITH

13/01/2020, 2

Name / Comments

Expedite enquiry reply

☐ Save as new document of type

client letters

Send ... Save and close Cancel

Variables

- Appointment data
- Client data
- Current issued accessories
- Current issued devices
- DHI questionnaire results
- General information
- Implant data
- Latest audiogram data
- Latest tympanometry data
- Letter specific information
- Multi-resurs avtal
- Relevant referral data
- Selected AB Words test 1 data
- Selected AB Words test 2 data
- Selected AB Words test 3 data
- Selected AB Words test 4 data
- Selected AB Words test 5 data
- Selected AB Words test 6 data
- Selected Audiogram&Tymp1 data
- Selected Audiogram&Tymp2 data

Insert variable Insert value

This box can be minimized or maximised by two levels if the  button is selected.

- When finished with your document, click on **Save and close** and the file will appear in the list of documents.
- To close without saving, click on **Cancel**.
- You will be prevented from saving the document if the size exceeds that allowed by your system administrator.
- You can also edit the name of your document directly in the list of documents in the **Name/Comments** field.

- Decide or change the default template document type for the document to save to when applied to a patient. Highlight the document template in the template list. Click **Properties**. Select the **Default type for client document** from the drop-down list. Click **Save**. When you now apply this document template to a patient, the document type it saves to will default to the one you have selected.
- Via **Properties**, you can optionally choose the **Location** and **Department** that can use this template. Also, you can specify the modules where the document template will be available for usage by selecting the corresponding boxes in the **Available in** box.
- **On emailing multiple recipients**, you can choose to send a single email or separate emails for this document template.

Document, attachment and Letter properties

Save Cancel

☐ Read only ☐ The document is a letter ☒ Content is available File type Word document

Document type TEMPLATE Letter templates

Description Letter Template

Date 08/09/2022 Default type for client document LETTER Available in

Location All locations

Department All departments

Module

☒ Booking

☒ Waiting list

☐ Referral receipt

☒ Onward referral

Recipients Add Remove

Type	Name
Client	
All rels. and other contacts marked as CC	

Highlighted recipient

Name Postcode

Address

On emailing to multiple recipients Send single email

- After a new client document or template is created, the Document list will refresh to show the new document according to the sort order.

Note: Occasionally you may have a Word dialogue box open in the background. If the floating dialogue box does not close after you think Word has closed, check your Windows task bar to

see if a Word dialogue has been left open. If it has, close this, the dialogue will then close correctly.

21.1.2 Turn templates into patient related documents

- To edit a template for a client and attach the document to the client, choose the template in the list and click on **Open for client** or double click on a template. This will open the template for the active client only.
- If the **Clinical action** for documents has been activated by your System Administrator and there is only one appointment on that day, the attachment will be made automatically. If there is no appointment or more than one, then a box will appear asking you to **Attach** the document to an appointment. Select the required appointment and click **Attach**. If it is not relevant to attach an appointment, click **Close** to close the window without attaching. This set up will be required if appointment variables are to be used in documents.

Date	Symbol	Description	Resource	Status
16/01/2020		SAV ENT aud	Charlie	*
13/01/2020		ENT new pa	Stassy	*
13/01/2020		from1	Res46	*
13/01/2020	2	2	Charlie	*
10/01/2020		PHAC new p	Charlie	*
10/01/2020	1	1	Charlie	*

- If the variable is linked to a selected clinical action e.g. BKB test, Audiogram or Tympanogram, then the document will request the Auditbase user to select the correct action for the variable being inserted. A selection dialog for this will appear on screen (if opened for a patient) with the list of related actions:


Select audiogram 1								

The above box will appear for Audiogram and Tympanogram information.

[illegible]

The above box will appear for BKB tests.


- The **Type** has now changed to a Patient related type, which you can edit to other Patient related document types, and you will see the client name at the top of the floating dialogue.
- The variables within the floating dialog are hidden unless expanded. To expand click the down arrow and a list of available variables will appear. Keeping them hidden by default will make this dialog open quicker, the system will remember the previous state.
- Enter a **Name** and/or add **Comments** for your document.
- Make changes to the layout of the document as you need.
- You can insert values in the Word document in 3 ways:
- Place the cursor at the required position in the document and double-click on the variable
- Place the cursor inside the document and click on **Insert value**
- Click and drag the variable into the required position in the document – it is important that you hold the mouse still above the variable before you click and drag the variable into the required position.
- If the template contains the audiogram graph variable or tympanometry graph, a window will open to allow the user to select which audiogram is to be used. The number for the audiogram variable (there can be up to four) will appear at the top of the Audiogram List dialog.
- Click **Send** and the document will print according to the options set by the System Administrator or email to recipient's dependent on your preferences as set in system administration or on the recipient.
- The document will either be sent to the default Windows printer or a message will appear where you can choose printers, number of copies etc. This depends on the setting for the workstation in Auditbase Administration.



- To change the preferences for this document as a one off, click the browse box next to **Send**. In the pop up that has now opened, change settings between email or print as

needed. Select or de-select available recipients and change whether document should be sent as an attachment or in the body of the email.

- If creating a patient document from Letter, the document will go into the body of the email whereas if creating from the Document module, the information goes into an attachment.
- Use the printer icon at the top of the floating box to print just one copy of the document.
- When finished with your document, click on **Save and close** and the file will appear in the list of documents.
- To close without saving, click on **Cancel**.
- If you close Word without saving, you will be asked whether you want to save the document or not.



- Select **Save** or **Don't Save** as appropriate. Either of these options will close the document. If you want to go back to the document, select **Cancel**
- To print a single copy of a document without opening the document, highlight the document in the table and click the Print once icon on the ribbon (Functions tab).
- To print and/or email a document according to recipient option or to display dialog for print and/or email, highlight the document in the table and click the Send icon on the ribbon (Functions tab).

21.1.3 Turn document templates into letter templates and vice versa

You can convert an existing document template into a template that can be used for letters with a CC list and variables pertaining to a future appointment.

- First an existing or a new document template type needs to be defined in System Administration as **Letter templates**. In the Documents and attachments module, select the template type that the document template is in.
- Choose it and click **Edit template**.
- Check the box in the MS Word assistant floating dialog to **Save as a new document**.
- If a new Template type is being used for letter templates then choose that from the Template drop down list.
- **Save and close** the document.
- The new letter template will now be available in the Letter module from **Booking -> Functions -> Letters** where CCs can be added.

You can also build a Word letter template in **Booking -> Functions -> Letters** and save that letter template to Documents.

Note that a CC list cannot be used on Templates in the Documents module; in Documents, you can neither add CCs to Templates nor see Recipient types in Templates saved from the Letters module.

If you need to have CCs in the Documents module you can do the following:

- A CC list can be built for a Client letter in **Booking -> Letters**, either from the pre-set recipients in a letter template or by adding named recipients to the letter. If this letter is saved to the Documents module the recipients are seen there and can be printed from the floating Word dialog using the **Print to all CCs** button at the bottom. The letter can be further edited in Documents and then If Read only is set it must be removed in order to add further recipients.
- Alternatively, a Document can be made either from a Document template or from scratch and specific recipients added to that individual document for printing by opening the Properties window for that doc.

Note that unlike the Letter module there is no facility to print address labels for recipients in the Documents module.

21.1.4 Edit patient related documents


Edit

- Chose a patient related document in the document list.
- Click on **Open for client** or double click on a document to edit it.
- Edit **Name** and/or add **Comments** for your document.
- Set up the document as you need with variables and layout.
- You can insert variables in the Word document in 3 ways:
- Place the cursor at the required position in the document and double-click on the variable
- Place the cursor inside the document and click on **Insert variable**
- Click and drag the variable into the required position in the document – it is important that you hold the mouse still above the variable before you click and drag the variable into the required position
- Instead of inserting variables you can insert the current values of the selected client. Either chose a variable in the list of variables and click on **Insert value** or click on **Replace all variables with values** to edit the whole document at once.
- When finished with your document, click on **Save and close** and the file will appear in the list of documents.
- To close without saving, click on **Cancel**.

21.1.5 Issues working with Word

Cannot open a document


If the system cannot open a template or substitute variables with values because of unexpected technical reasons, it opens MS Word (so that you can see any problems there) and shows a message about the inability to read content, with the options **Retry**, **Ignore**, **Abort**.



Ignoring the error may allow Auditbase to produce a correct document using a slower but more robust way of population.

Cannot save a document


If the system cannot save a document because of unexpected technical reasons, it displays a message with an option to retry (e.g., if more time is needed for Word to save). You can either retry or cancel saving.



If you **cancel** the action, then it is possible to copy the edited content or save and upload the document manually.

Losing saved changes

Changes will be lost when you open a document in Auditbase, make changes, save those changes to a location outside of Auditbase and close Word by any method without saving those changes also to Auditbase. This happens because the document location has changed. If a document opened from Auditbase is saved from MS Word to a different location, then the button **Save and close** in the Word Assistant floating window must be used to save the document to the Auditbase database if changes are to be retained.



Just closing MS Word will not save the latest changes to Auditbase if **Save as** has been used to change the save location of the document.

Document locking

Sometimes, while working with Word documents, you may encounter an unwanted lock on a file when a document is edited outside of Auditbase. In this case, the system will display a warning: *'Please close all Word windows or applications that may be using Word before proceeding'*. To resolve the issue, close all Word windows or applications.

21.1.6 Edit the properties of a document

- When you have a document selected in the list, select **Functions -> Letter Properties**.

Document, attachment and Letter properties
×

☐ Read only
☐ The document is a letter
☒ Content is available
File type Word document

Description

audiograms and address26

Type

P-NR

When a letter is generated from Booking, it is automatically linked to the appointment it refers to. A document is automatically linked to an appointment which occurred on the same day the document was first saved.

Date

26/10/2015

Date sent

Recipients

Add Remove

Type	Name	Address	Postcode
Client	FATHER FNAME221 SNAME12	TESTADDRESS 123111111111111111111112, 112, 4, 5	EM POST
Mother	MName	testAddress1	112
Father	FNAME	3	2
Father	1	1	1

Highlighted recipient

Name
Postcode

Address

- Here you can see different information about the document such as file type, if the document has content, creation date etc.
- You can also set if the document should be **Read only**, which means other users cannot make changes to the document. A user can only remove this flag, if he or she has the

extended user right “Documents: Remove ‘read only’ flag”, configurable by your System Administrator.

- You can choose if **The document is a letter**. In the document list, a letter icon with a tool tip to the left will reveal that the document is a letter.
- You can enter a **Description** of the document, if it is not **Read only**.
- A special button is available for attaching the document to or detaching it from an appointment. The button has a symbol which reflects the state of the document: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the document linking.

NOTE: The document is automatically attached to an appointment, if the document was saved from a letter about the appointment. If the document was saved from the Documents module, then any appointment that happened that same day that has the appointment start time earlier than the current time is the one that the document automatically attaches to. If the document was saved from the Documents module but no appointment happened that day, then no appointment will appear here.


- **Date** is the date the document or letter was first saved.
- If the document or letter is a patient related document or letter, you will see a **Date sent** field. This is the date the document or letter was printed and thereby sent. You can manually add a date, if the document has not been sent.

Recipients

Note: You can only add recipients to patient related documents and attachments.

To edit an existing letter, you need the extended user right given by your system administrator to add or remove letter recipients after creation.

- To add recipients, click on **Add**.



- You can add the selected **Client**.
- You can choose to add **All relatives and other contacts marked as CC** in the **Client information** module under the tab **Contacts**.

- You can add **All professional contacts**.
- You can add just a **Specific professional contact type**.
- You can add a **Specific referring agent**.
- And you can add a **Specific relative or other contacts**, even if they have not been marked as CC in the **Client information module**.
- Back in **Properties**, you can remove a recipient or recipient group by choosing the recipients in the list and click on **Remove**.
- Highlight a letter or document in the selected patient's letters and the table at the bottom of the screen will display all those recipients the letter/document was sent to. The relevant icon will be marked, denoting whether the letter/document was posted or emailed.

21.2 Importing and exporting documents


Word documents created outside Auditbase can be pasted into Auditbase as templates or ad hoc documents.

- Open a new document in Auditbase under the document type required.
- Go back to the start menu on your desktop and open your normal word-processing document.
- Choose **Edit** and **Select all**.
- Choose **Edit** and **Copy**.
- Click on the minimised Auditbase document at the bottom of the screen.
- Choose **Edit** and **Paste**.
- Select **File** and **Exit** and click **Yes** to save.
- Type the letter name in the **Name/Comment field**.
- Close your other word-processing document.

Extended license: File attachments

If you have the extended licence called File attachments, you can upload documents in any kind of format, like .jpg, .pdf etc., by simply using the **Upload** button.

- Open Documents and attachments from **Navigation -> Documents and attachments** or use the shortcut **Shift+Ctrl+U**.
- Select **Upload**.
- Choose files you wish to import in the file directory. Multiple files can be selected.
- The **Files chosen for upload** are shown in the window.
- The **Document type** where the chosen files will be stored to, can be selected from the drop-down list.
- There are two further options to **Attach to appointment** and to **Delete file(s) after upload**. These are check boxes which can be selected.
- Once the choices have been made, **OK** will then close the window.
- The document is now imported into Auditbase and attached to the current patient.



With the File attachments extended licence, you can also download documents from Auditbase to your computer.

- Open Documents and attachments from **Navigation -> Documents and attachments** or use the shortcut **Shift+Ctrl+U**.
- Highlight a file in the list.
- Select **Download**.
- Choose where to save the file.
- Enter a file name.
- The document is now exported from Auditbase.

21.3 Password protected documents

You can limit access to a word-processing document:

- Type the document.
- Select **Tools -> Options -> Security**.
- Set a password to avoid unauthorised access to the document or edition of the document.

22 Tests

Creating a new test

A new test can be created in one of two ways:

- From **Navigation**, select **Tests** and then select the required test.
- From the Auditory Implant module – Expand the referral then expand a stage. The predefined tests will be displayed. Select the required test. The order of the tests is based on the priority order in the System Administration tool -> **Client Scheduling** -> **Client pathway overview settings** -> **Auto-linking settings and ordering**.

Each test has a similar header comprising of:

- **Compare results** – Select to enable a comparison of test results. Tests with scores which are available for comparison over time can be selected according to the date they were performed and the score type in use on each test can be selected for plotting. Only one test from any one day can be used since the comparison is always over time.
- A number of variables can be selected and a graph displayed. This option is for the following tests only:
 - BKB test
 - BKB Sentences (Adaptive or Standard)
 - AB words test
 - CUNY test
- **New** – Select to create a new test.
- **Save** – To save the current test.
- **Delete** – Will remove the selected test from the database.
- **Close** – Will close the test without saving it.
- **Tests** – A drop-down menu which shows existing instances of the test for the client.
- **Created by** – Will display the name of the logged-on user that created each instance of the test.
- **Date of test** – Defaults to the highlighted date, but can be adjusted to reflect the actual date of the test.
- **Age at test** – This is calculated and fixed when saving so that the age will be displayed whenever the test is shown. The age is shown in years unless the patient is less than 5 years old, when years and months are shown.
- A special button is available for attaching the test to or detaching it from an appointment.

The button has a picture which reflects the state of the test: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the test linking.

NOTE: If only one appointment occurs for the client that day, and the appointment start time is earlier than the current time, then the test will be attached to that appointment.

- **Referral stage** – This displays the stage in the referral that the appointment is in currently, if a stage can be identified.
- **Test ver.** – Shows the version of the test being used, the default for this is set in the System Administration and can be changed when a new version or edition is released. This means that when auditing test results you can be sure that you are comparing like-with-like. The version can be changed when any test is performed so that non-default versions can still be used.
- **Not administered** - a reason can be selected to record why a particular test was not performed. The drop-down list can be defined by the System Administrator.

For individual tests where percentile is in use, the percentile rank field will take values of -1 and 99+ as well as numeric values. These values are held in the database but values of 0 and 100 are also stored in order to enable plotting graphically.

22.1 CELF school age test set up

The **CELF school age** test can have different layouts; **Concise**, **Extended**, **Extended with limited number of values** or **Test Scaled Scores**. The required layout is selected in the System Administration tool -> **Testing** -> **Test settings** -> **General test settings**.

22.2 Other speech test

After a hearing assessment, you can do other speech tests to verify primarily special hearing aid types. In the **Navigation** area, under **Tests**, select **Other speech test**.

[illegible]

Click on **Add** to register a new test; a pop up will open. Choose from the drop-down lists and enter the results directly into the different fields. Some column content is configured by your System Administrator.

Once a test has been registered, you can edit or remove the test by highlighting it in the table and clicking either **Edit** (which opens a pop-up window for editing) or **Remove** (deletes the test from the list). You can also edit the test directly in the table by clicking in each field.

You can **Sign** the test so that it is locked for editing, it cannot be changed apart from linking it to an appointment.

The signed user appears on the window title bar.

[illegible]

The **Notes** field is for general notes about the client in connection with the tests and the field **Comments** under each test refers to the specific test.

23 Auditory Implant module

With an extended licence for Auditbase, you can have access to the Auditory Implant module, which handles the workflow for Implant patients.

23.1 Referral settings

A Treatment Type for Implant needs to be set up by your System Administrator. Please contact your System Administrator for more information.

The Referral Module now shows a client's age in years. If the client is under the age of 5, the age is shown in years and months.

Referrals:	95061, 30/09/2008, PAEDIATRIC hearing aid journey (PHAC)	Client name	MISS FIRSTNAME1605 LASTNAME1605	Refresh	Cancel
Book	Search and book	Add to list	Add observation	Print referral	Print receipt
Print answer	New	Save	Delete		

Selected referral

PathwayID				Edit	
RTT start date	30/09/2008	Age at start	18y	Wait time	104
Referral date	30/09/2008	Other date	30/09/2008		
Treatment type	PAEDIATRIC hearing aid journey (PHAC)				
Reason	AUDIOLOGY referral				
Customer	SWINDON PCT				
Referred by	REGISTERED PRACTICE, MARLBOROUGH SURGE ...				
Referring agent ref.					
Medical priority					
Referral handling					
Information	☒ Put on waiting list	☐ Booked directly	Edit		
2y review - during Uni summer break					
Interview	Client contact date				
bnmv					
Registered by	ALISON STAGG				
Current status					
Outcome	30a, Treatment commenced		Clock	Stopped	
since	05/03/2020 11:48:17		Add new	History	
Comment	Auto assigned by: 05/03/2020, 30a, PHAC new patient moud-				
New outcome status	30a, Treatment commenced				

Waiting list entries

Wait time	Date	Waiting list	Information
-596	30/09/2008	TGW - DOMI new 1	2y review - during Uni summer break
<			
>			

Appointments

Date	Time	Symbol	Status	Resource	
06/03/2020	13:00	II	*	Stassy	AUDIOLOGY re
05/03/2020	08:00	P	*	Res78	AUDIOLOGY re
<					
>					

Observations and procedures

Obs no.	SNOMED code	Date	Add	S	Text
<					
>					

Referral stages

Name	Target date and warnings	Current	Active length:
Assessment	10/11/2008	☐	596 w, 2 d
Treatment	30/12/2008	☐	RTT end date: 05/03/2020
Follow up		☒	RTT end date set by outcome status 30a, Treatment commenced

23.2 Opening the main Auditory Implant module page

To open the main Auditory Implant module, **Navigation** → **Client pathway overview**. The views are described in more detail in the **Client pathway overview**.

The screenshot displays the Auditbase - [Referral] application window. The top menu bar includes 'File', 'View', and 'Functions'. The main content area is divided into several sections:

- Navigation Pane (Left):** Contains a 'Favourites' list with items like 'Referral', 'Documents and attachments', 'Waiting list', 'AB Audiogram', and 'Attention list'. Below this is the 'Client pathway view' section, which includes a 'Full pathway' dropdown and a list of referral events (e.g., '15/08/2019, ++FITTING - from previo', '07/12/2018, ++FITTING - from previo', etc.).
- Top Menu Bar:** Shows 'Client T1106 MRS FIRSTNAME106 LASTNAME106', 'User SYSTEM ADMINISTRATOR', 'All locations', and 'All departments'.
- Main Content Area:**
 - Referrals:** A dropdown menu showing '109547, 15/08/2019, ++FITTING - from previous referral'. Below it are buttons for 'Book', 'Search and book', 'Add to list', 'Add observation', 'Print referral', 'Print receipt', 'Print answer', 'New', 'Save', and 'Delete'.
 - Selected referral:** A section for editing the selected referral, including fields for 'PathwayID', 'RTT start date', 'Age at start', 'Wait time', 'Referral date', 'Treatment type', 'Reason', 'Customer', 'Referred by', 'Medical priority', 'Referral handling', 'Information', 'Interview', 'Client contact date', 'Registered by', 'Current status', 'Outcome', 'since', 'Comment', and 'New outcome status'.
 - Waiting list entries:** A table with columns 'Wait time', 'Date', 'Waiting list', and 'Information'.
 - Appointments:** A table with columns 'Date', 'Time', 'Symbol', 'Status', and 'Resource'.
 - Observations and procedures:** A table with columns 'Obs no.', 'SNOMED code', 'Date', 'Add', 'S', and 'Text'.
 - Referral stages:** A table with columns 'Name', 'Target date and warnings', 'Current', 'Active length', 'RTT end date', and 'RTT end date set by outcome status'.

23.3 Opening other Auditory Implant Module pages

To open other pages in the Auditory Implant Module, select from the **Navigation-> Implant** → choose which page from the following options:

- Pre-op assessment Form
- Switch on / Review sessions
- Programming sessions
- Rehabilitation sessions
- Implant surgery

23.4 Pre-op assessment forms

This screen serves several purposes:

- A checklist that can be used to ensure that all the necessary steps have been completed before moving the patient to the next stage in their pathway.
- A collector for the results that should be produced on the report for that stage.
- A place to record information specific to that stage in the pathway that is not recorded elsewhere in Auditbase.

Pre-op assessment

Client: MRS FIRSTNAME106 LASTNAME106 Print New Save Delete Close

Assessment: 01/10/2013 Date: 01/10/2013 User: full name tests???

Funding authority: WILTSHIRE PCT Referral: 03/10/2013, x DO NOT USE-VRA

Planned date of surgery: 03/10/2013 Ear side: Right Treatment stage: Follow up

Essential Optional Decision Final Baseline test results Counselling

Related data

Initial appt	PTA	Aided Aud.	Tymp	OAE	Speech tests	Hearing Aid trial	Rehab assess	Medical history
01/10/2013, PHAC new patient mould~	27/09/2013, no. 1, Pre-operative	27/09/2013, no. 2, Post-operative 2-5m	30/09/2013, no. 3		30/09/2013, PHAC new patient mould~	30/09/2013, 2	27/09/2013, 2	

Clinician

Initial appt	PTA	Aided Aud.	Tymp	OAE	Speech tests	Hearing Aid trial	Rehab assess	Medical history
JULIE TYAS	full name tests???	full name tests???	full name tests???		JULIE TYAS	USER NAME32	USER NAME15	

Concerns

CT Scan

☒ L ☒ R ☒ Head MR ALLEN PAUL, ORAL SURG 03/10/2013 Add concern

MRI Scan

☒ L ☒ R ☒ Head ANAESTHETIC CONSULTANT, 04/10/2013 Add concern

☒ Scans have been reviewed

Concerns Show All Remove

Action	Concern description	Side	Date	Clinician	User	Comment
CT	Normal cochlea	Right	01/10	MR ALLE	full n: 234234	
MR	Absent cochlea	Right	01/10	AMANDA	full n: 123	

The following options are available:

- **New** – Select to create a new test.
- **Save** – To save the current test.
- **Delete** – Will remove the selected test from the database.
- **Close** – Will close the test without saving it.
- **Assessment** – Displays a list of any previous assessment forms.

- **Date** – Defaults to the highlighted date but can be adjusted to reflect the date of the assessment either by entering the date manually or by clicking on the calendar icon to choose a date from a calendar float-window. Double-click in the field to enter today's date.
- **User** – Will be the name of the logged in user.
- **Funding authority** – Will be the client's customer but can be altered if required.
- **Referral** – The relevant referral for the client can be attached to the form using the button.

*If the referral does not exist or an existing one cannot be used, you can create a 'quick' referral by clicking the **New** button from the  button to the right of the Referral field. See details in [Quick referral creation](#).*

- **Planned date of surgery** – The date for surgery can be entered manually or by clicking on the calendar icon to choose a date from a calendar float-window. Double-click in the field to enter today's date.
- **Ear side** – Right, Left or Binaural can be selected. This is a mandatory field.
- **Treatment stage** – If a Referral has been selected above, the relevant treatment stage is displayed here.
- **DR-Med** – it is now possible to create a new DR-Med questionnaire from the Pre-Op Assessment form in the Implant Module.

Pre-op assessment

Client: MRS FIRSTNAME106 LASTNAME106 Print New Save Delete Close

Assessment: Date: 13/01/2020 User: SYSTEM ADMINISTRATOR

Funding authority: SWINDON PCT Referral:

Planned date of surgery: Ear side: Treatment stage:

Essential Optional Decision Final Baseline test results Counselling

Related data **Clinician** **Concerns**

Initial appt: Add concern

PTA: Add concern

Aided Aud.: Add concern

Tymp: Add concern

OAE: Add concern

Speech tests: Add concern

Hearing Aid trial: Add concern

Rehab assess: Add concern

Medical history: Add concern

CT Scan: ☐ L ☐ R ☐ Head ... Add concern

MRI Scan: ☐ L ☐ R ... Add concern

Attach Detach Review/Edit Create new Scans have been reviewed

Concerns Show All Remove

Action	Concern description	Side	Date	Clinician	User	Comment

There are a number of tabs which can be selected. These tabs show different information under the following headings:

- **Essential**
- **Related data** – Various tests and appointments that are stored in Auditbase can be added including Initial appointment, PTA, Tymp, OAE etc. can be added to the form by selecting the browse button. ...
- **Clinician** – The user that saw the client can be added from this drop-down menu. Clinician can be used if Resource is not linked to a specific staff member and you want to manually assign the staff member involved.
- **Concerns** –
 - **Adding Concerns** - These can be added to the form by selecting the **Add concern** button. Once selected, the **Concern name** can be chosen from the drop-down menu. The **Type of action**, ear **Side** and **Date** can be added and a **Clinician** should be pre-selected from the appointment or test that the concern is logged against. There is a text box for comments.

- **Viewing Concerns** - The concerns from each tab are then displayed at the bottom of each tab page. You can see the action the concern came from. Numerous concerns can be displayed.
- **Show all** – All concerns can be shown regardless of which tab they were inserted under.
- **CT Scan** – It can be indicated if a left, right or head CT has been performed, on which date and by whom. A concern can be added in the same way as above.
- **MRI Scan** – It can be indicated if a left, right or head MRI has been performed, on which date and by whom. A concern can be added in the same way as above.
- **Optional** – Various **Related data**, **Clinicians** and **Concerns** can be added in the same way as the essential tab.
- **Decision** – Various **Related data** and data specific to the team decision and client's choices can be saved here. The implant decision or **Discharge reason**, **Clinicians** and **Concerns** can be added in the same way as the **Essential** tab. In this tab, there is now a section where multiple client preferences can be selected relating to their accessories. Where these have been selected they will transfer through to the Client Information tab.

The screenshot shows the 'Pre-op assessment' form with the 'Decision' tab selected. A 'Select stock preferences' dialog box is open, displaying a table of preferences for various components. The dialog box has 'Select' and 'Cancel' buttons.

Type	R	L	Name
Cable	☐	☐	
	☒	☐	ITE10MR
	☐	☐	Danalogic 163D
	☒	☐	DANALOGIC 163D White
	☐	☐	id 10368
	☐	☐	DANALOGIC 163D Red
Magnet	☐	☐	ITE10ML
Implant	☒	☐	ITE11MR
Processor	☐	☐	ITE11ML
Ear hook	☐	☐	BE101
Battery type	☐	☐	BE101B
Other	☐	☐	BE101G
Colour	☐	☐	

The background form shows the 'Decision' tab with fields for 'Client' (MRS FIRSTNAME106 LASTNAME106), 'Assessment', 'Funding authority' (SWINDON PC), 'Planned date of surgery', 'Essential', 'Optional', 'Decision', 'CI Clinic', 'Consent', 'Risk information', 'Meningitis vaccination', 'Multi disciplinary team', 'Decision made', 'Implant type' (with a red box around it and the text 'RIGHT'), and 'Client preferences' (with a table for Type, R, L, Name).

- **Multi-disciplinary team** – Decisions made by the multi-disciplinary team can be recorded including the date of decision and any **Discharge reason**.

- **Implant type** – **Right** and **Left** are identical options. There are a number of options from the drop-down menus. These are set up by the system administrator. These client preferences are transferred to the **Client Information** module on the **Implant** tab. This is done by selecting the **Copy to Client Information** button.
- **Final** – Various related data, clinicians and concerns can be added in the same way as the **Essential** tab.
- **Baseline test results** - Tests performed during the stage can be selected. The results of these tests will be the ones which are included on the report for that stage. Other instances of these tests may have been performed in that stage which you may not want to include in the summary. The tests will be grouped under the same test type and some summary results will be seen. A **New test** can be created, the list of available tests and any custom questionnaires will be listed and can be selected. The selected test or questionnaire will open in a new window. Tests can be viewed by selecting a test and choosing **Open**. The appropriate test will be displayed. Additional tests can be added using **Attach** or removed using **Detach**. The order of the tests is based on the priority order in the System Administration tool -> **Client Scheduling** -> **Client pathway overview settings** -> **Auto-linking settings and ordering**.
- **Counselling** – Appointments are shown in chronological order with a series of counselling topics which can be checked to show they have been covered. There are 4 user definable topics that are set by the system administrator.
- **Questionnaires** – These can be added by selecting the button and attaching any previously completed questionnaires.
- **Concerns** can be added in the same way as above.

23.5 Switch on / Review sessions

This screen serves several purposes:

- A checklist that can be used to ensure that all the necessary steps have been completed before moving the patient to the next stage in their pathway.
- A collector for the results that should be produced on the report for that stage.
- A place to record information specific to that stage in the pathway that is not recorded elsewhere in Auditbase

Switch on / Review sessions

Client: MRS FIRSTNAME106 LASTNAME106 Print New Save Delete Close

Reviews: 01/10/2013 Review date: 01/10/2013 User: full name tests???

Treatment stage: Completed Referral: 03/10/2013, x DO NOT USE-VRA

Purpose: Switch-on/Reimplant Upgrade due date: 01/10/2013 Ear side: Right

Main data | Attached tests and other | Issued devices and accessories

Programming sessions Attach Detach New Open Rehab sessions Attach Detach New Open

Date	Purpose of session	Date	
01/10/2013	Mapping requested	01/10/2013	

Middle ear status (Right) Middle ear status (Left)

Condition: Grommet 54 Perforation 45

Result: Flat Negative

Programming summary: 56 Rehab summary: 7

Audiometry

	Condition left ear	Condition right ear	
PTA	Unaided112	HA1	27/09/2013, no. 2, Post-operative 2-5m
AA	Unaided112	Unaided112	27/09/2013, no. 1, Pre-operative

Preservation of hearing: None ENT review: 17/10/2013 AMANDA CARROLL, MERCHISTO

Expectations Q: 15/10/2013 USER NAME81.. Other Q: 14/10/2013 USER NAME81..

Information Pack: 25/10/2013 USER NAME79. 30/09/2013, PHAC new patient mould~

Report Sent: 19/10/2013 USER NAME42.

There are the following options:

- **New** – Select to create a new session.
- **Save** – To save the current session.
- **Delete** – Will remove the selected session from the database.
- **Close** – Will close the session without saving it.

- **Reviews** – Displays a list of any previous sessions.
- **Review Date** – Defaults to the highlighted date but can be adjusted to reflect the date of the session either by entering the date manually or by clicking on the calendar icon to choose a date from a calendar float-window. Double-click in the field to enter today's date.
- **User** – Will be the name of the logged in user.
- **Treatment stage** – If a Referral has been selected above, the relevant treatment stage is displayed here.
- **Referral** – The relevant referral for the client can be attached to the form using the button. This is a mandatory field; a referral must be selected.

*If the referral does not exist or an existing one cannot be used, you can create a 'quick' referral by clicking the **New** button from the  button to the right of the Referral field. See details in [Quick referral creation](#).*

- **Purpose** – The purpose of the session can be selected from the user defined drop down list.
- The selection here will define which date appears on the **Implant** tab on the **Client Information** screen. If **Switch-on/Re-implant** is selected, then the date on this form will transfer to **Latest Switch on date** in **Client Information**.
- **Upgrade due date** – Can be selected from the calendar
- This date is calculated depending on the value of the field in the Administration tool under **Implant module definitions - General settings - General settings**. It will add this period to today's date when opening a new form
- This date will be shown on the Client Information screen - Implant tab – Upgrade Due date
- **Ear side** – Right, Left or Binaural can be selected. This is a mandatory field.

There are a number of tabs which can be selected. These tabs show different information under the following headings:

- **Main data** – Multiple Programming and Rehabilitation sessions can be recorded and saved. Any of these can be linked to a Switch-on/Review screen. They will be linked automatically if they are opened using the **New** button on the Switch-on/Review screen or can be attached after saving.
- **Attach** – Can be used to attach a Programming or Rehabilitation session. Once selected, choose the required session and **Select**.
- **Detach** – Can be used to remove a selected Programming or Rehabilitation session.
- **New** – This will create a new Programming or Rehabilitation session.
- **Open** – This will open a selected Programming or Rehabilitation session for viewing.
- **Condition** – The condition of the middle ear can be selected from the drop-down menu and further information can be added to the free text box.
- **Result** – Tympanometry results can be selected from the drop down menu.
- **Programming summary** – Additional information can be added to this free text box.
- **Rehab summary** – Additional information can be added to this free text box.

- **Audiometry** – Results from audiometry can be displayed.
 - Condition left or right ear – The type of audiometry can be displayed by selecting from the drop-down menu.
 - An audiogram can be selected by using the browse button . This can either be attached to the session or just viewed by selecting **Show**.
- **Preservation of hearing** – This can be selected from the drop-down menu.
- **ENT review** – The date of an ENT review and the name of the referring agent can be added.
- **Expectations Q** – The date and a user can be added to show when this questionnaire was completed.
- **Other Q** – The date and a user can be added to show when another questionnaire was completed.
- **Information Pack** – The date and a user can be added to show when an information pack was given to the client.
- **Report sent** – The date and a user can be added to show when a report was sent for this client.
- **Attached tests and other** – Once a review has been selected, any tests that have been attached to that session can be observed.

Tests performed during the stage can be selected. The results of these tests will be the ones which are included on the report for that stage. Other instances of these tests may have been performed in that stage which you may not want to include in the summary. The tests will be grouped under the same test type and some summary results will be seen. Tests and questionnaires can be added in the following manner:

- **New test** - A list of tests and questionnaires will be shown. Select from the list and complete the test then **Save** and **Close**.
- **Open** - If a test is already attached, the test can be viewed by selecting the test and choosing **Open**. The test will then be displayed.
- **Attach** – By selecting **Attach**, all currently saved tests and questionnaires will be displayed. Check the required test and **Select**. These will then be added to the session.
- Any test or questionnaire can be removed by selecting it and then using the **Detach** button. Tests can be viewed by selecting a test and choosing **Open**. The appropriate test will be displayed. Additional tests can be added using **Attach** or removed using **Detach**. The order of the tests is based on the priority order in the System Administration tool -> **Client Scheduling** -> **Client pathway overview settings** -> **Auto-linking settings and ordering**.
- **Issued devices and accessories** - Once a review has been selected, any stock articles that have been attached to that session can be observed. Articles can be added in the following manner:
 - **Issue device** - A search dialogue will be shown.
 - Add a serial number or article name to the search fields. **Please note that these fields are case sensitive.**

- Articles can be filtered using the **Default filter view** button. By selecting this, options are shown for various **Articles** and **Stock Types**.
- Select Search.
- Select from the list ensuring the left-hand column in the table is checked and then **Issue**.
- A New status for serial number: XX or New status for quantity controlled article: XX window will appear.
- Select a **Location** if relevant.
- Select the new **To stock type**.
- Depending on the selection, a number of other fields will need to be completed in the same way as for issuing an article from the **Stock** module directly. Once the options have been selected, select **OK**.
- The selected article will now be included in the table.

*NOTE: Changes in device statuses create clinical actions. If you have attached them to appropriate appointments, they can be seen on the **Clinical actions** tab of the **Referral** module.*

- **Attach** – By selecting **Attach**, all currently issued articles will be displayed. Check the required article and **Select**. These will then be added to the session.
- Articles can be removed from the list by using the **Detach** button.
- **Warranty registration** – A **Right** and **Left** check box are available to show that the warranty registration for an implant has been sent back to the manufacturer.

23.6 Programming sessions

This screen serves several purposes:

- A checklist that can be used to ensure that all the necessary steps have been completed before moving the patient to the next stage in their pathway.
- A collector for the results that should be produced on the report for that stage.
- A place to record information specific to that stage in the pathway that is not recorded elsewhere in Auditbase

Programming sessions

Client: MRS FIRSTNAME106 LASTNAME106 [Print] [New] [Save] [Sign] [Delete] [Close]

Sessions: 01/10/2013 Session date: 01/10/2013 User: full name tests???

Purpose of session: Mapping requested Referral stage: Assessment

Main data Additional data

Processor (Right)
 Processor type: [] Magnet strength, M: []

Actions performed (Right)
☐ Electrode mapping ☐ Accessories fitted
☐ FM/Radio aid ☐ Repairs
☐ Device instruction ☐ Implant site checked
 Other: []

Mapping details (Right)
 Neural responses: All Impedance testing: Not Within normal range
 Comfort levels: All ☐ Balancing
 Threshold levels: All ☐ Interpolation
☐ Electrodes activated ☐ Electrodes deactivated

Number	Electrode reason
1	ART shows no nerve response
2	Extra Cochlear
3	Excessive noise

 Electrodes in use: 3 Electrodes in use (previous): []
 Comments: 5

Processor (Left)
 Processor type: [] Magnet strength, M: []

Actions performed (Left)
☒ Electrode mapping ☒ Accessories fitted
☒ FM/Radio aid ☒ Repairs
☒ Device instruction ☒ Implant site checked
 Other: 2

Mapping details (Left)
 Neural responses: Some Impedance testing: Within normal range
 Comfort levels: Some ☒ Balancing
 Threshold levels: Some ☒ Interpolation
☒ Electrodes activated ☒ Electrodes deactivated

Number	Electrode reason
2	Disturbing overall sound impression

 Electrodes in use: 4 Electrodes in use (previous): []
 Comments: 6

Information: 7

Multiple instances of Programming screens can be recorded and saved. Any of these can be linked to a Switch-on/Review screen. They will be linked automatically if they are opened using the **New** button on the Switch-on/Review screen or can be attached after saving using the **Attach** button.

- **New** – Select to create a new session.
- **Save** – To save the current session.
- **Delete** – Will remove the selected session from the database.
- **Close** – Will close the session without saving it.
- **Sessions** – Displays a list of any previous sessions.

- **Session Date** – Defaults to the highlighted date, but can be adjusted to reflect the date of the session either by entering the date manually or by clicking on the calendar icon to choose a date from a calendar float-window. Double-click in the field to enter today's date.
- **User** – Will be the name of the logged in user.
- **Purpose of session** – The purpose of the session can be selected from the user defined drop down list.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.
- **Referral stage** – This displays the stage in the referral that the appointment is in currently, if a stage can be identified.

There are two tabs which can be selected. These tabs show different information under the following headings:

- **Main data** – A number of check boxes, free text boxes and drop-down lists can be selected. The drop-down lists can be defined by the System Administrator. In this section the Processor type has now had Hearing Aid added, as this particular drop down is hard-coded it is only possible to have changes made by the developers.
- A reason for electrode deactivation can be added by clicking in the **Reason** field under **Electrode reason** and selecting from the drop-down list. The reason lists can be defined by the System Administrator.
- **Electrodes in use** – The current electrodes in use can be entered into this box. The **Electrodes in use (previous)** box will display the previously saved figure. The number of electrodes entered can be up to twenty one.
- **Additional data** – More information can be added to the number of free text boxes and drop-down lists.
- **Program** – Is a free text box.
- **Strategies** and **Add-ons** are drop down lists configured by the System Administrator. Where more than one **Add on** is in use for a **Strategy**, that **Add on** pair can be defined as a new one by the System Administrator.

23.7 Rehabilitation sessions

This screen serves several purposes:

- A collector for the results that should be produced on the report for that stage.
- A place to record information specific to that stage in the pathway that is not recorded elsewhere in Auditbase.

The screenshot shows the 'Rehabilitation sessions' form. At the top, there's a header bar with the title 'Rehabilitation sessions' and a close button. Below this, there's a client information section with a text field for 'Client' containing 'MRS FIRSTNAME106 LASTNAME106' and a 'Print' button. To the right are buttons for 'New', 'Save', 'Sign', 'Delete', and 'Close'. Below the client section, there's a 'Sessions' section with a dropdown menu showing '01/10/2013' and a 'Session date' field with '01/10/2013' and a calendar icon. There's also a 'User' dropdown showing 'full name tests???' and a 'Referral stage' dropdown showing 'Assessment'. The main part of the form is titled 'Session content or aim' and contains a list of checkboxes for various session types: Assessment(screening or formal), Counselling, Advising, Rehab, Coaching/demonstrating, Goal Setting, Speech Tracking, Closed set (multiple choice), Open set, Music training, Telephone training, Expectations counselling, Tinnitus counselling, QoL Questionnaire, Accessories fitted, User checkbox 1, and User checkbox 2. To the right of this list are several text input fields: 'Session details' (1), 'Speech' (5), 'Goals identified' (2), 'Receptive language' (6), 'Management plan' (3), 'Expressive language' (7), 'Other (eg. attention, school liaison, play)' (4), and 'Listening' (8). At the bottom, there's a 'Device use' field with '6' and a label 'hours per day estimate (0 to 24)'.

Multiple instances of Rehabilitation sessions can be recorded and saved. Any of these can be linked to a Switch-on/Review screen. They will be linked automatically if they are opened using the **New** button on the Switch-on/Review screen or can be attached after saving using the **Attach** button.


- **New** – Select to create a new session.
- **Save** – To save the current session.
- **Delete** – Will remove the selected session from the database.
- **Close** – Will close the session without saving it.
- **Sessions** – Displays a list of any previous sessions.
- **Session Date** – Defaults to the highlighted date, but can be adjusted to reflect the date of the session either by entering the date manually or by clicking on the calendar icon to choose a date from a calendar float-window. Double-click in the field to enter today's date.
- **User** – Will be the name of the logged in user.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either

attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.

- **Referral stage** – This displays the stage in the referral that the appointment is in currently, if a stage can be identified.
- **Device use** can be used to record hours in use (0- 24 hours).

Information can be added to the various check boxes and free test boxes. **User check box 1** and **2** labels at the bottom left of the screen can be defined by the System Administrator. Checkboxes are grouped into roughly child or adult at the top, adult at the bottom and closed/open set question in the centre.

When saving the Rehabilitation session it is possible to Sign and Lock the data. This is done by pressing **Save** and the following pop-up will appear:



The screenshot shows the 'Rehabilitation sessions' window with a 'Sign a session' pop-up dialog. The main window has a client name 'MRS FIRSTNAME106 LASTNAME106', session date '01/10/2013', and referral stage 'Assessment'. The 'Sign a session' dialog includes fields for Client (MRS FIRSTNAME106 LASTNAME106), Date (01/10/2013), and a checkbox for 'Sign with date' which is checked. Below this, there is a date field showing '13/01/2020' and a dropdown menu with 'full name tests???' selected. The dialog has 'OK' and 'Cancel' buttons.

Selecting the **sign with date** box will allow the user to lock the data which has been entered therefore preventing anyone from editing the information. It is possible to **Save** the document without signing it and then review and **Sign** later.

If **Save** is selected and sign with date is not completed then the **Sign** button will become available for selection in the top right corner. Selecting it will provide a pop-up where the information is filled and the user selects **OK** to save and sign.

Sign a session

OK

Cancel

Client

MRS FIRSTNAME106 LASTNAME106

Date

01/10/2013

☐ Sign with date

13/01/2020

full name tests???

When looking at the previous sessions there is information in the heading to state by whom it was signed and locked.

Rehabilitation sessions

Client

MRS FIRSTNAME106 LASTNAME106

Print

New

Save

Sign

Delete

Close

Sessions

01/10/2013 - Locked and signed by full name te

Session date

01/10/2013

User

full name tests???

Referral stage

Assessment

23.8 Implant surgery

This screen serves several purposes:

- A collector for the results that should be produced on the report for that stage.
- A place to record information specific to that stage in the pathway that is not recorded elsewhere in Auditbase.

Implant surgery

Client: MRS FIRSTNAME106 LASTNAME106 Print New Save Delete Close

Surgeries: 02/10/2013 Date: 02/10/2013 Active User: SYSTEM ADMINISTRATOR

Referral: 03/10/2013, x DO NOT USE-VRA Treatment stage: Treatment Add compl.

Implant data and summary | Approach/entry | Anchoring and closure | Postoperative | Explant | Intra-Op audiology | Complications

Summary

Ear side: Left Procedure name: Initial implant Age at surgery: 24y

Implant type: Right Electro acoustic implant Left: Electro acoustic implant Surgeon: MISS SE CHALSTREY, CONSULT

Summary from other tabs, fill here or on other tabs

Ossification: Partial Electrodes usable inside: 3

Insertion: Partial Electrodes outside: 4

Implant requires explant: ☒ 34

Additional details of procedure Add/Remove

Code	Name

Implant data

Implant details Issue device Attach Detach

Modified date	Stock type to	Article	L/R	User	Serial number	Notes	Qty


Multiple instances of Implant surgery screens can be recorded and saved.

- **New** – Select to create a new session.
- **Save** – To save the current session.
- **Delete** – Will remove the selected session from the database.
- **Close** – Will close the session without saving it.
- **Surgeries** – Displays a list of any previous sessions.
- **Date** – Defaults to the current date, but can be adjusted to reflect the date of the session either by entering the date manually or by clicking on the calendar icon to choose a date from a calendar float-window. Double-click in the field to enter today's date.
- **User** – Will be the name of the logged in user.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.

- **Referral** – The relevant referral for the client can be attached to the form using the button. This is a mandatory field.

*If the referral does not exist or an existing one cannot be used, you can create a ‘quick’ referral by clicking the **New** button from the  button to the right of the Referral field. See details in [Quick referral creation](#).*

- **Treatment stage** – The relevant treatment stage is displayed here.
- **Active** – A check box can be selected to show that the client is active.
- **Add compl.** – A surgical complication can be added on any of the tabs below by selecting this button.



The dialog box titled "Add implant surgery complication" contains the following fields and controls:

- Surgery compl.**: A drop-down menu.
- Side**: A drop-down menu with "Right" selected.
- Date**: A date field showing "13/01/2020" with a calendar icon.
- User**: A drop-down menu with "SYSTEM ADMINISTRATOR" selected.
- Comment**: A text input field.
- Buttons**: "Add" and "Cancel" buttons at the top right.

- Select a complication from the drop-down list **Surgery Compl.** Select a **Side**, **Date**, **User** and add a **Comment** if required. Select **Add** to include this in the list of complications or **Cancel** to leave the screen without saving.

There are a number of tabs which can be selected. These tabs show different information under the following headings:

- **Implant data and summary** – Information from a number of drop-down lists can be selected. The drop-down lists can be defined by the System Administrator.
 - **Ear side** – Right, Left, Unknown or Binaural can be selected. This is a mandatory field.
 - **Procedure name** – The name of the procedure can be selected from the drop-down menu.
 - **Age at surgery** – Will display the client's age at the date of surgery not their current age.
 - **Implant type** – This can be selected for **Right** and **Left**.
 - **Surgeon** – Can be selected from the Referring Agents table using the button.
 - **Summary from other tabs, fill here or on other tabs** – Selections can be made from the drop-down boxes if there are no entries in other tabs.
 - **Additional details of procedures** - Can be added using the **Add/Remove** button. By selecting this, a list of procedures is displayed. **Procedures** can be selected from this list.

- **Implant details** - Any stock articles that have been attached to that session can be observed. Articles can be added in the following manner:

- **Issue device** - A search dialogue will be shown.
- Add a serial number or article name to the search fields.

Please note that these fields are case sensitive.

- Articles can be filtered using the **Default filter view** button. By selecting this, options are shown for various **Articles** and **Stock Types**.
- Select **Search**.
- Select from the list ensuring the left-hand column in the table is checked and then **Issue**.
- A New status for serial number: XX or New status for quantity controlled article: XX window will appear.
- Select a **Location** if relevant.
- Select the new **To stock type**.
- Depending on the selection, a number of other fields will need to be completed in the same way as for issuing an article from the Stock module directly. Once the options have been selected, select **OK**.
- The selected article will now be included in the table.

*NOTE: Changes in device status create clinical actions. If you have attached them to appropriate appointments, they can be seen on the **Clinical actions** tab of the **Referral** module.*

- **Attach** – By selecting **Attach**, all currently issued articles will be displayed. Check the required article and **Select**. These will then be added to the session.
 - **Detach** - Articles can be removed from the list by using the **Detach** button.
- **Approach/entry** – A number of drop-down and free field text boxes are shown and information can be added to them.
 - **Anchoring and closure** - A number of drop-down boxes are shown and information can be added to them.
 - **Postoperative** - A number of drop-down and free field text boxes are shown and information can be added to them.
 - **Explant** - A number of drop-down and free field text boxes are shown and information can be added to them. Check the **Explant performed** box to make the options active.
 - **Intra-Op audiology** – Information from a number of free text boxes and drop-down lists can be selected.
 - **Complications** – Surgical complications can be added by selecting either **Add** or **Add compl**. Both have the same function.
 - Select a complication from the drop-down list **Surgery Compl**.
 - Select a **Side**, **Date**, **User** and add a **Comment** if required.

- Select **Add** to include this in the list of complications or **Cancel** to leave the screen without saving.

23.9 Implant surgery complications

Any surgical complications that are added to the Implant surgery form can be listed here. All surgeries are shown here grouped by surgery; if there are no complications recorded, a value of **<No complications>** will be shown. You can also add any complications which may appear after the surgery from this screen and thus the date of them will not be a surgery date.

[illegible]

- **Add** – Will display a further window.

Add implant surgery complication

Add

Cancel

Surgery compl.

Flap problem with removal

Side

Right

Date

13/01/2020

User

SYSTEM ADMINISTRATOR

Comment

Some comment

- Select a complication from the drop-down list **Surgery Compl.** Select a **Side**, **Date**, **User** and add a **Comment** if required. Select **Add** to include this in the list of complications or **Cancel** to leave the screen without saving.
- **Delete** – Will remove a highlighted complication from the list.
- **Print** – Will send a copy of the list to the default printer.
- **Close** – Will close the Implant surgery complications window.

23.10 Additions to other Auditbase screens

23.10.1 Client Information screen

An additional tab has been added to the **Client Information** screen. This is the **Implant** tab.

Contacts	Details	Lists/Photo	Devices	Implant	Visit charge	Paediatric	PPP < >

Invoice services RIGHT Implant type Electro acoustic implant First surgery date 03/03/2013 Latest surgery date 02/10/2013 First switch-on date 01/10/2013 Latest switch-on date 01/10/2013 Upgrade due date 01/10/2013	LEFT Implant type Electro acoustic implant First surgery date 03/03/2013 Latest surgery date 02/10/2013 First switch-on date Latest switch-on date Upgrade due date

Client preferences				Select
Type	R	L	Name	
Cable	☒	☐	ITE10MR	
Magnet	☒	☐	ITE10ML	
Ear hook	☒	☐	BE101	
Battery type	☒	☐	BE101B	
Other	☒	☐	BE101G	

Immunisation ▼ Status ▼ Date
Surgical consent ▼ Date
Consortium (Customer Group) ▼
Funding Status ▼
Implant keyworker ▼

The top section shows information from various **Implant** screens including:

- **Implant type** – From the **Implant surgery** screen.
- **First surgery date** – From the **Implant surgery** screen.
- **Latest surgery date** – From the **Implant surgery** screen.
- **First switch-on date** – From the **Implant surgery** screen.
- **Latest switch-on date** – From the **Implant surgery** screen.
- **Upgrade due date** - From the **Switch on / Review sessions** screen.
- **Client preferences** – From the **Decision** tab on the **Pre-op assessment form**.
These preferences can be overwritten as choices change.
- **Immunisation and Status** – Choose an immunisation and/or a status e.g. Immunized, Patient advised, Parent advised or GP advised. Double-click in the date field for today's date or chose a date by clicking on the calendar icon.

- **Surgical consent** – Indicate whether or not consent has been given to e.g. use pictures of the patient for educational purposes or scientific research. Double-click in the date field for today's date or chose a date by clicking on the calendar icon.
- **Consortium (Customer Group)** – A consortium or group of customers can be added by selecting from the drop-down list. This list is populated by the following method and assumes that **Customers** have been set up:
 - From the **Client Information** screen select **Functions** in the menu bar.
 - Select **Settings**.
 - Select **Customer Groups**.
 - Select **New** and enter a name for the **Customer group**.
 - Other details can be added as required.
 - **Save** the new group. Once this has been done, group members can be added.
 - Select the required **Customer group** and choose the **Edit group members** button.
 - A list of available customers will be displayed. These can be chosen by highlighting them and using the **Add** button. Customers can be removed from a group using the **Remove** button.
 - Once the customers have been selected, **Close** the window.
 - **Close** will then save the customer group.
 - A group can be removed by using the **Delete** button.
- **Funding status** – This is a drop-down list that can be defined by the System Administrator.
- **Implant keyworker** - This field displays a list of users, one of which can be selected.

24 Surgery Module

An optional module for entering Surgery details is available. It is possible to record pre-operative and perioperative assessment and post-operative follow-up data for three main ear surgery types.

- Otosurgery
- Stapes surgery
- [Implant surgery](#) – using existing screens from the Auditory Implant module.

For complete research data, the majority of field options are hard-coded and are not user definable. The two user definable fields in each type of surgery can be defined in the System Administration tool. Client drop out and the reason for it, can be recorded.


Surgery stages can be linked to appointments either automatically or manually. Referrals can be attached to surgeries, this can either be made mandatory or non-mandatory in the System Administration tool.

Planned clinical actions will be visible in the Client Pathway Overview. These clinical actions include Pre/Per-operative, Postoperative 2-5 month follow-up and Postoperative >12 month follow-up for Otosurgery and Stapes surgery.

User reports have been added to include:

- Audiometric outcome and surgery data reports
- Visual histograms and CSV export for full research

To open the Surgery module, **Navigation → Surgery** or **Ctrl+Shift+Y**. If the client does not already have an ongoing surgery, a window is displayed for you to select the type of surgery required.



Double-click on the required surgery or highlight it and click **OK**. **Cancel** will close the window without selecting a surgery.

Be aware: *Before proceeding, please make sure the correct client is selected to avoid incorrect operation planned.*

24.1 OtoSurgery


There are tabs for **Pre/Per-operative**, **Postoperative 2-5 month follow-up**, **Postoperative >12 month follow-up** and **Drop Out** along the top of the page showing different information.

General data will display the Operation information on each tab, it can only be edited on the first tab, the same information is displayed but greyed out on the others.

Other indications and diagnosis are also shown above each tab.

To save an OtoSurgery, the minimum data required to be entered is **Op. side**. **Date** is also required but is set to today's date by default. If **Referral** has been made mandatory, this will need to be saved as well.

- **Select** – Displays a list of any previous sessions. Choose a surgery and click **OK** to display the information relating to that date.



- **New** – Select to create a new surgery. The **New Surgery** dialogue will open.
- **Delete** – Will remove the selected surgery and all related sessions from the database.
- **Close** – Will close the session without saving it.
- **Date of surg.** – Defaults to the current date, but can be adjusted to reflect the date of the operation either by entering the date manually or by clicking on the calendar icon to choose a date from a calendar float-window. Double-click in the field to enter today's date again.
- **Age** – Will show the client's age at the time of the surgery. If the client is less than 5 years old, the age will be displayed in years and months.
- **Op. side** – Left or right can be selected for the Operated side. This is a mandatory field.
- **Op. Number** – 1-12 or unknown can be selected manually.
- **Created by** – Will be the name of the logged in user.
- **Referral** – The relevant referral for the client can be attached to the form using the button. This may be a mandatory field depending on your settings.

*If the referral does not exist or an existing one cannot be used, you can create a 'quick' referral by clicking the **New** button from the  button to the right of the Referral field. See details in [Quick referral creation](#).*


- **Surgeon** – Can be selected from the Referring Agents table using the button. The list will default to the **Surgeon** referring agent type. Click **New** to create yourself as a Surgeon if not already in the system. If another referring agent type is required by default, your System Administrator can set this up. If you as a user are linked in Administration to a Referring Agent, the Surgeon field will be pre-filled with your data.
- Other indications, such as **Hearing impairment**, **Tinnitus** and **Need to Swim** are displayed as check boxes on each surgery screen. There are two site configurable checkboxes available. Apply your own values to these from within System Administration.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either attached () or not attached (). In addition, the button has a tooltip that displays

detailed information about the session linking. The appointment will be linked automatically if the data entry takes place on the same day.

- **Stage** – The relevant treatment stage is displayed here.

24.1.1 Pre-/per Operative Assess

- **Pre-/per-operative data** – There are a number of hard coded drop-down lists which can be selected. These are not user definable, in order to produce consistent research data.
- **User field #1** and **User field #2** – These fields' labels and content can be defined by your System Administrator.
- **Delete** – This button will only remove the details on the current session. It does not remove the entire surgery. To do that, use the **Delete** button at the top as described in the [OtoSurgery](#) topic.
- **Save** – To save the information on the selected tab for the current session.
- **Other indications** – These can be added by using the **Add/Remove** button. A user definable list of other indications is displayed. Check all that are appropriate and click **Select**. **Cancel** will close the dialogue box without adding any indications.
- **Audiometry** – Audiograms can be added to the session by selecting the button. This will give you a choice to **Attach** an audiogram, **Detach** an already attached audiogram or to **Show** an already attached audiogram. Clicking **Attach** will display the list of currently saved audiograms for the client. This list will include the ability to **Preview** a selected audiogram. The audiogram can be selected by double clicking or by highlighting and clicking **Select**. Once the audiogram has been attached, the details for it are displayed. The attached audiogram can be viewed by selecting the preview button.



- Click **Go to** to open the audiogram in the full Audiogram module.
- **Comments** – A free text box is available for comments.
- **Concurrent procedures** – These can be added by using the **Add/Remove** button. A user definable list of other procedures is displayed. Check all that are appropriate and click **Select**. **Cancel** will close the window without adding any indications.

24.1.2 Post-Operative follow up 2-5 m

- **General data** is displayed as described in the [OtoSurgery](#) topic.
- **Created by** – This will be the user that has created the information on this tab. Users can be selected from the drop-down list.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.
- **Stage** – The relevant treatment stage is displayed here.
- **Post-operative data 2-5 months** – Information from a number of drop-down lists can be selected here.

- **Date of event** – This will be the date of the 2-5 month review and is independent of the main date of surgery.
- **Delete** – This delete button will only remove the details on the current session. It does not remove the entire surgery. To do that, use the **Delete** button as described in the [OtoSurgery](#) topic.
- **Save** – To save the information on the selected tab for the current session.
- **Audiometry** – Audiograms can be added to the session by selecting the button. This will give you a choice to **Attach** an audiogram, **Detach** an already attached audiogram or to **Show** an already attached audiogram. Clicking **Attach** will display the list of currently saved audiograms for the client. This list will include the ability to **Preview** a selected audiogram. The audiogram can be selected by double-clicking or by highlighting and clicking **Select**. Once the audiogram has been attached, the details for it are displayed. The attached audiogram can be viewed by selecting the **Preview** button.
- Press **Go to** to open the audiogram in the full Audiogram module.
- **Comments** – A free text box is available for comments.
- **Drop out** – This button will take you directly to the Drop out tab so that information can be added.

The screenshot shows the 'Surgery' window with the 'Post-Operative follow up >12m' tab selected. The interface includes a header with client information (MR JOHN SMITH, Surgery type: OtoSurgery) and action buttons (Select, New, Delete, Close). Below the tabs, the 'General data' section contains fields for Date of surg. (10/04/2015), Age (5y), Op.Side (Left), Op.Number (1), and Per-operative diagnosis (H72.9). There are also checkboxes for various conditions like Hearing impairment, Tinnitus, and Cholesteatoma. The 'Post-operative data 2-5 months' section includes dropdowns for Postoperative infection, Chorda function, Facial nerve function, Anacusis, Vertigo, Tinnitus, and Otomicroscopy. A 'Date of event' field is set to 11/04/2015, and a 'Created by' field shows SYSTEM ADMINISTRATOR. A 'Go to' button is available for the audiometry section.

24.1.3 Post-Operative follow up >12m

- **General data** is displayed as described in the [OtoSurgery](#) topic.
- **Created by** – This will be the user that has created the information on this tab. Users can be selected from the drop-down list.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either

attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.

- **Stage** – The relevant treatment stage is displayed here.
- **Post-operative data 12 months** – Information from a number of drop-down lists can be selected here.
- **Date of event** – This will be the date of the twelve month review and is independent of the main date of surgery.
- **Delete** – This button will only remove the details on the current session. It does not remove the entire surgery. To do that, use the **Delete** button as described in the [OtoSurgery](#) topic.
- **Save** – To save the information on the selected tab for the current session.
- **Audiometry** – Audiograms can be added to the session by selecting the button. This will give you a choice to **Attach** an audiogram, **Detach** an already attached audiogram or to **Show** an already attached audiogram. Selecting Attach will display the list of currently saved audiograms for the client. This list will include the ability to Preview a selected audiogram. The audiogram can be selected by double clicking or by highlighting and Select. Once the audiogram has been attached, the details for it are displayed. The attached audiogram can be viewed by selecting the preview button
- To open the audiogram in the full Audiogram module, click **Go to**.
- **Comments** – A free text box is available for comments.
- **Drop out** – This button will take you directly to the **Drop out** tab so that information can be added.

Surgery

Client

MR JOHN SMITH

Surgery type

OtoSurgery

Select

New

Delete

Close

Pre-/per-Operative Assess

Post-Operative follow up 2-5m

Post-Operative follow up >12m

Drop-out

General data

Date of surg.

10/04/2015

Age

5y

Op.Side

Left

Op.Number

1

Per-operative diagnosis

Referral

10/04/2015, ++AUDIO REVIEW reass

Surgeon

MRS ANNAN, 222 STR, HOME CITY

H72.9

Perforatio membrana tympani

☒ Hearing impairment

☐ Vertigo

☒ Tinnitus

☐ Cholesteatoma

☒ Care

☒ Need a HI

☒ Discharge

☐ Wish to swim

☒ Checkbox 2

Post-operative data 12 months

Chorda function

Date of event

13/01/2020

Submit

Delete

Save

Facial nerve function

Created by

Anacusis

Appt



Stage

Vertigo

Audiometry

Go to

Tinnitus

Comments

Otomicroscopy

Is client satisfied

Drop out

24.2 Stapes Surgery

There are a number of tabs along the top of the page showing different information.

General data will display the same information on each tab. Once a surgery session has been saved, this information is displayed but greyed out on all but the first tab. To save a Stapes Surgery, the minimum data required is **Op. side**. If **Referral** has been made mandatory, this will need to be saved as well.

Surgery

Client: MRS FIRSTNAME106 LASTNAME106 Surgery type: StapesSurgery [Select] [New] [Delete] [Close]

Pre-/per-Operative Assess Post-Operative follow up 2-5m Post-Operative follow up >12m Drop-out

General data

Date of surg. 09/10/2013 Age 24y Op.Side Right Op.Number 1 Per-operative diagnosis

Referral 07/12/2018, ++FITTING - from previot... Surgeon MISS SE CHALSTREY, CONSULTANT EN... H80.9 Otosclerosis

☐ Hearing impairment ☐ Vertigo ☐ Tinnitus ☐ Aid

☐ HI on operated ear ☐ Family members with Otosclerosis ☐ Checkbox 2

Pre-/per-operative data

Anaesthetic General anaesthesia

Access Trans canal

Procedure DAA00 Stapedotomy

Type of laser Diode

Drill Skeeter

Prosthesis Nitinol-Smart

Batch Lot

Piston diameter 0.4

Piston length

Facial nerve Normal

Niche dressing ☒ Stapedial artery Gelfoam

Ear canal dressing Gelfoam + HT-mech

Field1 1

Field2 3

Created by full name tests???

Appt Stage Treatment

Additional diagnoses

test diagnoses

Audiometry 04/10/2013, no. 1, Pre-operative

Comments

test comments

Concurrent procedures

Code	Name
DBA00	exc probat meatus ac ext

- **Select** – Displays a list of any previous sessions. Choose a surgery and click **OK** to display the information relating to that date.
- **New** – Select to create a new surgery.
- **Delete** – Will remove the selected surgery and all related sessions from the database.
- **Close** – Will close the session without saving it.
- **Date of surg.** – Defaults to the current date, but can be adjusted to reflect the date of the session either by entering the date manually or by clicking on the calendar icon to choose a date from a calendar float-window. Double-click in the field to enter today's date.
- **Age** – Will show the client's age at the time of the surgery. If the client is less than 5 years old, the age will be displayed in years and months.
- **Op. side** – Left or right can be selected. This is a mandatory field.
- **Op. Number** – 1-12 or unknown can be selected.

- **Created by** – Will be the name of the logged in user.
- **Referral** – The relevant referral for the client can be attached to the form using the button. This is may be a mandatory field depending on your settings.

If the referral does not exist or an existing one cannot be used, you can create a 'quick' referral by clicking the **New** button from the  button to the right of the Referral field. See details in [Quick referral creation](#).

- **Surgeon** – Can be selected from the Referring Agents table using the button. The list will default to the **Surgeon** referring agent type. If another referring agent type is required by default, your System Administrator can set this up. If you as a user are linked in Administration to a Surgeon Referring Agent, the **Surgeon** field will be pre-filled with your name.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.
- **Stage** – The relevant treatment stage is displayed here.

24.2.1 Pre-/per Operative Assess

- **Pre-/per-operative data** – There are a number of hard-coded drop-down lists which can be selected. These are not user definable to assist in research.
- **User field #1** and **User field #2** – These fields can be defined by your System Administrator.
- **Delete** – This button will only remove the details on the current session. It does not remove the entire surgery. To do that, use the Delete button as described in the [Stapes Surgery](#) topic.
- **Save** – To save the information on the selected tab for the current session.
- **Other indications** – These can be added by using the **Add/Remove** button. A user definable list of other indications is displayed. Check all that are appropriate and click **Select**. **Cancel** will close the window without adding any indications.
- **Audiometry** – Audiograms can be added to the session by selecting the button. This will give you a choice to **Attach** an audiogram, **Detach** an already attached audiogram or to Show an already attached audiogram. Clicking **Attach** will display the list of currently saved audiograms for the client. This list will include the ability to **Preview** a selected audiogram. The audiogram can be selected by double-clicking or by highlighting and clicking **Select**. Once the audiogram has been attached, the details for it are displayed. The attached audiogram can be viewed by selecting the preview button.

Audiometry	04/10/2013, no. 1, Pre-operative	...		Go to

- Click **Go to** to open the audiogram in the full Audiogram module.
- **Comments** – A free text box is available for comments.
- **Concurrent procedures** - These can be added by using the **Add/Remove** button. A user definable list of other procedures is displayed. Check all that are appropriate and click **Select**. **Cancel** will close the window without adding any indications.

24.2.2 Post-Operative follow up 2-5 m

- **General data** is displayed as described in the [Stapes Surgery](#) topic.
- **Created by** – This will be the user that has created the information on this tab. Users can be selected from the drop-down list.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.
- **Stage** – The relevant treatment stage is displayed here.
- **Post-operative data 2-5 months** – Information from a number of drop-down lists can be selected here.
- **Date of event** – This will be the date of the 2-5 month review and is independent of the main date of surgery.
- **Delete** – This button will only remove the details on the current session. It does not remove the entire surgery. To do that, use the **Delete** button as described in the [Stapes Surgery](#) topic.
- **Save** – To save the information on the selected tab for the current session.
- **Audiometry** – Audiograms can be added to the session by selecting the button. This will give you a choice to **Attach** an audiogram, **Detach** an already attached audiogram or to **Show** an already attached audiogram. Clicking **Attach** will display the list of currently saved audiograms for the client. This list will include the ability to **Preview** a selected audiogram. The audiogram can be selected by double-clicking or by highlighting and clicking **Select**. Once the audiogram has been attached, the details for it are displayed. The attached audiogram can be viewed by selecting the preview button.
- Click **Go to** to open the audiogram in the full Audiogram module.
- **Comments** – A free text box is available for comments.
- **Drop out** – This button will take you directly to the Drop out tab so that information can be added.

Surgery

Client: MRS FIRSTNAME106 LASTNAME106 Surgery type: StapesSurgery [Select] [New] [Delete] [Close]

Pre-/per-Operative Assess Post-Operative follow up 2-5m Post-Operative follow up >12m Drop-out

General data

Date of surg. 09/10/2013 Age 24y Op.Side Right Op.Number 1 Per-operative diagnosis

Referral 07/12/2018, ++FITTING - from previous Surgeon MISS SE CHALSTREY, CONSULTANT ENT H80.9 Otosclerosis

☐ Hearing impairment ☐ Vertigo ☐ Tinnitus ☐ Aid

☐ HI on operated ear Family members with Otosclerosis ☐ Checkbox 2

Post-operative data 2-5 months

Postoperative infection Yes Date of event 09/10/2013 [Submit] [Delete] [Save]

Chorda function Normal/no change Created by full name tests???

Facial nerve function Preoperative function Appt [Attach/Detach] Stage

Anacusis None/no change Audiometry 03/10/2013, no. 1, Post-operative 2-5m [Go to]

Vertigo Preoperative level Comments test comments

Tinnitus None

Otomicroscopy Intact, normal aeration

Drop out

24.2.3 Post-Operative follow up >12m

- **General data** is displayed as described in the [Stapes Surgery](#) topic.
- **Created by** – This will be the user that has created the information on this tab. Users can be selected from the drop-down list.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.
- **Stage** – The relevant treatment stage is displayed here.
- **Post-operative data 12 months** – Information from a number of drop-down lists can be selected here.
- **Date of event** – This will be the date of the twelve month review and is independent of the main date of surgery.
- **Delete** – This button will only remove the details on the current session. It does not remove the entire surgery. To do that, use the Delete button as described in the [Stapes Surgery](#) topic.
- **Save** – To save the information on the selected tab for the current session.
- **Audiometry** – Audiograms can be added to the session by selecting the button. This will give you a choice to **Attach** an audiogram, **Detach** an already attached audiogram or to **Show** an already attached audiogram. Clicking **Attach** will display the list of currently saved audiograms for the client. This list will include the ability to **Preview** a selected audiogram. The audiogram can be selected by double-clicking or by highlighting and clicking **Select**. Once the audiogram has been attached, the details for it are displayed. The attached audiogram can be viewed by selecting the preview button.

Surgery

Client
MRS FIRSTNAME106 LASTNAME106
Surgery type
StapesSurgery
Select
New
Delete
Close

Pre-/per-Operative Assess
Post-Operative follow up 2-5m
Post-Operative follow up >12m
Drop-out

General data

Date of surg.
09/10/2013
Age
24y
Op.Side
Right
Op.Number
1
Per-operative diagnosis

Referral
07/12/2018, ++FITTING - from previou...
Surgeon
MISS SE CHALSTREY, CONSULTANT EN...
H80.9
Otosclerosis

☐ Hearing impairment
☐ Vertigo
☐ Tinnitus
☐ Aid
☐ HI on operated ear
Family members with Otosclerosis
☐
☐ Checkbox 2

Post-operative data 12 months

Chorda function
Normal/no change
Date of event
09/10/2013
Submit
Delete
Save

Facial nerve function
Normal
Created by
full name tests???

Vertigo
None
Appt
Go to
Stage

Tinnitus
None
Audiometry
02/10/2013, no. 3, Post-operative >12m
Go to

Otomicroscopy
Intact, normal aeration
Comments
test comments

Is client satisfied
Satisfied
Drop out

- Click **Go to** to open the audiogram in the full Audiogram module.
- Comments** – A free text box is available for comments.
- Drop out** – This button will take you directly to the **Drop out** tab so that information can be added.

24.3 Surgery Drop out

A client **Drop out** can be opened from the tab of the Surgery window or with the button of that name on the two follow up screens.

- **General data** is displayed as described in the [OtoSurgery](#) and [StapesSurgery](#) topics, correspondingly.
- **Created by** – This will be the user that has created the information on this tab. Users can be selected from the drop-down list.
- A special button is available for attaching the session to or detaching it from an appointment. The button has a picture which reflects the state of the session: either attached () or not attached (). In addition, the button has a tooltip that displays detailed information about the session linking.
- **Stage** – The relevant treatment stage is displayed here.
- **Drop-out data** – A **Reason** for the drop-out can be chosen. If the selected **Reason** is **State of drum**, then the field **Otomicroscopy** is activated and items can be selected.
- **Date of interruption** – This can be added in the same way as other dates. Once a date has been added, the **Follow-up duration** is displayed in months and days.
- **Delete** – This button will only remove the details on the current session. It does not remove the entire surgery. To do that, use the **Delete** button as described in the [OtoSurgery](#) and [StapesSurgery](#) topics, correspondingly.
- **Save** – To save the information on the selected tab for the current session.
- **Comments** – A free text box is available for comments.

Surgery
×

Client
MRS FIRSTNAME106 LASTNAME106
Surgery type
StapesSurgery
Select
New
Delete
Close

Pre-/per-Operative Assess
Post-Operative follow up 2-5m
Post-Operative follow up >12m
Drop-out

General data

Date of surg.
09/10/2013
Age
24y
Op.Side
Right
Op.Number
1
Per-operative diagnosis

Referral
07/12/2018, ++FITTING - from previous
Surgeon
MISS SE CHALSTREY, CONSULTANT ENT
H80.9
Otosclerosis

☒ Hearing impairment
☒ Vertigo
☒ Tinnitus
☒ Aid
☐ HI on operated ear
☐ Family members with Otosclerosis
☒ Checkbox 2

Drop-out data


Reason
State of drum
Otomicroscopy
Lateralization

Date of interruption
09/10/2013
Submit
Delete
Save
Created by
full name tests???
Appt

Stage
Completed
Follow-up duration
0m
Comments
test comments

24.4 Additions to AB Audiogram


If the Surgery module has been added as an option, an additional tab is activated in **Measurements** → **AB Audiogram**. This tab is called **Surgery** and shows additional data for a selected audiogram.



Linking audiograms to surgeries can be performed in either direction. Audiograms can be linked to surgeries or surgeries can be linked to audiograms. To link an audiogram to a surgery, see above sections.

An audiogram can only be attached to one stage in any surgery but to more than one surgery. An audiogram cannot be attached to a stage date earlier than one that is attached to a later stage date for the same surgery.

- To link a surgery to an audiogram, select the button at the end of the **Surgery** field. Select **Attach** and a list of the client's available surgeries will be displayed.



Client Surgeries

OK Cancel


Choose a surgery

- 30.09.2013 OtoSurgery (Left)
- 09.10.2013 StapesSurgery (Right)
- 15.04.2014 OtoSurgery (Left)
- 20.03.2015 OtoSurgery (Right)
- 26.03.2015 OtoSurgery (Left)
- 03.11.2015 OtoSurgery (Left)
- 17.07.2018 OtoSurgery (Left)

Attach to stage


Post-operative 2-5m

- Double-click or highlight the appropriate surgery and click **OK**. **Cancel** will close the window without selecting a surgery.



Surgery	17.07.2018 OtoSurgery (Right)	...	Open
Surgery stage	Post-operative >12m		


- The surgery is now linked to the audiogram and the information will be displayed including **Surgery stage**.
- The surgery can be viewed by clicking the **Open** button.
- 4 point mean values for AC, BC and Air-Bone Gap (ABG) are displayed. These means are set for US research publication purposes.



Right Operated

BC (4-pta)	65
AC (4-pta)	40
BC (3-pta)	65
ABG (4-pta)	-25
Inter-Aural Diff AC	5

- If 3 kHz is not plotted, the user will get a warning by the relevant box flashing in an appropriate colour, i.e. red for right and blue for left. The mean will then be calculated using 4 kHz instead. If this is the case, a tooltip will be displayed.
- A flag is stored in the database for the audiogram if this warning is required. This flag is for reporting purposes only and cannot be seen by the user.
- By checking **Compare to operated ear side**, a previous audiogram can be selected. This will populate further fields regarding the operated side.



The screenshot shows a software interface for comparing audiograms. On the left, there is a checkbox labeled "Compare to operated ear side". To its right is a dropdown menu currently displaying "25/12/2015, 3". Below these are three input fields: "ABG 'overclosure'", "AC (4-pta) improvement" (containing the number "8"), and "ABG (4-pta) improvement". At the bottom, there are two options for the "Belfast 15/30 dB rule of thumb": "using 'AND'" which is preceded by a red circle with a diagonal line (indicating it is not selected), and "using 'OR'" which is preceded by a green circle with a checkmark (indicating it is selected).

- An icon will be displayed to show whether the compared audiograms meet the **Belfast 15/30 dB rule of thumb**. The Belfast rule is calculated according to two interpretations of the rule. One with 'AND' where the interaural difference must be less than 15dB and the hearing loss in the ear is under 30dB and the other with 'OR' where either of these conditions can be met.
- The colour of the audiogram that is being compared can be changed by selecting the coloured square to the right of the compare field. A colour palette opens and the new colour can be selected.
- If more than two audiograms need to be compared then the **Compare** tab on **AB Audiogram** should be used. The current selections will be shared between the two tabs.

24.5 Other Additions

24.5.1 Reports

Crystal and CSV reports have been added to **Navigation → User reports → Surgery → Crystal Reports** tab or **CSV reporting** tab. These are run in the same way as other Crystal and CSV reports.

24.5.2 Client pathway overview

The following actions have been added to client pathway overview settings in the System Administration tool. All except **Surgery Drop out** can be added as planned actions.

- OtoSurgery Pre-Op
- OtoSurgery PostOp 2-5m
- OtoSurgery PostOp > 12m
- StapesSurgery Pre-op
- StapesSurgery PostOp 2-5m
- StapesSurgery PostOp > 12m
- Surgery Drop out.

Icons have been added to the Client Pathway Overview for these surgery actions. The relevant surgery screen can be viewed by selecting it from the overview. They will be under the appropriate referral if this has been set by your System Administrator.

25 Laptop Synchronization

If laptop synchronization has been purchased, Auditdata IT Support staff will set up a laptop to allow parts of Auditbase to be used without a network connection. If this has been set up, you must connect your laptop to a network point and create the database you will be using without your network connection. This is the 'off line-database' and is usually called ABASEOFF.

It is not possible to transfer clients who have a Noah action on the date you are creating the offline database.

25.1 Creating the offline database

- Log in to the online database as a normal user.
- **System settings -> Prepare offline database.**
- Make sure that you have selected the correct name of the database you want to create in the **Offline database drop-down** list, usually ABASEOFF.
- Click **Next**.
- Click **OK** to overwrite the existing database. Note that the laptop database must be synchronised in advance with the main system to recreate the same database. If this has not been done an error message will be displayed.
- When the database structure has been created you can choose clients to add to the database in one of the following ways:
- **Add Client** allows you to use the **Search Client** function and add individual clients by highlighting them and clicking on **Select**.
- **Add Clients from waiting list** allows you to add all the clients from a waiting list to the offline database by choosing the waiting list from the drop-down list.
- **Add clients from a resource** allows you to select the clients who already have appointments booked in the diary. Choose the name of the resource from the drop-down list and fill in the date range required. The date range needs to specify the date before and the date after those required, for instance for 3rd April 2005 choose 02/04/2005 to 04/04/2005.
- When all the required clients are selected, click **Next**.
- When the wizard is complete, click **Finish**. The database is now ready to use offline.

It is important that the network connection is not unplugged during this procedure.

Code	Name
T1104	MR FIRSTNAME104 LASTNAME104
T1105	MRS FIRSTNAME105 LASTNAME105
T1106	MRS FIRSTNAME106 LASTNAME106
T1107	MRS FIRSTNAME107 LASTNAME107

Currently 4 clients are selected

25.2 Appointment symbols in the offline database

To minimize the time it takes to prepare an offline database not all appointments are visible on the laptop.

- If the selection of clients for creating the offline database was made based on Resources then all the appointments and reservations in the period selected will have their symbols copied to the booking screen on the offline laptop.
- If the selection of clients for creating the offline database was based on client names or via a Waiting List then only the appointments for the forthcoming 30 days will have a symbol on the booking screen. No other reservations or group appointments will be copied.
- All the appointments belonging to a client, that have taken place in the past or are booked for the future, will be copied to the laptop, but apart from the ones above the symbols will not be visible on the booking screen.

25.3 Logging in to the offline database

- Double-click on the Auditbase icon on your desktop.
- Change the database name in the drop-down list to the name of your offline database, usually ABASEOFF.
- Logging in
 1. **Logging in with a Microsoft Windows account**
 - The login name will be preselected. No need to enter a password.
 2. **Logging in with an Auditbase account**
 - Type your normal username and password.
- You can now use the areas of the database which are accessible offline in the normal way.
- Creation of documents and templates is allowed. Editing of either offline is not supported. To work around this, make a copy of an existing document when offline and edit that.

25.4 Synchronization

When a user has connected to the offline database, for instance during a house visit, changes in the laptop (local database) must be synchronized with the central database when back at the clinic.

- Connect the laptop to a network point.
- Log onto the normal Auditbase database, usually the database name is ABASE.
- **System settings -> Laptop synchronization.**
- Follow the onscreen wizard instructions ensuring that the right name appears in the database name field, usually ABASEOFF.

It is important that the network connection is not unplugged during this procedure.

- The synchronization wizard activates a search for the name of the offline database. If not found, the user is asked to select from a list.
- A search on the client ID(s) from the offline database is performed in the central database. If a client with the same ID exists in the central database, the client data is transferred without prompting the user.
- If no identical client ID is found in the central database, the user is asked whether the client should be inserted as new or merged with an existing client in the central database.
- If the replication log table holds a record of a new client registration, the merge client dialog will appear.
- To process client data from offline database, one of three solutions must be selected:
 - import as new
 - merge with existing client data
 - skip client –all data related to this client is skipped and cannot be retrieved
- By using a subset of client data from the offline database, the user can locate the right client in the central database by searching on for instance:
 - client ID
 - name(s)
 - birth date
 - address
- Entering one or some of the criteria and pressing Search opens the Client search dialog with results matching those criteria.
- Not entering any criteria but pressing Search still opens the search dialog for a user to search for a client in the usual way.
- After processing all new and changed client information, other changes are copied to the offline database by the system. The user is informed that the offline database is no longer available but needs to be reinitialized prior to further use.
- In the offline laptop database, clinical actions will not be linked automatically to appointments and cannot be linked manually. Appointments from the offline database are not synchronised back to the main database so linking cannot be updated. To link actions on the offline laptop to appointments use the Attach feature after the database has been synchronised and the actions are in the main database. Noah actions however can be linked automatically to the appointment when the database is synched back to

the main database. If the patient has more than one appointment on the same day then the action will be linked to the latest appointment.

25.5 Merging new clients created when you were offline

If new clients were created in the offline database you can merge them into existing records or create them as new records in the main database during laptop synchronisation.

A window box named **A new client is found in the offline database** appears during the laptop synchronisation wizard.

The left-hand side of the window fields are filled with the new client data and the user should select which criteria to search on by pressing the arrow(s) > copying the field value(s) to the right-hand side and pressing **Search**.

Clients matching the criteria are listed to **Select** from filling in the information in the right-hand side fields.

Having the data of the clients to be merged respectively on the left and right-hand side, pressing **Merge** will log all data on the 'two' clients into a log table in the database.

Client data as first name, surname and address of client in the offline database are ignored as this data is retrieved via a PAS link connection and updated from there.

If the user decides not to merge the two clients, pressing **Load as new** will save the client from the offline database as a new, separate client.

If the user decides to leave the client from the offline database out of the central database, pressing **Skip** will perform this action.

Continue the synchronisation wizard in the usual way.

A new client is found in the offline database. You can import him/her as new, merge with existing client or skip...

New Client	Existing Client
Hospital no T1108	
NHS no. 777777777	
Names FIRSTNAME	
Surname LASTNAME	
Birthday	
Address	

26 PPP and Import/Export

Auditbase contains an import/export facility to enable the transfer of patient data between databases.

With the PPP module, you can export a selected number of clients from a Public Partner, put the client data on a CD and send it to a Private dispensing company who will consult the client and fit them with a hearing instrument. Having done so, the Private Partner will refer the client back to the Public Partner with the revised client data.

All PPP transfers have to be approved by the client.

The module is also referred to as **PPP list**.

General workflow of the PPP module goes in 5 stages:

- Export of client data from Public Partner (data retrieved from Auditbase System e.g. at hearing clinic).
- Import of client data at Private Partner (data imported to local Auditbase System e.g. at hearing instrument dispenser A).
- Intermediate work with client data at Private Partner's (e.g. client visiting hearing instrument dispenser A and being granted a hearing instrument).
- Export of revised client data from Private Partner (revised data retrieved from local Auditbase System e.g. at hearing instrument dispenser A).
- Import of revised client data to Public Partner (revised data is merged into respective client records in central Auditbase System e.g. at hearing clinic).

The most likely flow is looking up a Waiting list and selecting one or more clients to be referred to the private partner.

26.1 Definitions

The following definitions are used throughout this document.

- **External site** – this is the site to which you are sending the database. It could be a PPP partner, education or another hospital.
- **External partner** – essentially the same as an external site also known as a private partner.
- **Configuration file** – this is a special type of file which is used to set up the import/export facility.
- **Journal mapping** – this is where you decide what a journal string is called. Rarely do two databases have the same names for journal strings so you need to associate what you call your string with what the external site calls theirs.
- **PPP** – Public Private Partnership.

26.2 Setting up

The following will assist you to set up and use this facility. The setting up needs to be performed in the Auditbase Administration tool, which is opened from Auditbase by going to **System settings** -> **Open system administration**. Once opened, select **Import/Export**.

26.2.1 Import Configuration

Setting up the import configuration will define which fields are imported into the database. There are two default configurations. **Default** has all options selected. **Default** demographics only has client demographic information only. A new configuration can be made by selecting **New**. The **Name** of the new configuration should be entered in the field provided. There are then 3 tabs which also need to be selected.

- **Client** – The client demographics can be selected for import.
- **Update demographics for existing clients** – If this option is selected, then the client's demographic details will be automatically over written when data is imported. When you, at the public partner, import a PPP file from a private partner, data will never be updated, but when differences shown in a log file after the import is completed.
- **Selection of client data to import** – Here information from the **Clientinformation** module can be selected for import. To select all demographics select **All**.
- **Journal** - Journal data will be imported if this option is selected. Note that only mapped journal strings are imported.
- **Other** – There are a number of check boxes that can be used to select which information is created or updated when the data is imported. Check the required options or **All** for everyone.

Once the options have been selected, **Save** will store the configuration. To remove a configuration, select **Delete**.

Note: When importing a PPP file at a private partner, you will not be able to select a specific import configuration; all data for the client will automatically be created/updated when imported.

26.2.2 Export Configuration

Setting up the export configuration will define which fields are exported from the database. There are two default configurations. **Default** has all options selected. **Default** demographics only has client demographic information only. A new configuration can be made by selecting **New**. The **Name** of the new configuration should be entered in the field provided. There are then 3 tabs which also need to be selected.

- **Client** – The client demographics can be selected for export.
- **Journal** – Here, choices are made as to how much of the journal is to be exported.
- **Enable export of journal data** – If this option is selected, the journal search strings can be chosen to export data.

- **Export data for all search strings** – When this option is selected, all search strings from both Audiologist and Hearing therapist journal are exported. Also search strings to be created in future will be included in an export.
- The alternative is to configure exactly which search strings those are to be exported. There are a number of check boxes that can be used to define this. Check the required options or **All** for everyone.
- **Other** – There are a number of check boxes that can be used to select which information is exported. Check the required options or **All** for everyone.

Once the options have been selected, **Save** will store the configuration. To remove a configuration, select **Delete**.

Note: When exporting a PPP file from a private partner, you will not be able to select a specific export configuration; all data for the client will automatically be exported.

26.2.3 External site set up

- Once a configuration file has been sent to an external site, the file can be used to set up that external partner.
- The site name will be produced by the imported configuration file and cannot be adjusted manually.
- The **Default configuration** can be set for both importing and exporting. The required configuration is selected from the drop-down menu.
- The search strings in the journal must be mapped so that the search strings from the external database match those for the main database.
- Selecting **Journal mappings** will open a window called **Map search strings for journal**. Search strings for the audiologist or hearing therapist can be selected using the **Select type of journal search string to map** drop down menu.
- The journal entries for the **Source site** are shown in the left window, the **Target search strings** are shown on the right. Select a search string from the source site by clicking on it.
- Select a **Target search string** and **Map**. The **Current mappings** are displayed at the bottom of the window.
- To remove a map, select from this window and **Delete** map. Note that unmapped search strings will not be imported.

26.2.4 Exchange set up

- This is where the exchange configuration files are imported and exported. A partnership cannot be set up until these files have been exchanged.
- To export a configuration file, it has to be decided if the file will be password protected or locked for a single site. A site locked configuration file can only be made for already known sites.
- Choose either **Password protect file** or **Lock for site** and then select the site from the drop-down list. If no site is in the drop-down list, a file will have to be imported first.

- To export this file, select **Export** and decided where the file should be saved. This file can then be saved to disk or emailed to the appropriate partner.
- To import a file from a partner, select **Import** and open the file from wherever it has been saved to. You will be asked to confirm the password that the partner will have sent you and the configuration will be imported. At this point you will be asked if you wish to map journal search strings in the same way as for the external site set up above.
- The **Exchange identification code** is used to identify a client when exchanging between Auditbase databases. This can either be the NHS or Case note number. It is possible to allow export without identification number, but this is mandatory for the PPP project. Partners in the NHS project must use the NHS number as exchange identification code when exchanging client information.

26.2.5 PPP specific set up

This feature is only available if you have a license to the PPP module. There are 3 **Site definable settings** check boxes.

- **Warn before creation of sessions if PPP exchange is not approved by client** – A warning will appear when adding a client to PPP list if the client has not given approval to join the PPP.
- **Block for export of clients without approved PPP exchange** –
- **Display warning when client with open session is selected** – A warning is given each time a client is selected that has an open PPP session.

Once the options have been selected, **Save** will store the information.

It is possible to add status labels for two of the system statuses, **In process** and **Returned**. Status labels can be added by selecting the **New** button. The label name is then added in the **Status** label field. **Save** will store the information and **Delete** will remove a **Status label** from the database.

26.2.6 Session filter set up

This feature is only available if you have a license to the PPP module.

- The session filter can be set up so that the PPP list can be viewed any way that the user wants. A new filter can be created by clicking the **New** button. **Visible columns** can be selected by checking or un-checking the boxes. **Conditions** can also be added by selecting from the **Status**, **Public partner** or **Private partner** drop down menus and clicking the **Add** buttons.
- The order that columns appear in the PPP list can be changed by selecting a column and then moving it up or down using the arrows. Once the filter has been set up, **Save** will store the information.
- The order of filters in the drop-down list in PPP list can be changed by selecting a filter, and then moving it up or down using the arrows. The filter on top will be the default filter used when the PPP list is opened.

26.3 Additions to modules

26.3.1 Client Information

The Client Information module now has an additional tab called **PPP** (only available with license to PPP module). This tab contains information on the client's PPP session status. If the client gives permission for them to be added to the PPP list, the **Approval** field should be checked.

The **Sessions** drop down list shows all the instances that this client has of PPP sessions.

26.3.2 Waiting List

Once a client has been selected, **Export** and **Move to PPP** become active. The client is selected by checking the box on the left-hand side of the waiting list. All clients on the waiting list can be selected by checking the **Select all** field. The number of clients selected is displayed below this field. These selected clients can now either be moved to the PPP export list or exported directly.

- **Move to PPP** – When this option is selected, a **PPP session properties** window is displayed. The client's name and NHS number are displayed as well as their approval status. If the **PPP approval given** box is un-checked, it must be determined if this client has given approval to be sent to a PPP dispenser. This field must be checked in order for the patient to be exported. The **Session status** will default to new as this client is being moved from a waiting list. The **Session setup** will determine which external site the client is being sent to. Choose the **Private partner** from the drop-down list. The **Referral status** can be selected from another drop-down list. This will indicate the referral route. If the client is being transferred by paper only then the box should be checked. Once the choices have been made, **Save** will transfer the details from the waiting list to the PPP list.
- **Export** – When this option is selected, an **Export data** window is displayed. Clients can be added to the export by using the **Search** button. **Remove** will take the selected client off the list for export. The export file can either be password protected or locked for the particular external site. The **Export configuration** has to be selected from the drop-down list. This operation can be cancelled using the **Cancel** button. Once **Export** has been selected, you must **Enter password for encryption** and then re-enter to confirm. Once **Ok** has been chosen, the **Saveexport file** window opens and the path where to save the file can be chosen. Auditbase automatically names the file, but this can be re-named providing the file extension remains .agi. Once **Save** is selected, a progress bar appears. Once the export is complete, the **Export status log** can be viewed or printed. The text can be copied and pasted into another application such as Word. The export log can be saved as a text file by selecting **Save as**. **Close** will complete the export. The client's details will remain on the waiting list.

26.4 PPP list

The PPP list is open from **Navigation** -> **PPP list**.

26.5 Exporting from the PPP list

The PPP list is opened from Modules -> PPP list.

- The session information can be displayed using the drop-down list titled **Filter**. These filters are set up by the System Administrator. Clients for export must be selected by checking the box to the left-hand side of the client's details.
- Next to this box is a flag, this will be green if the client is ready for export. Red flag shows that there are details missing for the export. All the clients can be selected by using the **Select all** check box. The number of rows selected will be displayed. Once at least one client has been selected, the **Properties** and **Export** buttons become active.
- **Properties** will display the **PPP session properties** window where changes can be made to ensure the client is ready for export. The client's name and NHS number are displayed as well as their approval status. If the **PPP approval given** box is un-checked, it must be determined if this client has given approval to be sent to a PPP dispenser. This field must be checked in order for the patient to be exported.

Date and time	Status/action	Site	Us
13/03/2019	Exported	Swindon (United Kingdom)	Yuliia M...
13/03/2019	Exported (full)	Swindon (United Kingdom)	Yuliia M...
13/03/2019	New	Swindon (United Kingdom)	Yuliia M...

- The selected client's import/export **History** can be shown. The **Session status** can be changed to show that the client has been exported. The **Session setup** will determine which external site the client is being sent to. Choose the **Private partner** from the drop-down list. The **Referral status** can be selected from another drop-down list. This will indicate the referral route. If the client is being transferred by paper only then the box should be checked.
- Once all clients are ready, the **Export** button should be selected, which will display the **Export clients for PPP** window. This will show the **Destination site**, number of **Clients** and the export **File** name. The **Export configuration** can be chosen, either the default one

or a particular configuration depending on the external site to which this data is being exported. The file name can be changed by selecting the **Change file name** button. The export can be cancelled or a file skipped by selecting the appropriate buttons.

Destination site	Clients	File
✓ Falun	1	C:\Users\ANDSHU\Desktop\Swindon (United Kingdom)_to_Falun_2020-12-22.aei

Export configuration

☒ Use default export configuration for destination site

☐ Use specific configuration

Skip file Change file name

- Once the **Export** button is selected, a progress bar appears and then a window telling you how many clients were successfully exported.

26.6 Importing to the PPP list

Once a file has been sent to you, it must be imported to be read. Once the **PPP list** is opened, select the **Import** button and a **Client import for PPP** window is displayed. Use the browse button to find the correct file and then **Import**. The import file must now be found using the browse button.

Client import for PPP

Import Cancel

Folder C:\Users\landshu\OneDrive - AuditdataAD\Desktop\

File

File information

Exporting site

User

Date/Time

Number of clients in file

☒ Collect all new and matched clients in a List

List for new patients

Referral list #1

List for merged patients

Test Referral list

Import configuration

CSV file

☐ Generate CSV file with client demographics

Output file

Once the file has been found and opened, the details are displayed, including **Exporting site**, **User**, **Date/time** and **Number of clients in the file**.

Client import for PPP

Import Cancel

Folder C:\Users\landshu\Downloads\

File Patient_DaveAnonymised_Test.aei

File information

Exporting site Trafford General Hospital Adult

User SYSTEM ADMINISTRATOR

Date/Time 26/09/2022 17:32:38

Number of clients in file 1

☒ Collect all new and matched clients in a List

List for new patients

Referral list #1

List for merged patients

Test Referral list

Import configuration

<Default>

CSV file


☐ Generate CSV file with client demographics

Output file

A **Match clients for import window** now opens. Automatically matched clients are shown in the bottom half of this window. If there is a problem with the matching of any client due to an absence of an NHS number or other match criteria, they are displayed in the top half of this window. Using the **Find match** and **Accept** buttons, you can decide whether to accept these clients or not. Once all the clients have been accepted, select **Import**.

Once this has been done, a progress bar will be displayed. As soon as the import is complete, an **Import status log** is shown. This log shows the following:

- Filename - that was imported.
- Username – of the user logged in during import.
- Org. site - the originating site of the import.
- Clients total – the total number of clients that were in the import file.
- Clients imported – the number of clients that were imported from the import file.
- Clients errors – the number of clients that had errors during the import.
- Time – the time and date of the import.
- Id, Name – displays the NHS number and name of the clients that were imported.
- Status – shows which client had an error during import.



This log can then be stored in a number of ways:

- **Save as** - the log can be saved as a text file to either disk, locally or to a network.
- **Print** - the log can be printed using the Windows default printer.
- **Copy text** - the log file is copied to the Microsoft Office clipboard and can be pasted into a Word document.

Once the log file has been saved or if you do not wish to save the log, **Close** will close this window. You will then return to the **PPP list**.

26.7 Exporting an Import/Export data file

Clients can be added to be exported by hitting **Search**. When a client is selected, they are added to be exported by pressing **Add client**. **Remove** will take the selected clients off the export list. Multiple clients can be selected using the Shift key.

The export file can either be password protected or locked for the particular external site. The **Export configuration** has to be selected from the drop-down list but can be cancelled by pressing **Cancel**.

Once **Export** has been selected, the **Password for encryption** must be entered twice for confirmation. Press **OK**, and a window opens to **Save export file** and the path where to save the file is defined.


Auditbase automatically names the file which can be renamed providing the file extension remains *.agi.

Pressing **Save** is followed by a progress bar and when this has finished, the **Export status log** can be viewed or printed. The text can be copied and pasted into another application, for instance Word. The export log can be saved as a text file by selecting **Save as**.

Close will complete the export.

When exporting from a waiting list, the client's data will remain in the selected list and must be deleted when the export is initiated by moving the client. This should then also be reflected in the client information/Alert. See [Client information](#).

26.8 Importing an Import/Export data file



The screenshot shows a dialog box titled "Client import for PPP" with a close button (X) in the top right corner. At the top, there are two buttons: "Import" and "Cancel". Below these, the "Folder" field is set to "C:\Users\ANDSHU\Desktop\". The "File" field is empty and has a browse button (three dots) to its right. The dialog is divided into three sections: "File information" containing labels for "Exporting site", "User", "Date/Time", and "Number of clients in file"; "Import configuration" containing a dropdown menu; and "CSV file" containing a checkbox labeled "Generate CSV file with client demographics" and an "Output file" field with a browse button (three dots).


27 Noah Import/Export

Noah import

It is possible to import client data from Noah, namely all Noah actions, including fast data views, actions in sessions, and client demographics according to the mapping in Auditbase Administration. Noah Audiograms can also be created as Auditbase audiograms. Noah Journal module's text content will be imported into the Auditbase Journal under the Keyword set in Admin; however, the attached files will not be imported.

NOTE: the same patient can be imported multiple times.

To import a file to Noah, go to the **File menu** > click **Import from Noah**. Two types of files are used for import: Nhax and Enhax (which is password-protected). When using an Enhax file type, it is necessary to enter a password.



Pre-import dialog

On the **Import clients from Noah** dialog (which is shown before the actual import is performed), you can verify the number of patients in a file and patient details (Noah client no, social security number, first and last name, date of birth, gender).

NOTE: you cannot import over 10 patients without an extended licence.

Import clients from Noah

Import Cancel

Folder C:\Users\yanbyalOneDrive - AuditdataAD\Desktop\AUDITBASE 6.6.0\Noah import fi

File Happy_Case.enhax

File information

Exporting site **Noah export file**

Date/Time **1/9/2024 23:15:39**

Number of clients in file **1**

Clients preview

Noah Client No	SS Number	First name	Last name	Date of birth	Gender
0000024	342198	Happy	Case	11/15/1975	F

User recorded under **John Parker**

Default journal keyword **ADMIN**

Social security no. will be imported to client's 'NHS no.'

☒ Allow import of clients with Invalid Id

☐ Apply notification rules based on audiograms

☒ Collect all new and matched clients in a List

List for new patients

List 1

List for merged patients

List 2

Import configuration

Noah import configuration

The pre-import dialog also displays:

- **User** that all import actions will be logged under. *It is recommended to have a specific user for Noah imports. All imported records will be logged under this user regardless of who created them.*
- **Journal Keyword** used for saving all records that are imported from the Noah Journal Module.
- **Social security no. will be imported to ...** - shows which Auditbase identifier (Hospital no. or NHS code) Noah's Social Security number will be mapped to. The matching of identifiers is set in Auditbase Administration (via Data handling and technical > Export / Import to Noah settings)
- Whether patients with **invalid IDs** can be imported. If invalid IDs are allowed, patients with such IDs will be listed under 'Clients with match problems' on the 'Match clients for import' dialog.
- **Apply notification rules based on audiograms** - an option to apply Auditbase notification rules for audiogram content. The checkbox controls whether you will be shown

notifications immediately after import.

- **Lists for new and merged patients** that in Auditbase Administration can be configured as either Client Lists or Trial Lists. You will need a Noah import licence to be able to collect all new and matched clients in a List.
- **Import configuration:** if there are several configurations set up in Administration, use the dropdown to select the required configuration from the list.

NOTE: pre-selected checkboxes on the Pre-import dialog show that the option is enabled in Administration; empty boxes signify that the option is available but was not activated in Admin. Greyed out Client lists/Trials section means that the extended licence was not granted.

Use the **Import** button to open the Import dialog. The import process is not initiated at this stage.

Import dialog

On the 'Match clients for import' dialog, you can review clients with matched problems and automatically matched clients. The dialog is resizeable, and the system remembers the last used size and returns to that size.


The table provides patient details (DOB and Gender for both the source and the target patients as well as Auditbase identifiers, i.e., NHS no./Hospital no.), so that matching can be analysed better.

- An import file can be processed more than once; not all patients need to be imported on each processing.
- If a patient has been imported before, then you cannot change the match to the patient in Auditbase; that patient will be shown as matching on Noah's internal ID.
- Demographics matching is done on First name, Last name, DOB, and Gender. For the matching of two patients, all four attributes must not be empty and must match. If only some criteria are met on a particular pair, that pairing is not suggested to the user and the record is reported as a **New client**.

Clients with match problems (top list)

Here you can see records for import where an issue is found that needs to be resolved. When you select a row in the top list, the following controls become active: **Find match, Accept, Skip, Create as new**.

If you tick the left-hand column, any problems will be alerted on a message. You can also review the text in the **Problem** column.



The issues described in the Problem column may be as follows:

- If a Noah patient has an ID that does not pass Auditbase validation rules but the import of patients with invalid IDs is allowed, the system will inform that *"Invalid <id name> must be corrected in Auditbase before any changes can be made."*
- If a match is found on the Identifier number in Noah with the Auditbase identifier (whichever type has been configured as matching) but Name, DOB, Gender do not match, the following text is displayed: *"Matched on <id name>, please check demographics match,"* and the system suggests the target patient. Selecting another patient is allowed.
- If the Identifier is not matched but a single match on Name, DOB, Gender is found, the following text is displayed: *"Matched one result only on Name/gender/DOB, <id name> does not match,"* and the system suggests the target patient. Selecting another patient is allowed.
- If the Identifier is not matched and multiple matches are found on Name, DOB, Gender, the following text is displayed: *"Match to more than one result only on Name/gender/DOB,"* and the system does not suggest a target patient, the target name says '*<multiple match>*' and the user must select a patient for match.

Automatically matched clients (bottom list)

Here you can review records that were matched automatically. To be able to use available controls, you need to select a row by clicking on it so that it becomes highlighted. Then the buttons become active: **Find match**, **Accept**, **Skip**.

Automatically matched clients: 1

Find match

	Import match status	Noah Client No.	Source Hospital no.	Source NHS no.	Source Name	Source DOB	Source gender	Target Hospital no.	Target NHS no.	T:
☒	Matched on Noah internal ID from a previous import, cannot change target	0000028		9999-9	Match MainCode	06/11/1974	Male		9999-9	Mat

< >

The **Import match status** column contains a description of the match status.

Possible matching scenarios:

- **A match is found between the user entered identifier number in Noah and the linked identifier code type in Auditbase; First Name, Last Name, DOB and Gender match.** The Import match status says *'Match on <Id name>/name/DOB/gender'*. The system suggests the target patient and automatically selects the checkbox in the left-hand column to include the patient in the import.
- **The record from Noah has been imported previously; the match to that Auditbase patient is locked.** The dialog shows the target patient and the text says *Matched on Noah internal ID from a previous import, cannot change target*. The record can be reimported to update the information from Noah.
- **If the record was imported previously, so it matched on the internal identifier, but Name, Gender or DOB differ,** the Import match status is described as: *Matched on Noah internal ID from a previous import, name/gender/dob doesn't match*. In this case, the system does allow the import to proceed if the user changes the Import checkbox from clear to selected, so users have to review the match.
- **No match is found on identifiers or demographics.** In this case the system does not suggest a target, and the Import match status contains **New client** but an existing patient can be selected for matching.

Click **Import** to start importing patients. *NOTE: The checkbox in the left-hand column must be selected for any record to be imported.*


Since another user can potentially add or modify Auditbase patients on another workstation while the Import dialog is still open, the uniqueness of patient identifiers is checked during import. If any identifiers are found to be duplicated, this information is included in the text log produced after the import, and a warning is displayed to review the log.

Post import dialog and logging

On the Import Status Log, you can review:

1. File user statistics on file content;
2. List of patients and their status.


If necessary, the log can be saved to a secure location.



Noah export


To export a file to Noah, go to the **File menu** > click **Export to Noah**. On the 'Export data' dialog, click **Add client** to add the current global client to the export file. Use **Search** to add multiple clients.

Use the export preview to verify export information and, if necessary, **remove** those clients that do not need to be exported.




You can protect the file with a **password**. If you enter the password in the corresponding field, an Enhax export file will be created. If the password is not set and the field is left blank, the system will create an Nhax file.

For security reasons, you can **anonymize** clients by selecting the corresponding checkbox.



After the file is exported from Auditbase, an Export Status Log is shown with export information specifying the folder where the export file is stored, the name of the user that initiated the export, the number of exported clients, etc.



28 Reports

Click the button below to access our training materials.

eLearning

You can create your own reports or queries in Crystal Reports, Microsoft Query and Microsoft Excel, and access them directly from Auditbase. Reports can be stored in sub-directories in the correct country directory under the directory specified in **Auditbase Administration -> User and workstation options -> Workstation settings -> Printing and reports -> Path to reports**. The system shows reports in a folder-like structure corresponding to the disk sub-directories reports. This may be used for logical reports grouping. Folders will appear under each tab on the User Reports dialog whether they include reports of that type or not.

A CSV reporting tool tab provides reporting in a different format. Report parameters are indicated and corresponding values must be selected in order to run the report.

When you open a Crystal Reports report, the database, user and password currently used in Auditbase will be used for an automatic login with the ODBC data source name Auditbase - ODBC. When using Microsoft Excel and Query, you will be prompted for login, with database and username set in the ODBC set-up in the administration tool.

To edit a report made with Crystal Reports, you will need a full installation of Crystal Reports Professional edition. A license for this product is not provided by Auditdata. With Auditbase only a viewer for existing Crystal Reports 11 is provided. When Standard User reports provided with Auditbase are saved, they are editable in Crystal Reports Version 9 Professional. However, this version will not work on an Auditbase client PC without first installing the Crystal Reports Service Pack 7, which can be found on the Auditbase installation disk or on the Crystal Reports website.

To use the Microsoft Excel and Query examples you will need an installation of Microsoft Office (or the products mentioned), in order to open the files. To open a Microsoft Query file (*.dqy) in Microsoft Query, you will need to manually associate the file type with Microsoft Query.

Notes:

Microsoft Query editor is not installed by default by the Microsoft Office installation wizard.

When you create your own new report, you should always use the ODBC data source name (also called DSN) Auditbase - ODBC to make sure the settings are correct. You should then make sure your report is located in the folder specified by the system administrator.

When you create reports in Microsoft Excel, you should be aware that Excel by default saves the password and data with the spreadsheet. To avoid this, you should modify the properties for the data area in the Excel sheet. With Crystal Reports, you have a similar setting under **File -> Save data with report** where you should avoid saving data with the report.

If using Windows Single Sign-on to access Auditbase and you receive a log in prompt for any report, please enter an asterisk symbol * in the user field and leave the password field empty.

Be aware

It is strongly recommended NOT to edit data in the Auditbase database from an external tool. Errors caused by such an action are not supported by Auditdata. If you want to edit data in an Auditbase database from an external tool, you should only do it on a database copy - never the live database - and make sure you are actually connected to this copy before performing any actions.

28.1 Report examples

The following reports (specified by the UK user group) have been supplied as examples on how to access the Auditbase database from external tools supporting ODBC.

Crystal Reports

Age of All Clients Alive

Shows the basic client data with a simple calculation of the age based on today's date and date of birth. Only clients alive are listed.

Created with Microsoft Query.

All Client Type of Aid - Quantity Controlled

Shows the quantity controlled hearing instrument models and counts currently issued. The report is based on stock types set up as Released.

Created with Crystal Reports.

All Client Type of Aid - Serial Number Controlled

Shows the serial number controlled hearing instrument models and counts currently used by clients alive, in the specified date of birth range. Aids issued to clients with no registered date of birth will not be included. The report is based on stock types set up as Released.

Created with Crystal Reports.

Appointment symbol list

Shows the Appointment symbol names and symbol id referenced from Calendar table

Appointment Type and Article

Shows the hearing instrument models and count associated with the appointment type the client had in a certain date range.

Created with Microsoft Query and Microsoft Excel.

Duplicate lastname, firstname, DOB and sex

Shows groups of clients having the same last name, first name, DOB, and sex and displays their addresses and primary codes so that merging can be considered.

Earmould Types Left

Shows the count of the different types of earmoulds for left ears made in a certain date range.

Created with Microsoft Query.

Earmould Types Right

Shows the count of the different types of earmoulds for right ears made in a certain date range.
Created with Microsoft Query.

Earmould Types

Shows that you can have two Microsoft Queries in the same Excel sheet.
Created with Microsoft Excel.

Firstname with space character at beginning

Lists clients having a space character at the start of the name which therefore may not be found using Firstname as a search criteria.

Lastname with space character at beginning

Lists clients having a space character at the start of the name which therefore may not be found using Lastname as a search criteria.

Hearing Aid Clients Male-Female-Other

Shows the distribution of gender among clients alive. Can also be used to check for typing errors in the gender data field.
Created with Crystal Reports.

Hearing Aid Clients Gender Other List

Lists clients alive with a gender different from M (male) or F (female). Should be used to check for typing errors in the gender data field.
Created with Crystal Reports.

Hearing Aid Type

Shows basic client data with used hearing instrument(s) born in a certain date range.
Created with Microsoft Query.

Incorrect Age

Lists all clients with a default age of less than 0 (negative) or greater than 110, default can be changed. Use this report to check if you have clients with wrong D.O.B. registration.
Created with Crystal Reports.

Number of 15 Minute

One-page report displaying the most frequently used appointments in a pie chart. This version is ordered by the number of used 15 minutes timeslots in a certain date range. This report also demonstrates how to use parameters in Crystal Reports.

Created with Crystal Reports.

Number of 15 Minute - Resource

Same as above, except that you can limit the appointments to those booked with a certain resource. The resource parameter can be configured to some default values. This is site dependent and has to be done for each site. The resource parameter must match the case used in the database (upper case).

Created with Crystal Reports.

Number of Procedures

One-page report displaying the most frequently used appointments in a pie chart. This version is ordered by the number of procedures booked in a specific date range. This report also demonstrates how to use parameters in Crystal Reports.

Created with Crystal Reports.

Number of Procedures - Resource

Same as above, except that you can limit the appointments to those booked with a specific resource. The resource parameter can be configured to some default values - this is site dependent and has to be done for each site. The resource parameter must match the case used in the database (upper case).

Created with Crystal Reports.

Number of referenced appointments

Appointments created with Referred by field completed.

Number of Left Earmoulds

Displays the number of earmoulds for left ears created in a specific date range.

Created with Microsoft Query.

Number of Right Earmoulds

Displays the number of earmoulds for right ears created in a specific date range.

Created with Microsoft Query.

Client List With Temporary Numbers

Lists all clients that have been created with a temporary hospital ID. If you use a prefix different from 'T' for your temporary hospital IDs, you will need to modify the criteria in the report.
Created with Crystal Reports, Microsoft Query and Microsoft Excel.

Referrals grouped by Treatment Type & Client's GP PCT Code

Shows summary count of client referrals between specified Start and End dates, grouped by Client's GP PCT Code and by Treatment type.

Referrals grouped by Treatment Type & Client's GP PCT Code – detailed

Shows summary count and individual details of client referrals between specified Start and End dates, grouped by Client's GP PCT Code and by Treatment type.

Post Code Extract

Lists hospital ID with post code for all clients where the Comm. Hearing Aid or the NHS Hearing Aid check box has been checked in the Client information window, but you can modify this to meet your wishes. This report is intended for further processing by another tool - i.e. Excel.
Created with Microsoft Query.

Furthermore, a report to view/print the schedule of a certain resource has been added as a system report, and it can be accessed from the menu **Functions->Print schedule** in the **Booking** screen. This report should not be modified by the user.

Activity by PCT code

Shows a table of appointments by PCT code within a date range. The PCT code is taken from the Referring Agents (GP) table within Auditbase.

Appointment code numbers

Shows the appointment symbol names and their symbol id referenced from the Calendar table.

Appointments by PCT code with date range

This shows two tables of selected appointments using the code numbers obtained from the Appointment code numbers report. The first table shows how many appointments have been made for each PCT code. The second shows the amount of time in weeks that the appointments have been waiting since their referral. To use this report accurately, the referral page must be used.

Waiting list by customer with last referral using AC date

This report shows two tables of selected waiting lists using the code numbers obtained from the Waiting list code numbers report referenced to the customer table rather than the Referring

Agents table. The first table on the report shows how many clients are on the selected waiting lists for each customer. The second table shows how long each client has waited on the selected waiting lists for each customer. The wait time is calculated from the last audiogram made for the client.

Waiting list code numbers

Shows the waiting list names and their symbol ID referenced from the waiting list table.

Waiting list printout with addresses

Shows a printout of a selected waiting list and includes the following details:

- Wait time – taken from the waiting list module.
- Hospital number
- Name and address
- Date of Birth
- Postcode
- Home phone
- Information taken from the waiting list module

Custom Report and Statistics

These reports can be accessed from the **Custom reports and statistics** reporting tab and will report data in Comma Separated Values (CSV) format. For these reports, the user is able to select the parameter values from a list of options (pre-defined in Administration).

Reports for this tab can be found in the folders:

- AQP reports
- Surgery
- CIDS reports


These include:

- AQP - Monthly full patient minimum dataset – Per piece of activity
- AQP - Monthly full patient minimum dataset – Per referral
- Hearing aid journey outcomes
- Patients access service in extended hours
- Re-fitted with hearing aid after re-assess
- Referrals with a 'rejected' referral outcome applied in a chosen period
- Referral with an outcome of a request to transfer provider
- Aids replaced due to mechanical failure
- Lost, damaged hearing aids
- And more.

28.2 Running a standard user report

A series of standard reports are available in Crystal Reports, Excel or Microsoft Query report formats.

- **Navigation -> User Reports.**
- Use the tabs to select a *Crystal Report*, *Microsoft Excel*, *Microsoft Query* or *Custom report*.
- Open the relevant folder.
- Select the relevant report.
- Select **Open** or double-click the report to run it.



An *EXAMPLE* of a standard user report indicating clinical activity in a department:

- Open the **Number of procedures** report.
- Select a **Start date** for your report.
- Click on **End date** and select the date you want the report to end.
- Click **OK** and then view the report and/or print it.

Enter Values

Please enter a start date. StartDate

Please enter Date in format "yyyy-mm-dd".

Please enter an end date. EndDate

Please enter Date in format "yyyy-mm-dd".


Business Objects

January 2020

<< < Today > >>

Su	Mo	Tu	We	Th	Fr	Sa
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

OK Cancel



Crystal Reports


- You may need to press the refresh button on the report to update the report.
- Print** as required.

The user reports will only work on a computer where the system administrator has enabled the correct driver.

For advanced reports, Crystal Reports training courses can be provided. Please contact the Auditdata Help-desk for further information.

28.3 Running a report from the Custom reports and Statistics tab

Select and **Open** the required report by double clicking it.




To set up the report fill each of the mandatory parameters and whichever of the non-mandatory parameters you want to filter your data on.


Mandatory items

The red exclamation mark alongside a parameter denotes a mandatory field. When a mandatory field is completed, the exclamation mark will disappear from alongside it.

If you attempt to run a report without completing one or all of these parameters, a warning will appear on screen.



If you should save a report without completing one or all of these parameters, a warning will appear on screen.



Output file name and location

Each report requires a designated name and location for the output file, which is where the data will be saved once the report is run. On selecting the **Value** field for the output file the user must browse to select the destination folder for the report output.

It will however still be possible to save the report without completing the mandatory fields.

Filling parameter values

Parameters selections are made in recognisable controls depending on the type of data, such as dates, single selections, multi-selections, number fields, etc.

For drop-down single selections, click on the drop-down arrow for a parameter.

Report Filters

Current filter
Default [Default] Save Save as ... Delete

If at least one of report dates is not entered, the previous whole calendar month will be used.
When clicking 'Save parameters for future use' or 'Save parameters for future use and Run report' Run report

If report start or end date is not entered, then start or end of the previous whole calendar month will be used.

Start date

End date

Holiday and working day settings, if saved, will be used also for other AQP reports.

Holiday date 1

Holiday date 2

Holiday date 3

Holiday date 4

Holiday date 5

Saturdays are working days
No

Included additional GP details
No

Parameters below are only saved for this report:

Exclude patients with alerts and parameters in list Show list items

Include only patients with alerts and parameters in list Show list items

Select the value you wish to populate that parameter.

Multi selection fields

To report on multiple values from multi-selection fields, each value is clicked on and moved to the **Selected items** box using the arrows adjacent to the box. When a value is transferred to the **Selected items** box that value will be reported on and anything left in the **Available items** box will not be reported on.

Above each **Selected items** box is a check box titled **Ignored**. This remains checked until a value is moved into the box. If values are not moved across to a **Selected items** box and that box remains empty, no filtering will be done on that selection and all parameter values will be included in the report.


Lists

If there is a list of possible values which could be used in multiple reports (such as Assessment appointment symbols) these can be defined in **Lists** set up in **Auditbase Administration** -> **Other definitions** -> **Lists for report parameters**.

Show List Items

When a parameter is a list of items, you can view the items by clicking on the **Show list items** button. The button will only appear when you have selected a value containing a list.

Although the list items will be shown, you cannot make changes to the list from here. This must be done from within Auditbase Administration since the same list may be being used in other reports and to make changes will affect all the reports it is used in.




The screenshot shows a dialog box titled "Moved + Interpret" with a close button (X) in the top right corner. Below the title bar is a "Close" button. The main area of the dialog is a list of items, each preceded by a checkbox. The list is titled "Text" and includes the following items:

- ☐ D,Deceased
- ☒ I,Interprete
- ☒ M,Moved
- ☐ T,Transport
- ☐ O,Operated
- ☐ H,Home visit
- ☐ F,Medical
- ☐ X,Check info
- ☐ Research
- ☐ Paed. client
- ☐ Commercial
- ☐ July 04 - digital aid info leaflet
- ☐ MHAS digital aid
- ☐ NHS
- ☐ Domiciliary patient
- ☐ Private
- ☐ Paper journal
- ☐ 02,02
- ☐ 09,09
- ☐ 08,08
- ☐ !,Comm. need - Large print
- ☐ *,Comm. need - Braille
- ☐ #,Comm. need - Easy read

Report Filters

To save report value selections you have made, click **Save**. You will be asked to give the selections a **Filter** name.



The screenshot shows a dialog box titled "Save report filter" with a close button (X) in the top right corner. Below the title bar are "Save" and "Close" buttons. The main area of the dialog contains three radio button options:


- ☐ Save to the current filter <Default>
- ☐ Rename the current filter
- ☒ Save as a new filter

Below these options is a text input field labeled "Name". At the bottom of the dialog is a checkbox labeled "Save as the default filter".

Once you have done this, the report selections are saved as a named **Filter** and can be accessed from the **Current filter** drop down list.


Multiple Report Filters

You can create differing versions of the same report and save them as **Filters**. To do this, open the report you wish to adjust the parameters on. Change the values and click **Save as**. Give the filter a name.



This will now be available in the **Current filter** drop down box along with your original report set-up. Saving each report change as a filter will mean they are all there to be re-used in the future. There is no need to keep re-building reports with varying values.

You can also direct Auditbase as to which report should be the default.




The report will always open the default report as standard.

If you have made changes to report parameters but have not saved them, you will be asked if you wish to save them if you re-open the User reports list or exit Auditbase.

Run and refresh

The **Run report** button will highlight yellow as soon as a parameter is changed. This will alert the user to the need for refreshing the existing report output. Clicking on the **Run report** button will generate a new output for CSV reports.



The white space to the right of the parameter lists will display the running dialogue and its progress. If the report data is short, the dialogue will only flash onto the white area before disappearing. A **Stop** button will display along with the report dialogue in order that the process can be brought to a halt if it is taking too long to complete.

A LOG file is included in the output file in case there were errors which can be reported to Support. If the report ran without errors, then it does not need to be retained and can be deleted.

Once the report has completed running, the output file will open automatically in Excel.

Opening the report in Excel

The output file will open automatically in Excel.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
	nSurgery ID	Surgery date	Surgery Nr	Preop Date	Postop Date	Followup Date	Dropout Date	Ear side	nAge at st	Age group	Concurrer	ConcProc	ConcProc	ConcProc	ConcProc
1	8	10/9/2013	1	10/9/2013	10/9/2013	10/9/2013	10/9/2013	R	13	19-Oct	DBA00, exc probat meatus ac ext				
2	9	2/7/2014	1	2/7/2014	2/7/2014	2/7/2014	2/7/2014	R	13	19-Oct	DBA00, ex DBB00, ex DBD20, op plast meatus ac ex				
3	12	3/7/2014	2	3/7/2014	3/7/2014	3/7/2014		L	46	40 - 49					

Data will populate the corresponding headed columns. Empty cells will indicate there is no corresponding information available in the patient's record.

The CSV report once opened in Excel can be re-saved as an Excel document using the **File -> Save As** option. If required it can also be renamed and/or dated to prevent overwriting by a future report run.

Opening other reports from the Custom reports and statistics tab

To open a new report, go back to **Modules -> User reports**.

When you open a new report from **Modules -> User reports**, and another report is already open, the back-ground screen will change. Despite this, the report screen will re-open once your desired report has been selected.

Custom Reports and Statistics with Crystal report output

Only in the Surgery folder will you find reports that display as Crystal reports. The Crystal report output is displayed in the white space to the right of the report parameters.

When parameters are changed on a report, clicking the **Run report** button will cause the report to be refreshed. Differences in output with modified selections can therefore be easily seen.

Crystal report output can be exported to a PDF document.

Scroll Bar

The scroll bar to the right of the report cannot recognise the size of the report and therefore will always display as though the report is large (the scroll bar will be small). This scroll bar does not support mouse scroll wheels.

29 Communication

29.1 Task list

Click the button below to access our training materials.

eLearning

A task list is a list of tasks that are not completed yet, for instance new appointments. Access the Task list module from **Navigation -> Task list** or press **Shift+Ctrl+T**.

	Date created	Task type	Task label	Description	Hospital no.	Client name	Assigned	User	Completed by	Date completed
☐	04/08/2021	Appointment			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME32	SYSTEM ADMINISTRATOR		
☐	04/08/2021	Repair			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME11.	SYSTEM ADMINISTRATOR		
☐	04/08/2021	Appointment			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME41	SYSTEM ADMINISTRATOR		
☐	04/08/2021	Repair			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME67	SYSTEM ADMINISTRATOR		
☐	04/08/2021	Repair			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME42	SYSTEM ADMINISTRATOR		

- The Task list shows the tasks created by any user linked to the current location or to the global location. Change location to filter all entries for the desired location or choose **All** to see all tasks.
- When location filtering is used, tasks will appear in the locations to which both the assignee and the assigner belong.
- **Tasks assigned to me** will show all your tasks to do regardless of location.
- To create a new task, click **New**.

New task

Buttons: Add client, Clear client, Search client, Save, Cancel

Client

Hospital no. T18767 Name FIRSTNAME8767 LASTNAME8767

Task

Date 13/01/2020

Task type Clinic

Task label

Priority Normal

Description

Assign

Users

- ☐ USER NAME11
- ☒ USER NAME67
- ☒ USER NAME44
- ☐ USER NAME14
- ☐ USER NAME9
- ☐ USER NAME92
- ☐ USER NAME35

Resource group

User full name tests???

- Select a client.
- Click **Add client** to select the current client or press **Alt+a** for a shortcut to add the current client. If you wish to add a different client, click **Search client**. Click **Clear client** to create a task without associating it with a client.

- Select **Task type**, for instance Appointment or Audiogram. The task types are predefined by your System Administrator. Task types can be outdated by your system administrator and if so they will show in Auditbase with an asterisk * but will not be selectable.
- Select **Task label**. The task labels are only enabled in Auditbase if defined by your system administrator first and linked to a task type.
- Add/move sections from below on entering Assignee, date priority etc.
- The default date is set to today's date. You can change the date manually.
- Select the person to whom you wish to assign this task. You can select one or more resources or a resource group. Users are listed by those from the currently selected location first.
- You can set the task to high, normal or low priority.
- The System Administrator can link a predefined description to the task label or you can type a description here.
- When you have completed a task, select the check box column to the left and click **Complete**.
- To delete a task, select the check box column to the left and click **Delete**. Deleting tasks is a permanent action. Once deleted, tasks cannot be retrieved. The System Administrator can control which users are permitted to delete tasks which are not created by themselves. If a user does not have the extended user right **Task list: Delete any task** they will only be able to delete tasks created by themselves.
- A warning is displayed to users when deleting tasks and includes the number of tasks being deleted, this will mitigate the risk of users accidentally deleting tasks or deleting more tasks than intended.
- An Auto Journal Event can be enabled for Task deletion of uncompleted tasks associated with Clients. This can be used to ensure that a record of an uncompleted Client Task is always kept since it can include the Task description.

From the task list view you can see the priority of a task, which can be high, normal or low:

! High priority

↓ Low priority

- To filter the task list view, select a filter from the drop-down box. You can also filter on **Completed tasks** by checking the corresponding box.
- Tasks related only to the current global client can be filtered by selecting **Tasks for selected client** from the filter drop down.
- The content of the filter and state of the Completed checkmark is remembered for each user so they do not have to reapply their preferred filter.
- To edit a task, double click on the task or select the check box column to the left and click **Edit**.
- When a user selects a Task on the list which is related to a different client, the System Administrator can enable a warning to the user that the client is changing.

- As a default, only the creator of the task and the person assigned to the task have a right to edit the task. However, the system administrator can give extended rights to other users so they can edit tasks as well.
- Click **Save**.
- When assigning a task, the user to whom the task was assigned will be alerted. If the task is assigned to a whole group, all resources within the group will receive an alert. The user must be associated with a group to receive group alerts. The alert for the task will be cleared for all resources once the first user opens the task for review. Your system administrator can set up whether the user should be notified only at login or also on the screen while working.
- Bulk multi selection of Tasks is done using Shift and Control buttons in combination with the mouse click in the normal Windows method. This will highlight the chosen rows in black which can be selected for a Delete or Complete operation by checking the Select highlighted button which reads Select all when no rows are highlighted.

Auditbase - [Task list]

File Functions

Client T132153 MR FIRSTNAME32153 LASTNAME32153 User SYSTEM ADMINISTRATOR All locations All departments ?

Filter All ☒ Completed ☐ Select highlighted rows New Edit Delete Complete

		Date created	Task type	Task label	Description	Hospital no.	Client name	Assigned	User
☐	!	04/08/2021	Appointment			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME32	SYSTEM ADMINISTRATOR
☐	! ✓	04/08/2021	Audiogram			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME11.	SYSTEM ADMINISTRATOR
☐	! ✓	04/08/2021	Audiogram			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME67	SYSTEM ADMINISTRATOR
☐	! ✓	04/08/2021	Earmould			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME32	SYSTEM ADMINISTRATOR
☐	!	04/08/2021	Appointment			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME11.	SYSTEM ADMINISTRATOR
☐	!	04/08/2021	Repair			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME41	SYSTEM ADMINISTRATOR
☐	!	04/08/2021	Appointment			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME67	SYSTEM ADMINISTRATOR
☐	!	04/08/2021	Repair			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME42.	SYSTEM ADMINISTRATOR
☐	✓	04/08/2021	Appointment			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME11.	SYSTEM ADMINISTRATOR
☐	✓	04/08/2021	Appointment			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME67	SYSTEM ADMINISTRATOR
☐	! ✓	04/08/2021	Audiogram			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME32	SYSTEM ADMINISTRATOR
☐	✓	04/08/2021	Appointment			T132153	MR FIRSTNAME32153 LASTNAME32153	USER NAME32	SYSTEM ADMINISTRATOR

29.2 Auditbase Viewer

The Viewer enables a user to view a client's articles and audiograms. The user is not allowed to enter any client data.

The Viewer is typically used as an interface application between a central Client Journal system and Auditbase.

- Start the **Viewer** from the desktop icon.
- Log in with username and password.

You can also start the Viewer from the command line or from external application launch facilities in third party applications in the following way:

- To start the program only by logging in:
- Viewer.exe – DBNAME:xxx-USERID:xxx-PASSWORD:xxx
- To start the program only by logging in and by pre-selecting a client:
- Viewer.exe – DBNAME:xxx-USERID:xxx-PASSWORD:xxx- CODE_P:xxx-CODE_S:xxxx

29.3 General notes and daily notes

Both General notes and Daily notes are resource specific. General notes will be seen every day until they are deleted. Daily notes will only appear for that particular day.

- Notes may be entered by clicking either **General** or **Daily** on the booking screen while having selected a resource.
- To save the note, close the window and click **Yes** when prompted to save.
- The resource name in the resource list will now appear in red. To see the note, select the resource and click **Daily note/General note**.
- The resource will also be alerted of the note with an alert, either at login or on screen while working. Settings for this function are done by your system administrator.

30 Technical Information

30.1 Installation and Set-Up

For minimum and recommended client and server specifications, please refer to the Auditbase Server and Client Specification.

For full step by step guidelines on how to install Auditbase System, please refer to the Auditbase Complete Install Guide.

30.2 Symbols Used on the System and in Documentation

Symbols are used on the system and in the documentation in places where this is required by regulations or where it is simply more convenient due to space restrictions.

You can find an overview of the symbols used on packaging. Also, see below.



General warnings



Manufacturer address



CE

31 Manufacturer and System Data

The SaMD Auditbase System is manufactured and sold in the EU by:

Head office:

Auditdata A/S

Wildersgade 10B 1408 København K Denmark

Phone: +45 70203124

www.auditdata.com



2003 Auditbase

Documentation version:

Auditbase Help System version 20.0040/35

Symbols used on the system, its packaging, and in documentation:

See the section "[Symbols Used on the System and in Documentation](#)" for an overview of symbols used.